BellSouth Telecommunications, Inc.

333 Commerce Street Suite 2101 Nashville, TN 37201-3300

guy.hicks@bellsouth.com

2003 JUL 23 AM 8:

Guy M. Hicks

General Counsel

T.R.A. DOCKET ROOM 214 6301

Fax 615 214 7406

July 7, 2003

VIA HAND DELIVERY

Hon. Deborah Taylor Tate Chairman Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

Re:

Approval of the Interconnection Agreement, together with the Amendments thereto Negotiated by BellSouth Telecommunications, Inc. and Texas Hometel, Inc. d/b/a 877-RING AGAIN Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket No.

Dear Chairman Tate:

Enclosed are six paper copies and a CD Rom of the executed interconnection agreement and Amendments Thereto between BellSouth Telecommunications, Inc. and Texas Hometel, Inc. d/b/a 877-RING AGAIN.

Thank you for your attention to this matter.

Sincerely yours,

○Guy M. Hicks

cc: Keith Carter, Texas Hometel, Inc. d/b/a 877-RING AGAIN

BEFORE THE TENNESSEE REGULATORY AUTHORITY Nashville, Tennessee

In re:

Approval of the Interconnection Agreement and Amendments Thereto Negotiated by BellSouth Telecommunications, Inc. and Texas Hometel, Inc. d/b/a 877-RING AGAIN Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket N).	

PETITION FOR APPROVAL OF THE INTERCONNECTION AGREEMENT AND AMENDMENTS THERETO NEGOTIATED BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC. AND TEXAS HOMETEL, INC. D/B/A 877-RING AGAIN PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Texas Hometel, Inc. d/b/a 877-RING AGAIN ("Texas Hometel") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Interconnection Agreement dated July 6, 2002 together with the Amendments to the Interconnection Agreement dated June 2, 2003 (sometimes collectively referred to as the "Agreement") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Texas Hometel and BellSouth state the following:

1. Texas Hometel and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Texas Hometel. The parties have also recently negotiated amendments to the Interconnection Agreement. The first Amendment replaces Attachment 9, Performance Measurements in its entirety. The second Amendment adds LIDB services to the Agreement. A copy of the Agreement and Amendments is attached hereto and incorporated herein by reference.

2. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Texas Hometel and BellSouth are submitting their Agreement to the TRA for its consideration and approval.

3. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Agreement between BellSouth and Texas Hometel within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

4. Texas Hometel and BellSouth aver that the Agreement is consistent with the standards for approval.

5. Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement available upon the same terms and conditions contained therein.

Texas Hometel and BellSouth respectfully request that the TRA approve the Agreement, including the Amendments, negotiated between the parties.

This 8 day of July , 2003.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By:

Guy M. Hicks

333 Commerce Street, Suite 2101 Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement and the Amendments thereto on the following via United States Mail on this day of , 2003:

Keith Carter Texas Hometel, Inc. d/b/a 877-RING AGAIN 4302 Ross Avenue Dallas, TX 75204

Guy M. Hicks

BELLSOUTH® / CLEC Agreement

Customer Name: Texas Hometel, Inc. dba 877-RING AGAIN

Texas Hometel, Inc. dba 877-RING AGAIN	2
Table of Contents	3
General Terms & Conditions	5
Att 1 - Resale	25
Att 1 - Resale-Rates	49
Att 2 - UNEs	50
Attachment 2 - UNE Rates	124
Att 3 - Local Interconnection	383
Attachment 3 - Local Interconnection Rates	411
Att 4 - Physical Collo-CO	420
Att 4 - Physical Collo-RS	458
Att 4 - Rates	493
Att 5 - Interim Number Portability	519
Attachment 5 - Svc Prov Num Portability Rates	526
Att 6 - Ordering	535
Att 7 - Billing	541
Attachment 7 - ODUF/ADUF/CMDS Rates	556
Att 8 - Rights of Way	565
Att 9 - Performance Measurements	567
Att 10 - Disaster Recovery Plan	720
Att 11 - BFR and NBR Process	728
LIDB GetData Amendment	731
Att9 Amend	740

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

INTERCONNECTION AGREEMENT

BETWEEN

BELLSOUTH TELECOMMUNICATIONS, INC.

AND

TEXAS HOMETEL, INC. d/b/a 877-RING AGAIN

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Arm's Length Negotiations
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Implementation of Agreement
- 25. Filing of Agreement
- 26. Compliance with Applicable Law
- 27. Necessary Approvals
- 28. Good Faith Performance
- 29. Nonexclusive Dealings
- 30. Rate True-Up
- 31. Survival
- 32. Establishment of Service
- 33. Entire Agreement

Version 1Q02: 02/20/02

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request/New Business Request Process**

Version 1Q02: 02/20/02

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Texas Hometel, Inc. d/b/a 877-RING AGAIN, ("Texas Hometel"), a Texas corporation, and shall be effective as stated in the Definitions. This Agreement may refer to either BellSouth or Texas Hometel or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Texas Hometel is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Texas Hometel wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize Collocation Space or space available pursuant to Adjacent Arrangement (all as defined in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Texas Hometel agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the Effective Date of the Amendment, which shall be the date of the last signature executing the Amendment. Other Charges and Credits will be mechanically created to adjust recurring rates previously billed in advance at the previous rates.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Texas Hometel agrees to provide BellSouth in writing the certificate number, company number or docket number, for the docket pending certification, for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate commission for approval.
- 1.2 Additionally, Texas Hometel will notify BellSouth in writing when it becomes certified or has a docket pending certification to operate in any other state in the BellSouth region. Upon notification, BellSouth will file this Agreement with the appropriate commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms

and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 2.4 If as of the expiration of this Agreement a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Texas Hometel pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in Subsequent Agreement.

3. Operational Support Systems

Texas Hometel shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachments 1, 2, 3 and 5, as applicable.

4. Parity

When Texas Hometel purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Texas Hometel shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Texas Hometel shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's end users and service quality as perceived by Texas Hometel.

5. White Pages Listings

- 5.1 BellSouth shall provide Texas Hometel and their customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. Texas Hometel shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Texas Hometel residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Texas Hometel and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as Texas Hometel provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Texas Hometel one (1) primary White Pages listing per Texas Hometel subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Texas Hometel Subscriber Information are found in The BellSouth Business Rules for Local Ordering.
- 5.4 Notwithstanding any provision(s) to the contrary, Texas Hometel shall provide to BellSouth, and BellSouth shall accept, Texas Hometel's Subscriber Listing Information (SLI) relating to Texas Hometel's customers in the geographic area(s) covered by this Interconnection Agreement. Texas Hometel authorizes BellSouth to release all such Texas Hometel SLI provided to BellSouth by Texas Hometel to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Texas Hometel SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain Commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the Commission of such state has approved modifications to such tariff.
- No compensation shall be paid to Texas Hometel for BellSouth's receipt of Texas Hometel SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Texas Hometel's SLI, or costs on an ongoing basis to administer the release of Texas Hometel SLI, Texas Hometel shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Texas Hometel's SLI, Texas Hometel will be notified. If Texas Hometel does not wish to pay its proportionate share of these reasonable costs, Texas Hometel may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Texas Hometel may

amend its interconnection agreement accordingly. Such amendment would become effective at such time that both Parties have signed, and Texas Hometel will be liable for all costs incurred up to that time.

- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Texas Hometel under this Agreement. Texas Hometel shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Texas Hometel listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Texas Hometel any complaints received by BellSouth relating to the accuracy or quality of Texas Hometel listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Texas Hometel will be required to provide to BellSouth the names, addresses and telephone numbers of all Texas Hometel customers who wish to be omitted from directories. Unlisted/Non-Published Subscriber listings will be offered at tariff rates as set forth in the GSST.
- 5.6 Inclusion of Texas Hometel Customers in Directory Assistance Database.

 BellSouth will include and maintain Texas Hometel subscriber listings in

 BellSouth's Directory Assistance databases at no recurring charge and Texas

 Hometel shall provide such Directory Assistance listings at no recurring charge.

 BellSouth and Texas Hometel will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will accord Texas Hometel's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Texas Hometel's customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Texas Hometel subscribers at no charge or as specified in a separate BAPCO agreement.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services or local switching for Texas Hometel, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Texas Hometel end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Texas Hometel end users for the same length of time it maintains such information for its own end users.
- 6.2 <u>Subpoenas Directed to Texas Hometel</u>. Where BellSouth is providing to Texas Hometel telecommunications services for resale or providing to Texas Hometel the local switching function, then Texas Hometel agrees that in those cases where Texas Hometel receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Texas Hometel end users, and where Texas Hometel does not have the requested information, Texas Hometel will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>Texas Hometel Liability</u>. In the event that Texas Hometel consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Texas Hometel under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Texas Hometel for any act or omission of another telecommunications company providing services to Texas Hometel.

7.3 Limitation of Liability

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or

Version 1Q02: 04/15/02

function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- 7.3.3 Neither BellSouth nor Texas Hometel shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.

7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Texas Hometel is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark (collectively, the "Marks"). The Marks of BellSouth include those Marks owned directly by BellSouth and those Marks that BellSouth has a legal and valid license to use.
- Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:

- 8.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.4.2 obtain a license sufficient to allow such use to continue.
- 8.4.3 In the event Section 8.4.1 or 8.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.5 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.7 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 It may be necessary for BellSouth and Texas Hometel, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution,

disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.
- Assignments. Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Texas Hometel, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect

such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any

such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Texas Hometel any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Texas Hometel changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Texas Hometel to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Texas Hometel or BellSouth to perform any material terms of this Agreement, Texas Hometel or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not

renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 10.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of Collocation Space (or space pursuant to Adjacent Arrangement) under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of Collocation Space (or space pursuant to Adjacent Arrangement) if the covenants and promises of the other Party with respect to the other services provided for under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recoupable against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

19. Arm's Length Negotiations

Version 1Q02: 04/15/02

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Texas Hometel, Inc. d/b/a 877-RING AGAIN

Keith Carter 4302 Ross Ave. Dallas, TX 75204

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide Texas Hometel notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

Version 1Q02: 04/15/02

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Implementation of Agreement

If Texas Hometel is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets.

25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Texas Hometel shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Texas Hometel. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Texas Hometel is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

26. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall

reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Texas Hometel as a requesting carrier under the Act).

30. Rate True-Up

- 30.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 30.2 The designated true-up rates for Network Elements and Other Services and Network Interconnection shall be subject to true-up according to the following procedures:
- The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- 30.4 The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 10 of the General Terms and

Conditions of this Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Texas Hometel specifically or upon all carriers generally, such as a generic cost proceeding.

31. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

32. Establishment of Service

If BellSouth is informed that an unauthorized change in local service to Texas Hometel has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Texas Hometel as the CLEC initiating the alleged unauthorized change, the appropriate nonrecurring charges, as set forth in Section A4 of the GSST. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and Texas Hometel.

33. Entire Agreement

- 33.1 This Agreement means the General Terms and Conditions and the Attachments identified in Section 33.2 below, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Texas Hometel acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Texas Hometel pursuant to the terms and conditions set forth in this Agreement. Texas Hometel may elect to purchase said services by written request to its Account Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Texas Hometel, Inc. d/b/a 877 RING AGAIN
By: Original on File	By: Original on File
Name: C. W. Boltz	Name: Keith Carter
Title: Managing Director	Title: President
Date: 06/06/02	Date: May 29 th , 02

Attachment 1

Page 1

Attachment 1

Resale

Version: 1Q02 03/22/02

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to Texas Hometel	8
5.	Maintenance of Services	8
6.	Establishment of Service	9
7.	Discontinuance of Service	9
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	14
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	sale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	hanced Option Daily Usage File (EODUF)	Exhibit D
Res	sale Discounts and Rates	Exhibit E

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Texas Hometel purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit E. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Texas Hometel for the purposes of resale to Texas Hometel's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Texas Hometel, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

Version: 1Q02 03/22/02

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Texas Hometel for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff (PLST), to customers who are not telecommunications carriers.
- 3.1.1 When Texas Hometel provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Texas Hometel does not resell Lifeline services to any end users, and if Texas Hometel agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's GSST, the discount shall be 21.56%.
- 3.1.2.1 In the event Texas Hometel resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Texas Hometel and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Texas Hometel must provide written notification to BellSouth within 30 days prior to providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Texas Hometel may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Texas Hometel must resell services to other End Users.
- 3.2.2 Texas Hometel cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 Texas Hometel will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Texas Hometel for said services.
- 3.4 Texas Hometel will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the

End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Texas Hometel. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Texas Hometel. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of Texas Hometel or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Texas Hometel will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Texas Hometel to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to Texas Hometel, BellSouth will provide Texas Hometel with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Texas Hometel acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Texas Hometel acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Texas Hometel shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Texas Hometel to designate up to 100 intermediate telephone numbers per CLLIC, for Texas Hometel's sole use. Assignment, reservation and

use of telephone numbers shall be governed by applicable FCC rules and regulations. Texas Hometel acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Texas Hometel's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Texas Hometel or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Texas Hometel has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Texas Hometel remain the property of BellSouth.
- 3.15 White page directory listings for Texas Hometel End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Texas Hometel must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which Texas Hometel may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this

Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge</u>. In the event Texas Hometel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge</u>. Texas Hometel will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Texas Hometel per the BFR/NBR process as set forth in Attachment 11.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Texas Hometel acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Texas Hometel that Special Assembly at the wholesale discount at Texas Hometel's option. Texas Hometel shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Texas Hometel customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Texas Hometel customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Texas Hometel customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and Texas Hometel shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Texas Hometel, and Texas Hometel shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Texas Hometel

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Texas Hometel to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Texas Hometel shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Texas Hometel for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Texas Hometel may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Texas Hometel cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSSTs and PLSTs.

5. Maintenance of Services

5.1 Services resold pursuant to this Attachment and BellSouth's GSST and PLST and facilities and equipment provided by BellSouth shall be maintained by BellSouth.

- Texas Hometel or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Texas Hometel accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Texas Hometel will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Texas Hometel shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Texas Hometel for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Texas Hometel's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Texas Hometel will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Texas Hometel's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from Texas Hometel to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Texas Hometel to such other CLEC. Upon completion of the conversion BellSouth will notify Texas Hometel that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Texas Hometel's End User on behalf of, and at the request of, Texas Hometel. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Texas Hometel.

- 7.1.2 At the request of Texas Hometel, BellSouth will disconnect a Texas Hometel End User customer.
- 7.1.3 All requests by Texas Hometel for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Texas Hometel will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Texas Hometel when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Texas Hometel and/or the End User against any claim, loss or damage arising from providing this information to Texas Hometel. It is the responsibility of Texas Hometel to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Texas Hometel end user's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.2.9 Process emergency call trace originated by Public Safety Answering Points.

8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing Texas Hometel local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Texas Hometel that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Texas Hometel. 8.2.15 Provide call records to Texas Hometel in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Texas Hometel's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Exhibit E to one of the provided listings. 8.3.3 **Directory Assistance Service Updates** 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.3.1.1 New end user connections 8.3.3.1.2 End user disconnections 8.3.3.1.3 End user address changes 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance 8.4.1 BellSouth's branding feature provides a definable announcement to Texas Hometel end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or

automated operator system. This feature allows Texas Hometel's name on whose

behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit E.

- 8.4.2 BellSouth offers three branding options to Texas Hometel when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Texas Hometel, the order is considered firm after ten (10) business days. Should Texas Hometel decide to cancel the order, written notification to Texas Hometel's BellSouth Account Executive is required. If Texas Hometel decides to cancel after ten (10) business days from receipt of the branding order, Texas Hometel shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where Texas Hometel resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Texas Hometel's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Texas Hometel to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4.4 Where available, Texas Hometel specific and unique line class codes are programmed in each BellSouth end office switch were Texas Hometel intends to service end users with customized OCP/DA branding. The line class codes specifically identify Texas Hometel's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Texas Hometel intends to provide Texas Hometel-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Texas Hometel to order dedicated transport and trunking from each BellSouth end office identified by Texas Hometel, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Texas Hometel Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.

- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Texas Hometel to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Texas Hometel shall not be required to purchase direct trunking.
- For Bellsouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Texas Hometel must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Texas Hometel must submit a manual order form which requires, among other things, Texas Hometel's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Texas Hometel shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Texas Hometel's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Texas Hometel end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Texas Hometel applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Texas Hometel shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in Exhibit E.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which Texas Hometel requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of Texas Hometel

- 8.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of Texas Hometel
- 8.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina)
- 8.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Texas Hometel's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Attachment 7 of this Agreement.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

Type of Service		AL		FL		GA		KY		LA		MS		NC		SC		TN	
1) [Type of Service		Discount	Resale	Discount														
1 Crond	lfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	ces (Note 1)	ies	ies	ies	res	ies	res	ies	res	res	res	res	res	res	res	res	ies	res	res
	otions - > 90 (Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
	otions - \leq 90 (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Servic		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes								
	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 S		Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Memo	oryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobil	e Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non-F	RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Jser Line Chg- per Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Telephone s Svc (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	e Wire Maint ce Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No																		
1.	Grandfathered services can be resold only to existing subscribers of the grandfathered service.																		
2.	Where available for resale, promotions will be made available only to End Users who would have qualified for the promotion had it been provided by BellSouth directly.																		
3.	In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:																		
	(a) the stated tariff rate, less the wholesale discount;																		
	(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)																		
4.																			
5.	5. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.																		

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Texas Hometel.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Texas Hometel.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Texas Hometel and pursuant to which BellSouth, its LIDB customers and Texas Hometel shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Texas Hometel's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Texas Hometel understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the

request of Texas Hometel, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Texas Hometel's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Texas Hometel has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Texas Hometel of fraud alerts so that Texas Hometel may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Texas Hometel pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Texas Hometel for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine

whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Texas Hometel's data from BellSouth's data, the following shall apply:

- (1) Texas Hometel will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Texas Hometel's End User accounts which are resident in LIDB pursuant to this Agreement. Texas Hometel authorizes BellSouth to place such charges on Texas Hometel's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) Texas Hometel shall have the responsibility to render a billing statement to its End Users for these charges, but Texas Hometel shall pay BellSouth for the charges billed regardless of whether Texas Hometel collects from Texas Hometel's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between Texas Hometel and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Texas Hometel. It shall be the responsibility of Texas Hometel and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- 1. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Texas Hometel will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Texas Hometel. BellSouth will not issue line-based calling cards in the name of Texas Hometel's individual End Users. In the event that Texas Hometel wants to include calling card numbers assigned by Texas Hometel in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Texas Hometel will not be charged a fee for storage services provided by BellSouth to Texas Hometel, as described in this LIDB Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Texas Hometel in accordance with the tax provisions set forth in the General Terms and Conditions of the Interconnection Agreement.

Optional Daily Usage File

- 1. Upon written request from Texas Hometel, BellSouth will provide the Optional Daily Usage File (ODUF) service to Texas Hometel pursuant to the terms and conditions set forth in this section.
- 2. Texas Hometel shall furnish all relevant information required by BellSouth for the provision of ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Texas Hometel customer.
 - Charges for delivery of ODUF will appear on Texas Hometel's monthly bills. The charges are as set forth in Attachment 7 of this Agreement.
- 4. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in Texas Hometel's billing system will be the responsibility of Texas Hometel. If, however, Texas Hometel should encounter significant volumes of errored messages that prevent processing by Texas Hometel within its systems, BellSouth will work with Texas Hometel to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 Usage To Be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Texas Hometel:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Operator Services Message Attempted Calls (UNE only)
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service

- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Texas Hometel.
- 6.1.4 In the event that Texas Hometel detects a duplicate on ODUF they receive from BellSouth, Texas Hometel will drop the duplicate message (Texas Hometel will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

- ODUF will be distributed to Texas Hometel via an agreed medium with CONNECT:Direct being the preferred transport method. The ODUF feed will be a variable block format (2476) with an LRECL of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Texas Hometel for the purpose of data transmission. Where a dedicated line is required, Texas Hometel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Texas Hometel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Texas Hometel. Additionally, all message toll charges associated with the use of the dial circuit by Texas Hometel will be the responsibility of Texas Hometel. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Texas Hometel end for the purpose of data transmission will be the responsibility of Texas Hometel.

6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Texas Hometel which BellSouth RAO is sending the message. BellSouth and Texas Hometel will use the invoice sequencing to control

data exchange. BellSouth will be notified of sequence failures identified by Texas Hometel and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

- Pack Rejection. Texas Hometel will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Texas Hometel will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Texas Hometel by BellSouth.
- 6.5 <u>Control Data</u>. Texas Hometel will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Texas Hometel received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Texas Hometel for reasons stated in the above section.

6.6 Testing

6.6.1 Upon request from Texas Hometel, BellSouth shall send test files to Texas Hometel for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Texas Hometel set up a production (LIVE) file. The live test may consist of Texas Hometel's employees making test calls for the types of services Texas Hometel requests on ODUF. These test calls are logged by Texas Hometel, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Texas Hometel, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Texas Hometel pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Texas Hometel shall furnish all relevant information required by BellSouth for the provision of EODUF.
- 3. EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of EODUF will appear on Texas Hometel's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Texas Hometel will be the responsibility of Texas Hometel. If, however, Texas Hometel should encounter significant volumes of errored messages that prevent processing by Texas Hometel within its systems, BellSouth will work with Texas Hometel to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Texas Hometel:

Customer usage data for flat rated local call originating from Texas Hometel's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call From Number
To Number Connect Time

Conversation Time Method of Recording

From RAO Rate Class

Message Type Billing Indicators

Bill to Number

7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Texas Hometel.

- 7.1.3 In the event that Texas Hometel detects a duplicate on EODUF they receive from BellSouth, Texas Hometel will drop the duplicate message (Texas Hometel will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Texas Hometel over their existing ODUF feed. EODUF messages will be intermingled among Texas Hometel's ODUF messages. EODUF will be a variable block format (2476) with an LRECL of 2472. The data on EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Texas Hometel for the purpose of data transmission. Where a dedicated line is required, Texas Hometel will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Texas Hometel will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Texas Hometel. Additionally, all message toll charges associated with the use of the dial circuit by Texas Hometel will be the responsibility of Texas Hometel. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, required on Texas Hometel's end for the purpose of data transmission will be the responsibility of Texas Hometel.

7.3 Packing Specifications

- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Texas Hometel which BellSouth RAO is sending the message. BellSouth and Texas Hometel will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Texas Hometel and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	CEOPCIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
ADDI ICADI E DICA	COLINIES	ALADAMA	FLORIDA	GEORGIA	KENTOCKT	LOUISIANA	WIISSISSII I I	CINCLETI	CHROLLINI	TENNESSEE
APPLICABLE DISC	COUNTS	4440	** ***	***	4.5				44.00	4.55
RESIDENCE		16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in this row,	the discount for Business will be the applicable discount	rate for CSAs.								
OPERATIONAL SU	JPPORT SYSTEMS (OSS) RATES									
ELEMENT	USOC									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
ENHANCED OPTIC	ONAL DAILY USAGE FILE (EODUF) RA	TES								
EODUF: Message Processi	` ,	\$0.004	\$0.229109	\$0.0034555	\$0.235889	\$0.250015	\$0.250424	\$0.004	\$0.258301	\$0.004
		AND DIDECT	TODY AGG	(CELANICE)						
OPERATOR SERVI	ICES (OPERATOR CALL PROCESSING	AND DIREC	TORY ASSI	STANCE)						
SELECTIVE CALL ROU	UTING USING LINE CLASS CODES (SCR-LCC)									
ELEMENT	<u>USOC</u>									
Nonrecurring Charge:	Per Unique LCC, per Request, per Switch	\$230.60	\$84.33	\$180.62	\$229.65	\$82.25	\$227.99	\$229.65	\$226.22	\$179.80
Nonrecurring Disconnect C	Charge: Per Unique LCC, per Request, per Switch	NA	\$11.46	NA	NA	NA	NA	NA	NA	NA
CUSTOM BRANDII	NG ANNOUNCEMENT (CBA)									
DIRECTORY ASSISTAN	NCE (DA) CBA via OLNS SOFTWARE									
Recording of DA CBA		\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Loading of DA CBA per D'	RAM Card/Switch per OCN	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00
	NCE (DA) UNBRANDING via OLNS SOFTWARE				•					
Loading of DA per OCN	(1 OCN per Order)	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00
Loading of DA per Switch,	per OCN	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00
OPERATOR ASSISTAN	CE (OA) CBA via OLNS SOFTWARE									
ELEMENT										
Recording of OA CBA		\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
Loading of OA CBA per she	nelf/ NAV per OCN	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00
Loading of DA CBA per D	RAM Card/Switch per OCN	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00
OPERATOR ASSISTAN	CE (OA) UNBRANDING via OLNS SOFTWARE									
Loading of OA per OCN -	Regional	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	47
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE	52
8	LINE INFORMATION DATABASE (LIDB)	53
9	SIGNALING	55
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE	3).61
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	67
12	CALLING NAME (CNAM) DATABASE SERVICE	68
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	70
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	71
LII	OB Storage Agreement Exhib	it A
Rat	tes	it B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Texas Hometel in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Texas Hometel. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Texas Hometel to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Texas Hometel used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Texas Hometel, and to the extent technically feasible, provide to Texas Hometel access to its Network Elements for the provision of Texas Hometel's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Texas Hometel may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Texas Hometel chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Texas Hometel to the demarcation point associated with Texas Hometel's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.6 Rates

1.6.1 The prices that Texas Hometel shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Texas Hometel purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.6.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.6.3 If Texas Hometel modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Texas Hometel in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Texas Hometel's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then Texas Hometel can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet Texas Hometel's loop requirements. Standard Loop intervals shall not apply to the SC process.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Texas Hometel in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Texas Hometel may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Texas Hometel has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Texas Hometel shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Texas Hometel using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Texas Hometel will be responsible for testing and isolating troubles on the Loops. Texas Hometel must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Center. At the time of the trouble report, Texas Hometel will be required to provide the results of the Texas Hometel test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once Texas Hometel has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Texas Hometel reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge Texas Hometel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If Texas Hometel reports trouble on a designed loop and no trouble is found, BellSouth will charge Texas Hometel for any dispatch and testing outside the central office.

2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Texas Hometel to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Texas Hometel's facilities to limit end user service outage. OC is available when the Loop is provisioned over

an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination - Time Specific" (OC-TS) allows Texas Hometel to order a specific time for OC to take place. BellSouth will make every effort to accommodate Texas Hometel's specific conversion time request. However, BellSouth reserves the right to negotiate with Texas Hometel a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Texas Hometel may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Texas Hometel specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Texas Hometel when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Texas Hometel's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Texas Hometel pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found		
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office		
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office		
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office		

For UVL-SL1 & UCLs, Texas Hometel must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and

configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Texas Hometel will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Texas Hometel. Texas Hometel may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Texas Hometel may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Texas Hometel. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Texas Hometel to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop

- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Texas Hometel will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.

reconfigure its ISDN-capable loop to support IDSL service.

- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

2.3.2.12

OC48 Loop

- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Texas Hometel in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Texas Hometel for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. These are optical two-point transmission paths that are dedicated to the use of Texas Hometel in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 Mbps. Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 -155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kft and may have up to 12kft of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Texas Hometel.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Texas Hometel to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For loops less than 18kft and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Texas Hometel can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Texas Hometel may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Texas Hometel to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Texas Hometel may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridged tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Texas Hometel, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Texas Hometel will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Texas Hometel can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Texas Hometel will determine the type of service that will be provided over the loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Texas Hometel has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.

- 2.5.5 The ULM offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on loops of any length.
- 2.5.6 Texas Hometel shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Texas Hometel desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for Texas Hometel, Texas Hometel will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by Texas Hometel is available at the location for which the ULM was requested, Texas Hometel will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, Texas Hometel will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Texas Hometel has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Texas Hometel. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Texas Hometel (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Texas Hometel will then have the option of paying the one-time SC rates to place the loop.

2.7 Network Interface Device (NID)

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Texas Hometel to connect Texas Hometel's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Texas Hometel may access the end user's customer-premises wiring by any of the following means and Texas Hometel shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Texas Hometel to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be

Texas Hometel's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Texas Hometel to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Texas Hometel's NID.
- 2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. Texas Hometel may request BellSouth do additional work to the NID on a time and material basis. When Texas Hometel deploys its own local loops with respect to multiple-line termination devices, Texas Hometel shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted

pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.1.1 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.1.2 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.1.2.1 If Texas Hometel requests a UCSL and it is not available, Texas Hometel may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.1.3 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.1.3.1 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Texas Hometel's use on this cross-connect panel. Texas Hometel will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.2 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Texas Hometel shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Texas Hometel's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.3 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Texas Hometel is technically

feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Texas Hometel's request, then BellSouth will perform the site set-up as described in Section 2.8.2.4. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.4) to accommodate Texas Hometel's request for Unbundled Sub-Loops, Texas Hometel may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Texas Hometel will have the option to proceed under the SC process to modify the BellSouth facilities.

- 2.8.2.4 The site set-up must be completed before Texas Hometel can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Texas Hometel's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.5 Once the site set-up is complete, Texas Hometel will request sub-loop pairs through submission of a LSR to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Texas Hometel requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Texas Hometel for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.6 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-user's premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end user's premises, Texas Hometel will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Texas Hometel for each pair activated commensurate to the price specified in Texas Hometel's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure

to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W

communications pathway from the BellSouth central office to the BellSouth crossbox. This element will allow for the connection of Texas Hometel's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Texas Hometel will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Texas Hometel may request, through the BellSouth Special Construction (SC) process, a determination of costs to provide the sub-loop feeder element to Texas Hometel. Texas Hometel will then have the option of paying the SC charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
- 2.8.4.7.3 Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.

2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Texas Hometel Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Texas Hometel at Texas Hometel's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Texas Hometel's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Texas Hometel may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Texas Hometel's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Texas Hometel's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal (RT) site with the SWC is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Texas Hometel's demarcation point associated with Texas Hometel's collocation space within the SWC that serves the RT. USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Texas Hometel is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the

BellSouth RT/cross-box and shall allow Texas Hometel's sub-loops to be placed on the USLC and transported to Texas Hometel's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Texas Hometel to utilize Dark Fiber Loops.
- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with Texas Hometel's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

2.8.7.4 Requirements

- 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Texas Hometel's request subject to time and materials charges.
- 2.8.7.4.3 Texas Hometel is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to Texas Hometel information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from Texas Hometel.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Texas Hometel within

twenty (20) business days after Texas Hometel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Texas Hometel to connect or splice Texas Hometel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Texas Hometel Loop Makeup (LMU) information so that Texas Hometel can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Texas Hometel intends to install and the services Texas Hometel wishes to provide. This section addresses LMU as a preordering transaction, distinct from Texas Hometel ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Texas Hometel LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Texas Hometel as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Texas Hometel may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by Texas Hometel and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Texas Hometel's ability to provide advanced data services over the ordered loop type. Further, if Texas Hometel orders loops that

are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Texas Hometel is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Texas Hometel may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Texas Hometel needs further loop information in order to determine loop service capability, Texas Hometel may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Texas Hometel may reserve up to ten Loop facilities. For a Manual LMUSI, Texas Hometel may reserve up to three Loop facilities.
- 2.9.3.2 Texas Hometel may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Texas Hometel. During and prior to Texas Hometel placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Texas Hometel does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Texas Hometel will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Texas Hometel does not reserve facilities upon an initial LMUSI, Texas Hometel's placement of an order for an advanced data service type facility will incur the appropriate billing

charges to include service inquiry and reservation per Exhibit B of this Attachment.

Where Texas Hometel has reserved multiple Loop facilities on a single reservation, Texas Hometel may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Texas Hometel, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Texas Hometel. If the ordered Loop type is not available, Texas Hometel may utilize the ULM process or the SC process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Texas Hometel access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Texas Hometel the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Texas Hometel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Texas Hometel on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at

http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Texas Hometel requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, Texas Hometel shall pay for the Loop to be restored to its original state.

3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide Texas Hometel with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Texas Hometel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end user of such Loop.
- 3.2.1.2 Texas Hometel may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Texas Hometel's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of Texas Hometel in a central office in which Texas Hometel is located, Texas Hometel shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Texas Hometel shall pay the electronic or manual ordering charges as applicable when Texas Hometel orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Texas Hometel access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Texas Hometel's xDSL equipment in Texas Hometel's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Texas Hometel with a carrier notification letter, informing Texas Hometel of change. Texas Hometel shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to Texas Hometel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Texas Hometel's DS0 termination point as possible. Texas Hometel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Texas Hometel on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will

cross-connect the splitter data ports to a specified Texas Hometel DS0 at such time that a Texas Hometel end user's service is established.

- 3.2.1.6 Texas Hometel may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Texas Hometel may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.
- 3.2.1.7 Any splitters installed by Texas Hometel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Texas Hometel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Texas Hometel desires to continue providing xDSL service on such Loop, Texas Hometel shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Texas Hometel notice in a reasonable time prior to disconnect, which notice shall give Texas Hometel an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Texas Hometel purchases the full stand-alone Loop, Texas Hometel may elect the type of loop it will purchase. Texas Hometel will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Texas Hometel purchases a voice grade Loop, Texas Hometel acknowledges that such Loop may not remain xDSL compatible.
- 3.2.1.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

- 3.2.2.1 Texas Hometel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide Texas Hometel the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.

- 3.2.2.2.2 BellSouth will provide Texas Hometel access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Texas Hometel shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Texas Hometel's data.

3.2.3 **Maintenance and Repair**

- 3.2.3.1 Texas Hometel shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If Texas Hometel is using a BellSouth owned splitter, Texas Hometel may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Texas Hometel provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Texas Hometel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 Texas Hometel shall inform its end users to direct data problems to Texas Hometel, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Texas Hometel, BellSouth will notify Texas Hometel. Texas Hometel will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Texas Hometel will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Texas Hometel's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.2.4 <u>Line Splitting</u>.

3.2.4.1 General

- 3.2.4.1.1 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Texas Hometel shall provide BellSouth with a signed Letter of Authorization (LOA) between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.1.2 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When Texas Hometel or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.2.4.1.3 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.1.4 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Texas Hometel or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.1.5 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Texas Hometel or its authorized agent to determine if the loop is compatible for Line Splitting Service. Texas Hometel or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and Texas Hometel or its authorized agent submits an LSR to BellSouth to change the loop.
- 3.2.4.1.6 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and

procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.2.4.2 Ordering

- 3.2.4.2.1 Texas Hometel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.2.4.2.2 BellSouth shall provide Texas Hometel the LSR format to be used when ordering Line Splitting service.
- 3.2.4.2.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.4.2.4 BellSouth will provide Texas Hometel access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Texas Hometel shall pay the rates for such services as described in Exhibit B.
- 3.2.4.2.5 BellSouth will provide loop modification to Texas Hometel on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.2.4.3 **Maintenance**

- 3.2.4.3.1 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Texas Hometel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.4.3.2 Texas Hometel shall inform its end users to direct data problems to Texas Hometel, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.3.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.3.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth

will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.

3.2.4.3.5 If Texas Hometel is not the data provider, Texas Hometel shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

3.2.5 Remote Site High Frequency Spectrum

- 3.2.5.1 General
- 3.2.5.1.1 BellSouth shall provide Texas Hometel access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.2.5.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Texas Hometel the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Texas Hometel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.2.5.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub loop. An unloaded Cooper sub loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.2.5.1.4 BellSouth will provide Loop Modification to Texas Hometel on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative.

 Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop

Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Texas Hometel requests modifications on a sub loop longer than 18kft and requested modifications significantly degrades the voice services on the loop, Texas Hometel shall pay for the loop to be restored to its original state.

- 3.2.5.2 Provisioning of High Frequency Spectrum and Splitter Space
- 3.2.5.2.1 To order High Frequency Spectrum on a particular Loop, Texas Hometel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such Loop.
- 3.2.5.2.2 Texas Hometel may provide its own splitters or may order splitters in a remote site once Texas Hometel has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Texas Hometel's submission of an error free LSOD to the BellSouth CRSG.
- 3.2.5.2.3 Once a splitter is installed on behalf of Texas Hometel in a remote site in which Texas Hometel is located, Texas Hometel shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Texas Hometel shall pay applicable rates for High Frequency Spectrum enduser activation.

3.2.5.3 **BellSouth Owned Splitter**

- 3.2.5.3.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. Texas Hometel's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Texas Hometel will provide a cable facility to the BellSouth FDI. BellSouth will splice Texas Hometel's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect Texas Hometel's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to Texas Hometel's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.2.5.3.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in Texas Hometel's Remote Terminal (RT) collocation space and routed back to Texas Hometel's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Texas Hometel with a carrier

notification letter, informing Texas Hometel of change. Texas Hometel shall purchase ports on the splitter in increments of 24 ports.

3.2.5.3.3 BellSouth will install the splitter in (i) a common area close to Texas Hometel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Texas Hometel's DS0 termination point as possible. Texas Hometel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Texas Hometel DS0 at such time that a Texas Hometel end user's service is established.

3.2.5.4 **CLEC Owned Splitter**

- 3.2.5.4.1 Texas Hometel may at its option purchase, install and maintain splitters in its collocation arrangements. Texas Hometel may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Texas Hometel will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.2.5.4.2 Any splitters installed by Texas Hometel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Texas Hometel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.2.5.5 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Texas Hometel desires to continue providing xDSL service on such sub-loop, Texas Hometel shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Texas Hometel notice in a reasonable time prior to disconnect, which notice shall give Texas Hometel an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Texas Hometel purchases the full stand-alone sub-loop, Texas Hometel may elect the type of sub-loop it will purchase. Texas Hometel will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Texas Hometel purchases a voice grade Loop, Texas Hometel acknowledges that such sub-loop may not remain xDSL compatible.
- 3.2.5.6 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.5.7 **Ordering**

- 3.2.5.7.1 Texas Hometel shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.2.5.7.2 BellSouth will provide Texas Hometel the LSR format to be used when ordering the High Frequency Spectrum.
- 3.2.5.7.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.2.5.7.4 BellSouth will provide Texas Hometel access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Texas Hometel shall pay the rates for such services as described in Exhibit B.
- 3.2.5.7.5 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Texas Hometel's data.

3.2.5.8 **Maintenance and Repair**

- 3.2.5.8.1 Texas Hometel shall have access, for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If Texas Hometel is using a BellSouth owned splitter, Texas Hometel may access the loop at the point where the data signal exits. If Texas Hometel provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.2.5.8.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Texas Hometel will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.5.8.3 Texas Hometel shall inform its end users to direct data problems to Texas Hometel, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.5.8.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Texas Hometel, BellSouth will notify Texas Hometel. Texas Hometel will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Texas Hometel will provide BellSouth an LSR

with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Texas Hometel's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Texas Hometel for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Texas Hometel for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Texas Hometel when Texas Hometel serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that Texas Hometel orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed

above, BellSouth shall charge Texas Hometel the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.

- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Texas Hometel's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Texas Hometel purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an Texas Hometel local end user, or originated by a BellSouth local end user and terminated to an Texas Hometel local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge Texas Hometel the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Texas Hometel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Texas Hometel purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Texas Hometel end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge Texas Hometel the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Texas Hometel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Texas Hometel the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Texas Hometel selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Texas Hometel will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 **Provision for Local Switching**

- 4.2.10.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.10.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.10.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.10.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Texas Hometel all AIN triggers in connection with its SMS/SCE offering.
- 4.2.10.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Texas Hometel.

4.2.11 <u>Local Switching Interfaces.</u>

- 4.2.11.1 Texas Hometel shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.11.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

- 4.2.11.1.2 Coin phone signaling;
- 4.2.11.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.11.1.4 Two-wire analog interface to PBX;
- 4.2.11.1.5 Four-wire analog interface to PBX;
- 4.2.11.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.11.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.11.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.11.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Texas Hometel and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Texas Hometel.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Texas Hometel's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Texas Hometel's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Texas Hometel's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Texas Hometel. AIN Selective Carrier Routing will provide Texas Hometel with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Texas Hometel shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Texas Hometel, the routing of Texas Hometel's end user calls shall be pursuant to information provided by Texas Hometel and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.

- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Texas Hometel shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Texas Hometel end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Texas Hometel shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Texas Hometel's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Texas Hometel, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Texas Hometel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Texas Hometel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Texas Hometel following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:

- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Texas Hometel seeks to offer;
- 4.5.2.3 BellSouth has not permitted Texas Hometel to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Texas Hometel obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Texas Hometel for the provision of a telecommunications service.

5 Unbundled Network Element Combinations

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Network Element Combinations; and 3) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Texas Hometel are in fact already combined by BellSouth in the BellSouth network.

5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link (EEL) as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to

Texas Hometel's POP serving wire center. The circuit must be connected to Texas Hometel's switch for the purpose of provisioning telephone exchange service to Texas Hometel's end user customers. The EEL will be connected to Texas Hometel's facilities in Texas Hometel's collocation space at the POP SWC, or Texas Hometel may purchase BellSouth's access facilities between Texas Hometel's POP and Texas Hometel's collocation space at the POP SWC.

- When ordering EEL combinations, Texas Hometel shall provide to BellSouth certification that Texas Hometel will provide a significant amount of local exchange service over the requested combination and shall indicate under what local usage option Texas Hometel seeks to qualify. Texas Hometel shall be deemed to be providing a significant amount of local exchange service if one of the two (2) options set forth in Sections 5.3.6.1.1 through 5.3.6.1.2 is met. BellSouth shall have the right to audit Texas Hometel's records to verify that Texas Hometel is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.6.3 in this Attachment.
- BellSouth shall provide EEL combinations to Texas Hometel in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Texas Hometel those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to Texas Hometel in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to Texas Hometel only to the extent such network elements are Currently Combined.

5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 5.3.6 Special Access Service Conversions

- 5.3.6.1 Texas Hometel may not convert special access services to combinations of loop and transport network elements, whether or not Texas Hometel self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Texas Hometel uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Texas Hometel requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Texas Hometel shall provide to BellSouth certification that Texas Hometel is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Texas Hometel seeks to qualify for conversion of special access circuits. Texas Hometel shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.6.1.1 Texas Hometel certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Texas Hometel's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Texas Hometel is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Texas Hometel can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.6.1.2 Texas Hometel certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at Texas Hometel's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.6.1.3 Texas Hometel certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Texas Hometel does not need to provide a defined portion of the end user's local service, but the active channels on any loop-

transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- 5.3.6.2 In addition, there may be extraordinary circumstances where Texas Hometel is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.6.1. In such case, Texas Hometel may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Texas Hometel's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.6.3 BellSouth may at its sole discretion audit Texas Hometel records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Texas Hometel shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Texas Hometel shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Texas Hometel is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Texas Hometel.
- 5.3.6.4 Texas Hometel may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.7 **Rates**

- 5.3.7.1 Subject to the limitations set forth in Section 5.3.4 above, the rates for EEL combinations are as follows:
- 5.3.7.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.5, whether or not Currently Combined, are as set forth in Exhibit B of this Attachment.
- 5.3.7.1.2 For combinations of loop and transport network elements that are not set forth in Section 5.3.5 but are Currently Combined, the recurring charge shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.

5.3.7.1.3 For combinations of loop and transport network elements that are not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination as set forth in Exhibit B of this Attachment.

5.3.8 **Multiplexing**

5.3.8.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 Other Network Element Combinations

- In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to Texas Hometel, in accordance with Section 5.4.25.4.2.1 below: (1) combinations of network elements other than those described in this Section that are Currently Combined; and (2) combinations of network elements other than those described in this Section that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Texas Hometel, in accordance with Section 5.4.2 below, combinations of network elements other than those described in this Section 5 only to the extent such combinations are Currently Combined.
- 5.4.2 Rates
- 5.4.2.1 Subject to the limitations set forth in Section 5.4.1 above, the rates for network element combinations other than those described in this Section 5 are as follows:
- 5.4.2.1.1 The recurring charge for Currently Combined combinations of network elements other than those described in this Section 5 shall be the sum of the recurring charges for the individual UNEs that comprise the combination and the nonrecurring charge shall be the conversion charge set forth in Exhibit B of this Attachment.
- 5.4.2.1.2 For network element combinations other than those described in this Section 5 where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination as set forth in Exhibit B of this Attachment.
- 5.4.2.1.3 To the extent that Texas Hometel seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Texas Hometel, at its option, can request that such rates be determined pursuant to the

BFR/NBR process set forth in this Agreement. In addition, to the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by Texas Hometel, whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.

5.5 <u>UNE Port/Loop Combinations</u>

- 5.5.1 Combinations of port and loop unbundled network elements along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.5.3 Except as set forth in section 5.5.6 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.4 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- 5.5.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as a UNE.
- 5.5.6.1 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Texas Hometel if Texas Hometel's customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules,

BellSouth is not required to provide local circuit switching as a UNE and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.

- 5.5.7 BellSouth shall make 911 updates in the BellSouth 911 database for Texas Hometel's UNE port/loop combinations. BellSouth will not bill Texas Hometel for 911 surcharges. Texas Hometel is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.8 Combination Offerings
- 5.5.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.8.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 6 Transport, Channelization and Dark Fiber

6.1 **Transport**

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Texas Hometel.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Texas Hometel exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services:
- 6.1.2.3 Permit, to the extent technically feasible, Texas Hometel to connect such interoffice facilities to equipment designated by Texas Hometel, including but not limited to, Texas Hometel's collocated facilities; and
- Permit, to the extent technically feasible, Texas Hometel to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance,

- availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Texas Hometel's Point of Presence (POP) and Texas Hometel's collocation space in the BellSouth Serving Wire Center for Texas Hometel's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.2 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.2.1 As capacity on a shared UNE facility.
- 6.2.2.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Texas Hometel.
- 6.2.3 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.
- 6.2.4 Technical Requirements
- 6.2.4.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Texas Hometel designated traffic.
- 6.2.4.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
- 6.2.4.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
- 6.2.4.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

- 6.2.4.4.1 DS0 Equivalent;
- 6.2.4.4.2 DS1:
- 6.2.4.4.3 DS3; and
- 6.2.4.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.4.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Texas Hometel shall specify the termination points for Dedicated Transport.
- At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.4.6.1 BellSouth Technical References:
- 6.2.4.6.1.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.4.6.1.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.4.6.1.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)

 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Texas Hometel may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.

- 6.3.3 BellSouth shall make available the following Central Office Channel Interfaces (COCI):
- 6.3.3.1 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.3.2 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.3 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.3.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.3.4 Technical Requirements
- 6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Texas Hometel's channelization equipment must adhere strictly to form and protocol standards. Texas Hometel must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.4.2 DS0 to DS1 Channelization
- 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.4.3 DS1 to DS3 Channelization
- 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.4.4 DS1 to STS Channelization
- 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.
- 6.4 **Dark Fiber Transport**
- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Texas Hometel to utilize Dark Fiber Transport.

- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Texas Hometel's request subject to time and materials charges.
- 6.4.3.3 Texas Hometel is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to Texas Hometel information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Texas Hometel. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Texas Hometel within twenty (20) business days after Texas Hometel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Texas Hometel to connect or splice Texas Hometel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.
- 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service
- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX

Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Texas Hometel's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Texas Hometel.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Texas Hometel must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Texas Hometel any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Texas Hometel's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Texas Hometel what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Texas Hometel, BellSouth shall provide Texas Hometel with a list of the customer data items, which Texas Hometel would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Texas Hometel data to the LIDB shall be solely at the direction of Texas Hometel. Such direction from Texas Hometel will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Texas Hometel data upon Texas Hometel's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Texas Hometel customer records will be missing from LIDB, as measured by Texas Hometel audits. BellSouth will audit Texas Hometel records in LIDB against DBAS to identify record mismatches and provide this data to a designated Texas Hometel contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Texas Hometel within one business day of audit. Once reconciled records are received back from Texas Hometel, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Texas Hometel to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Texas Hometel's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Texas Hometel with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Texas Hometel and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Texas Hometel data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Texas Hometel in writing.
- 8.2.13 BellSouth shall provide Texas Hometel performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Texas Hometel at least at parity with BellSouth Customer Data. BellSouth shall

obtain from Texas Hometel the screening information associated with LIDB Data Screening of Texas Hometel data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Texas Hometel under the BFR/NBR process as set forth in Attachment 11.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Texas Hometel customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Texas Hometel shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Texas Hometel shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 <u>Signaling</u>

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal

transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport** Signaling Link Transport is a set of two or four dedicated 56 kbps transmission 9.2.1 paths between Texas Hometel-designated Signaling Points of Interconnection that provide appropriate physical diversity. 9.2.2 **Technical Requirements** 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways: 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs). 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows: 9.2.2.2.1 An A-link layer shall consist of two links. 9.2.2.2.2 A B-link layer shall consist of four links. 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that: 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end). 9.2.3 **Interface Requirements** 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at Texas Hometel's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

9.3

Signaling Transfer Points (STPs)

- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Texas Hometel local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Texas Hometel local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Texas Hometel or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Texas Hometel database, then Texas Hometel agrees to provide BellSouth with the Destination Point Code for Texas Hometel database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Texas Hometel or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Texas Hometel, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Texas Hometel's SS7 network to exchange TCAP queries and responses with a Texas Hometel SCP.
- 9.4.2 SS7 AIN Access shall provide Texas Hometel SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Texas Hometel SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Texas Hometel SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Texas Hometel or Texas Hometel-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Texas Hometel local switching systems; and,
- 9.4.3.1.2 A B-link interface from Texas Hometel local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Texas Hometel local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Texas Hometel switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Texas Hometel local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Texas Hometel switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Texas Hometel from any signaling point or network interconnected through BellSouth's SS7 network where the Texas Hometel SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Texas Hometel local signaling transfer point switches or Texas Hometel local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Texas Hometel local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Texas Hometel or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Texas Hometel local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Texas Hometel local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is

another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Texas Hometel local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Texas Hometel local STPs, and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Texas Hometel or Texas Hometel-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Texas Hometel local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Texas Hometel STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Texas Hometel local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Texas Hometel switching system has a valid signaling relationship.
- 10 Operator Services (Operator Call Processing and Directory Assistance)

10.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 10.2.1 Process 0+ and 0- dialed local calls. 10.2.2 Process 0+ and 0- intraLATA toll calls. 10.2.3 Process calls that are billed to Texas Hometel end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing Texas Hometel local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Texas Hometel that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Texas Hometel. 10.2.15 Provide call records to Texas Hometel in accordance with ODUF standards specified in Attachment 7.

10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.3 **Directory Assistance Service**

- 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Texas Hometel's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.3.3 <u>Directory Assistance Service Updates</u>

- 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.3.1.1 New end user connections
- 10.3.3.1.2 End user disconnections
- 10.3.3.1.3 End user address changes
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 BellSouth's branding feature provides a definable announcement to Texas Hometel end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Texas Hometel to have its calls custom branded with Texas Hometel's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three branding offering options to Texas Hometel when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Texas Hometel, the order is considered firm after ten business days. Should Texas Hometel decide to cancel the order, written notification to Texas Hometel's BellSouth Account Executive is required. If Texas Hometel decides to cancel after ten business days from receipt of the custom branding order, Texas Hometel shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where Texas Hometel purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Texas Hometel's end user calls to that provider through Selective Call Routing.
- 10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Texas Hometel to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Texas Hometel specific and unique line class codes are programmed in each BellSouth end office switch where Texas Hometel intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Texas Hometel's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Texas Hometel intends to provide Texas Hometel branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Texas Hometel to order dedicated trunking from each BellSouth end office identified by Texas Hometel, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Texas Hometel Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Texas Hometel to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

- 10.4.5 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Texas Hometel shall not be required to purchase dedicated trunking.
- 10.4.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Texas Hometel must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Texas Hometel must submit a manual order form which requires, among other things, Texas Hometel's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Texas Hometel shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Texas Hometel's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Texas Hometel end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.5.3 BellSouth Branding is the default branding offering.
- 10.4.5.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Texas Hometel applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Texas Hometel shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where Texas Hometel is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.6 Facilities Based Carrier Branding

- 10.4.6.1 All Service Levels require Texas Hometel to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.2 Unbranding is the default branding offering.
- 10.4.6.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.

- 10.4.6.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Texas Hometel requires service.
- 10.4.6.5 Directory Assistance customized branding uses:
- 10.4.6.5.1 the recording of Texas Hometel;
- 10.4.6.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.6.6 Operator Call Processing customized branding uses:
- 10.4.6.6.1 the recording of Texas Hometel;
- the loading on the DRAM in the TOPS Switch (North Carolina);
- 10.4.6.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Texas Hometel end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Texas Hometel agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Texas Hometel agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- BellSouth shall initially provide Texas Hometel with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Texas Hometel to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Texas Hometel's previous update. Delivery of updates will commence immediately after Texas Hometel receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Texas Hometel

mutually develop CONNECT: Direct TM electronic connectivity. Texas Hometel will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

10.5.4 Texas Hometel authorizes the inclusion of Texas Hometel Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Texas Hometel's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Texas Hometel with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Texas Hometel by BellSouth upon subscription to the service. Subscription to DADAS requires that Texas Hometel utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Texas Hometel access to the ALI/DMS database.

 BellSouth shall provide error reports from the ALI/DMS database to Texas

 Hometel after Texas Hometel provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be

maintained unless Texas Hometel requests otherwise and shall be updated if Texas Hometel requests, provided Texas Hometel supplies BellSouth with the updates.

- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Texas Hometel end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Texas Hometel the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Texas Hometel shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Texas Hometel's access to BellSouth's CNAM Database Services and shall be addressed to Texas Hometel's Account Manager.
- BellSouth's provision of CNAM Database Services to Texas Hometel requires interconnection from Texas Hometel to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Texas Hometel shall provide its own CNAM SSP. Texas Hometel's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Texas Hometel elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish

CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Texas Hometel desires to query.

- 12.6 If Texas Hometel queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Texas Hometel for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Texas Hometel in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Texas Hometel to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Texas Hometel CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Texas Hometel the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Texas Hometel. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Texas Hometel service logic and data from unauthorized access.

- When Texas Hometel selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Texas Hometel to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Texas Hometel access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Texas Hometel to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Texas Hometel a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Texas Hometel will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Texas Hometel will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Texas Hometel will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Texas Hometel shall install a minimum of two dedicated trunks originating from the Texas Hometel serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Texas Hometel will be required to provide BellSouth daily updates to the E911 database. Texas Hometel will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Texas Hometel will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Texas Hometel shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Texas Hometel beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Texas Hometel shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Texas Hometel may submit LSRs electronically.

LENS Local Exchange Navigation System EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.
- Denial/Restoral OSS Charge. In the event Texas Hometel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge. Texas Hometel will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB) FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Texas Hometel creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Texas Hometel.
- C. Special billing number a ten-digit number that identifies a billing account established by Texas Hometel.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Texas Hometel that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Texas Hometel.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Texas Hometel.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Texas Hometel and pursuant to which BellSouth, its LIDB customers and Texas Hometel shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Texas Hometel's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Texas Hometel understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Texas Hometel, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Texas Hometel's account team and/or Local Contract Manager to activate this LIDB

Version 1Q02: 03/22/02

Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement.

- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening. BellSouth is authorized to use the billing number information to determine whether Texas Hometel has identified the billing number as one that should not be billed for collect or third number calls.
 - 2. Calling Card Validation. BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.
 - 3. Fraud Control. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Texas Hometel of fraud alerts so that Texas Hometel may take action it deems appropriate.

III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by Texas Hometel pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Texas Hometel for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Texas Hometel's data from BellSouth's data, the following terms and conditions shall apply:

- 1.Texas Hometel will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Texas Hometel's End User accounts which are resident in LIDB pursuant to this Agreement. Texas Hometel authorizes BellSouth to place such charges on Texas Hometel's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.

- 3. Texas Hometel shall have the responsibility to render a billing statement to its End Users for these charges, but Texas Hometel shall pay BellSouth for the charges billed regardless of whether Texas Hometel collects from Texas Hometel's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between Texas Hometel and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Texas Hometel. It shall be the responsibility of Texas Hometel and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Texas Hometel will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Texas Hometel. BellSouth will not issue line-based calling cards in the name of Texas Hometel's individual End Users. In the event that Texas Hometel wants to include calling card numbers assigned by Texas Hometel in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

- A. Texas Hometel will not be charged a fee for storage services provided by BellSouth to Texas Hometel, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Texas Hometel in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNB	JNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							_	Nonred	curring	Nonrecur	rina			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPER		AL SUPPORT SYSTEMS	ļ.,,,,,	Ĺ,,,							L	<u> </u>					<u> </u>
		(1) Electronic Service Order: CLEC should contact its contract nego															
	NOIE:	thibit is the BellSouth regional electronic service ordering charge. Cl	ording	nay ei	ect either the state spie SOMEC rate listed	in this cate	gory. Please	refer to BellS	outh's Busine	service ord	or Local C	rges, or CL Irdering (Bl	BR-LO) to	determine if a	product car	be ordered	iering
		onically. For those elements that cannot be ordered electronically at															
		nt. Otherwise, the manual ordering charge, SOMAN, will be applied to	o a Cl	LECs	bill when it submits a	n LSR to E	ellSouth.										
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				201150											
LIMBII		interfaces (Regional) EXCHANGE ACCESS LOOP				SOMEC		3.50									
UNDU		E ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-Service Level 1-Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92		ļ			27.37	12.97	17.77	17.77
	\vdash	Loop Testing-Basic Add'l Half Hour CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	<u> </u>		UEANL UEANL	UREWO		23.33 15.78	23.33 8.94		 	-	-	27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
	\vdash	Engineering Information Document (EI)			UEANL	UNEWU		28.75	28.75					21.31	12.97	11.11	17.77
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		51.29	51.29		1		İ				†
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		45.99	45.99								
	2-WIR	E Unbundled COPPER LOOP															
		2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		2W Unbundled Copper Loop-Non-Designed-Zone 2 2W Unbundled Copper Loop-Non-Designed-Zone 3	÷	3	UEQ UEQ	UEQ2X UEQ2X	12.67 20.22	44.69 44.69	22.40 22.40	25.65 25.65	7.06 7.06			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
		Order Coordination 2W Unbundled Copper Loop-Non-Designed (per	-		UEQ	USBMC	20.22	51.29	51.29	25.05	7.00			27.37	12.97	17.77	17.77
		Engineering Information Document			UEQ			28.75	28.75					27.37	12.97	17.77	17.77
		Loop Testing-Basic 1st Half Hour			UEQ	URET1		78.92	78.92					27.37	12.97	17.77	17.77
		Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.33	23.33					27.37	12.97	17.77	17.77
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43					18.84	8.42		
UNBU		E ANALOG VOICE GRADE LOOP															+
	Z-VVIK	2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
IINRII		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3 EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
ONDO		E ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR) 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA UEA	OCOSL UEAR2	17.95	45.99 145.46	108.40	40.31	26.01			27.37	12.97	17.77	17 77
		2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77 17.77
		2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
		E ANALOG VOICE GRADE LOOP		4	1154	LIEALA	04.04	000.70	044.70	100.00	E7 04			07.07	40.07	47 77	47 77
		4W Analog VG Loop-Zone 1 4W Analog VG Loop-Zone 2	<u> </u>	2	UEA UEA	UEAL4 UEAL4	24.01 39.00	293.70 293.70	241.76 241.76	108.96 108.96	57.01 57.01	-		27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
-		4W Analog VG Loop-Zone 3		3	UEA	UEAL4	70.67	293.70	241.76	108.96		 	1	27.37	12.97	17.77	
		Order Coordination for Specified Conversion Time (per LSR)		Ĺ	UEA	OCOSL		45.99		. 30.00					.2.07		
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
		E ISDN DIGITAL GRADE LOOP			LIE:					4.6							 _
		2W ISDN Digital Grade Loop-Zone 1		1	UDN UDN	U1L2X	23.23 37.74	331.85	255.87	108.95	57.01 57.01	1	1	27.37	12.97 12.97	17.77 17.77	
		2W ISDN Digital Grade Loop-Zone 2 2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X U1L2X	68.38	331.85 331.85	255.87 255.87	108.95 108.95	57.01			27.37 27.37	12.97	17.77	
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	00.00	45.99	200.07	100.00	37.01			21.01	12.01	17.77	11.77
		CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16		1		İ	27.37	12.97	17.77	17.77
	2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2W Universal Digital Channel (UDC) Compatible Loop-Zone 1	I	1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
<u> </u>		2W Universal Digital Channel (UDC) Compatible Loop-Zone 2 2W Universal Digital Channel (UDC) Compatible Loop-Zone 3	+	3	UDC UDC	UDC2X	19.45 30.92	104.17 104.17	78.10 78.10	108.95	57.01	1	1	18.94 18.94	8.42	17.77	
-		CLEC to CLEC Conversion Charge w/o outside dispatch		3	UDC	UDC2X UREWO	30.92	91.63	78.10 44.16	108.95	57.01	-	1	27.37	8.42 12.97	17.77 17.77	
		SEES 15 SEES SOFTWING OF CHANGE W/O OUTSIDE DISPATOR			050	OIL VVO		91.03	77.10			1		21.51	12.01	17.77	11.77

04/12/02 Page 1 of 259

ONRONDE	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						_ 1	Nonrec	curring	Nonrecur	rina		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop including manual service inquiry & facility															
	reservation-Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2W Unbundled ADSL Loop including manual service inquiry & facility						=	404 =0		=====						
	reservation-Zone 2 2W Unbundled ADSL Loop including manual service inquiry & facility	-	2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	reservation-Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UAL	OCOSL	00.00	45.99	404.00	100.00	00.00			27.07	12.07	.,,,,	- 17.77
	2W Unbundled ADSL Loop w/o manual service inquiry & facility					1										
	reservaton-Zone 1		1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2W Unbundled ADSL Loop w/o manual service inquiry & facility															
	reservaton-Zone 2		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2W Unbundled ADSL Loop w/o manual service inquiry & facility		3	LIAI	UAL2W	25.50	204.00	400.00	400.50	45.00			27.27	12.97	47.77	47.77
	reservaton-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	OCOSL	35.59	204.88 45.99	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge w/o outside dispatch	+		UAL	UREWO		86.20	40.40					27.37	12.97	17.77	17.77
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	LOOF	P	0,12	CITETIO	1	00.20	10.10					27.07	12.01		
	2W Unbundled HDSL Loop including manual service inquiry & facility															
	reservation-Zone 1		1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2W Unbundled HDSL Loop including manual service inquiry & facility															
	reservation-Zone 2		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2W Unbundled HDSL Loop including manual service inquiry & facility		3	1.11.11	UHL2X	27.70	514.21	404.50	400.05	FC 00			27.27	40.07	47.77	47.77
	reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	OCOSL	21.10	45.99	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2W Unbundled HDSL Loop w/o manual service inquiry & facility	+		OTIL	OCCOL		40.00									
	reservation-Zone 1		1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2W Unbundled HDSL Loop w/o manual service inquiry & facility															
	reservation-Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2W Unbundled HDSL Loop w/o manual service inquiry & facility															
	reservation-Zone 3		3	UHL	UHL2W	27.70	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch			UHL UHL	OCOSL UREWO	-	45.99 86.14	40.40					27.37	12.97	17.77	17.77
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	I OOF	<u> </u>	OFF	UKLWO	 	00.14	40.40					21.31	12.91	17.77	17.77
	4W Unbundled HDSL Loop including manual service inquiry & facility					1										
	reservation-Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.7
	4W Unbundled HDSL Loop including manual service inquiry & facility															
	reservation-Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.7
	4W Unbundled HDSL Loop including manual service inquiry & facility				1 11 11 437	00.00	544.40	404.50	400.05	50.00			07.07	40.07	47.77	4-7-
	reservation-Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL UHL	UHL4X OCOSL	33.90	541.13 45.99	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4W Unbundled HDSL Loop w/o manual service inquiry & facility			UHL	UCUSL	 	45.99									
	reservation-Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.7
	4W Unbundled HDSL Loop w/o manual service inquiry & facility					1										
	reservation-Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4W Unbundled HDSL Loop w/o manual service inquiry & facility															
	reservation-Zone 3		3	UHL	UHL4W	33.90	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL UREWO		45.99	40.40					07.07	12.97	47.77	47.7
4-WID	CLEC to CLEC Conversion Charge w/o outside dispatch E DS1 DIGITAL LOOP			UHL	UREWU	-	86.14	40.40					27.37	12.97	17.77	17.7
4-VVIIV	4W DS1 Digital Loop-Zone 1	+	1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.7
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.7
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.7
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.99									
	CLEC to CLEC Conversion Charge w/o outside dispatch	1	igspace	USL	UREWO	↓	101.09	43.05					27.37	12.97	17.77	17.7
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		UDL	UDL19	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	4W Unbundled Digital 19.2 Kbps 4W Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	4W Unbundled Digital 19.2 Kbps	1-	3	UDL	UDL19	80.45	498.05	343.70	129.62	64.25	-	1	27.37	12.97	17.77	17.77
_	4W Unbundled Digital Loop 56 Kbps-Zone 1	1	1	UDL	UDL56	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	4W Unbundled Digital Loop 56 Kbps-Zone 2	L	2	UDL	UDL56	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	Order Coordination for Specified Conversion Time (per LSR)	1	\vdash	UDL	OCOSL		45.99	6 10 =-	400.00	0.00						L
	4W Unbundled Digital Loop 64 Kbps-Zone 1	1	1	UDL UDL	UDL64	27.33 44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.7
	4W Unbundled Digital Loop 64 Kbps-Zone 2 4W Unbundled Digital Loop 64 Kbps-Zone 3	1-	3	UDL	UDL64 UDL64	80.45	498.05 498.05	343.70 343.70	129.62 129.62	64.25 64.25			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
_	Order Coordination for Specified Conversion Time (per LSR)	1-	3	UDL	OCOSL	00.40	498.05	343.70	129.02	04.20			21.31	12.97	17.77	17.7
1	CLEC to CLEC Conversion Charge w/o outside dispatch	1	1	UDL	UREWO	1	102.13	49.75					27.37	12.97	17.77	17.77
-				-												

04/12/02 Page 2 of 259

UNB	UNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
							Rec		curring	Nonrecur		001450	SOMAN		Rates(\$)	001111	001441
	2 14/10	E Unbundled COPPER LOOP						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W Unbundled Copper Loop/Short including manual service inquiry &															-
		facility reservation-Zone 1		1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		1
		2W Unbundled Copper Loop/Short including manual service inquiry &		_	OOL	OOLI D	11.00	200.07	100.00	120.10	22.01			10.54	0.42		
		facility reservation-Zone 2		2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37			18.94	8.42		
		2W Unbundled Copper Loop/Short including manual service inquiry &															
		facility reservation-Zone 3		3	UCL	UCLPB	21.83	283.37	163.68	120.15	22.37			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		2W Unbundled Copper Loop/Short w/o manual service inquiry & facility	١.	١.					=0.40								1
		reservation-Zone 1	-	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		
		2W Unbundled Copper Loop/Short w/o manual service inquiry & facility reservation-Zone 2		2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
—	\vdash	2W Unbundled Copper Loop/Short w/o manual service inquiry & facility	- '-		OOL	JOLF W	13.74	104.17	70.10		 	<u> </u>	1	10.94	0.42		\vdash
1		reservation-Zone 3	1	3	UCL	UCLPW	21.83	104.17	78.10	1				18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)	Ė	Ť	UCL	UCLMC	255	36.46	36.46					10.04	JZ		
		2W Unbundled Copper Loop/Long-includes manual srvc. inquiry &															
		facility reservation-Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37			18.94	8.42		
		2W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 2		2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37			18.94	8.42		
		2W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility		_	1101	110101	05.00	070.00	450.50	400.45	00.07			40.04	0.40		
		reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL2L UCLMC	65.02	270.28 36.46	150.59 36.46	120.15	22.37			18.94	8.42		+
-		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility			UCL	UCLIVIC		30.40	36.46					1			-
		reservation-Zone 1	١.	1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42		İ
		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility	-	-	OOL	OOLEVI	00.40	104.17	70.10					10.54	0.42		
		reservation-Zone 2	- 1	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42		İ
		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility															
		reservation-Zone 3	- 1	3	UCL	UCL2W	65.02	104.17	78.10					18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		97.23	42.48					18.94	8.42		
-		E COPPER LOOP															
		4W Copper Loop/Short-including manual service inquiry & facility reservation-Zone 1		1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42		
		4W Copper Loop/Short-including manual service inquiry & facility		'	UCL	UCL43	10.03	331.76	212.09	130.09	27.00			21.31	0.42		
		reservation-Zone 2		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42		İ
		4W Copper Loop/Short-including manual service inquiry & facility															
		reservation-Zone 3		3	UCL	UCL4S	30.55	331.78	212.09	130.69	27.60			18.94	8.42		İ
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		4W Copper Loop/Short-w/o manual service inquiry & facility reservation-															İ
		Zone 1		1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42		
		4W Copper Loop/Short-w/o manual service inquiry & facility reservation-	١.	_	HO	LICLAW	40.00	101.17	70.40					40.04	0.40		
		Zone 2 4W Copper Loop/Short-w/o manual service inquiry & facility reservation-	-	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42		
		Zone 3	١.	3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42		İ
		Order Coordination for Unbundled Copper Loops (per loop)	Ė	Ŭ	UCL	UCLMC	00.00	36.46	36.46					10.54	0.42		
		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 1		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42		
		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 2		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60		<u> </u>	18.94	8.42		
1		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility	l	۔ ا													
<u> </u>		reservation-Zone 3	 	3	UCL	UCL4L	87.30	318.70	199.00	130.69	27.60		<u> </u>	18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop) 4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility			UCL	UCLMC		36.46	36.46					 			
1		reservation-Zone 1		1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42		
		4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility	- '-	- '-	JOL	55240	71.50	104.17	70.10					10.54	0.72		
1		reservation-Zone 2	ı	2	UCL	UCL4O	54.92	104.17	78.10	1				18.94	8.42		
		4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility															
		reservation-Zone 3	ı	3	UCL	UCL4O	87.30	104.17	78.10					18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46					ļ			
100-		CLEC to CLEC conversion Charge w/o outside dispatch	<u> </u>	<u> </u>	UCL	UREWO		97.23	42.48					18.94	8.42		
LUOP	MODII	FICATION	<u> </u>	<u> </u>						-	-	-	1	1			$\vdash \vdash \vdash$
			l	l	UAL,UHL,UCL,UEQ,U LS,UEA,UEANL,					1							
		Unbundled Loop Modification, Removal of Load Coils-2W pair < or =	l	l	UDL,UDC,UDN,UDL,U					1							
1		18kft	1	l	SL	ULM2L		67.39	67.39	1				27.37	12.97	17.77	17.77
		Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	i		UCL,ULS	ULM2G		337.50	337.50					27.37	12.97	17.77	17.77
		•												•			

04/12/02 Page 3 of 259

UNB	JNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Inter	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
							Rec	Nonrec	curring	Nonrecur	ring				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	- 1		UHL,UCL	ULM4L		67.39	67.39					27.37	12.97	17.77	17.77
		Unbundled Loop Modification Removal of Load Coils-4W pair > 18kft	- 1		UCL	ULM4G		337.50	337.50					27.37	12.97	17.77	17.77
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UAL,UHL,UCL,UEQ,U EF,ULS,UEA, UEANL,UDL,UDC, UDN,UDL,USL	ULMBT		78.10	78.10					27.37	12.97	17.77	17.77
SUB-L	OOPS																
	Sub-L	oop Distribution															
		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		421.08	421.08					18.94	8.42		
		Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up			UEANL	USBSB		67.10	67.10					18.94	8.42		
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	-		UEANL	USBSC		394.74	394.74					18.94	8.42		
		Sub-Loop-Per Building Equipment Room-Per 25 Pair Panel Set-Up			UEANL	USBSD		154.57	154.57					18.94	8.42		
		Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
		Sub-Loop Distribution Per 4W Analog VG Loop-Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
		Sub-Loop 2W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
		Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
		2W Copper Unbundled Sub-Loop Distribution-Statewide		sw	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
		4W Copper Unbundled Sub-Loop Distribution-Statewide		SW	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
	Unbu	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip															
		Removal per 2-W PR			UEF	ULM2X		355.71	12.26					18.94	8.42		
		Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		355.71	12.26					18.94	8.42		
		Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap															
		Removal, per PR unloaded			UEF	ULM4T		560.55	14.30					18.94	8.42		
	Unbu	ndled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID)-1-2 lines			UENTW	UND12		86.46	56.75					18.94	8.42		
		Network Interface Device (NID)-1-6 lines			UENTW	UND16		127.93	98.21					18.94	8.42		
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.73	11.73					18.94	8.42		
		Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.73	11.73					18.94	8.42		
SUB-L	OOPS																
	Sub-L	oop Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA,UDN,UCL,												
		Facility set-up			UDL,UDC	USBFW		421.08						18.94	8.42		
					UEA,UDN,UCL,												
		USL Feeder-DS0 Set-up per Cross Box location-per 25 pair set-up			UDL,UDC	USBFX		67.10	67.10					18.94	8.42		
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32					18.94	8.42		
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide		SW	UEA	USBFA	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide		sw	UEA	USBFB	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.99						1			
		Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide		sw	UEA	USBFC	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99		-							
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99									
		Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4W DS1-Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99						1			
		Sub-Loop Feeder-Per 4W Copper Loop-Statewide		sw	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99						1			
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		sw	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Statewide	1	SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		,															

04/12/02 Page 4 of 259

ONRONDI	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter im	r Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Dee	Nonre	curring	Nonrecur	ring			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.99									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Statewide		SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.99									
SUB-LOOPS	S															
Sub-	Loop Feeder															
	Sub Loop Feeder-DS3-Per Mile Per mo			UE3	1L5SL	13.55										
	Sub Loop Feeder-DS3-Facility Termination Per mo		1	UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – STS-1 – Per Mile Per mo		1	UDLSX	1L5SL	13.55										
	Sub Loop Feeder-STS-1-Facility Termination Per mo	П		UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder – OC-3 – Per Mile Per mo			UDLO3	1L5SL	10.28										
	Sub Loop Feeder-OC-3-Facility Termination Protection Per mo	-		UDLO3	USBF5	54.89										
	Sub Loop Feeder-OC-3-Facility Termination Per mo			UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder-OC-12-Per Mile Per mo	Т	1	UDL12	1L5SL	12.66		1								1
	Sub Loop Feeder-OC-12-Facility Termination Protection Per mo	Ť		UDL12	USBF6	620.18		İ								<u> </u>
	Sub Loop Feeder-OC-12-Facility Termination Per mo	ti	1	UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
	Sub Loop Feeder-OC-48-Per Mile Per mo	ti	1	UDL48	1L5SL	41.51	2,3000		. 30 /	20.07			0	051	5.50	0.00
 	Sub Loop Feeder-OC-48-Facility Termination Protection Per mo	ĦĖ		UDL48	USBF9	310.30					†	†			-	
 	Sub Loop Feeder-OC-48-Facility Termination Per mo	Ħ	+	UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97	 	 	31.31	31.31	3.93	3.9
	Sub Loop Feeder-OC-12 Interface On OC-48	ti	1	UDL48	USBF8	350.09	788.09	407.00	160.47	90.97			31.31	31.31	3.93	3.93
LINDLINDI E	ED LOOP CONCENTRATION	<u> </u>		UDL40	USBI 0	330.09	700.09	407.00	100.47	30.31			31.31	31.31	3.93	3.3.
UNBUNDLE	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.9
					UCT8B								19.99	19.99	19.99	
	Unbundled Loop Concentration-System B (TR008)			ULC ULC	UCT3A	52.97 478.93	271.17 650.81	271.17 650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-System A (TR303)												40.00	40.00	40.00	40.00
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	89.26	271.17	271.17	00.57	0.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40	ļ	ļ	19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start															
	Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface															
	(SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42		
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE											
	,			UEANL,UEF,UEQ,												
	Unbundled Contract Name, Provisioning Only-No Rate			UENTW	UNECN											
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
i i				UAL,UCL,UDC,UDL,U				İ								<u> </u>
	Unbundled Contact Name, Provisioning Only-no rate	1	1	DN,UEA,UHL,ULC	UNECN	0.00	0.00	Ì	1							
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00	İ								<u> </u>
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate	t	1	UEA,USL,UCL,UDL	USBFR	0.00	0.00	1					Ì		1	1
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Exp&ed Superframe Format option-no rate	t	† 	USL	CCOEF	0.00	0.00	1							t	1
HIGH CAPA	ACITY UNBUNDLED LOCAL LOOP	 	†		333L1	0.00	0.00		l		-		<u> </u>		1	<u> </u>
T CAPA	High Capacity Unbundled Local Loop-DS3-Per Mile per mo	\vdash	+-	UE3	1L5ND	10.16		 					1		1	1
\vdash	High Capacity Unbundled Local Loop-DS3-Fei Wille Per Mid High Capacity Unbundled Local Loop-DS3-Facility Termination per mo	-	1	UE3	UE3PX	374.52	903.03	527.87	238.97	167.16	 	 	31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop-STS-1-Per Mile per mo	\vdash	+-	UDLSX	1L5ND	10.16	303.03	321.01	230.31	107.10			31.31	31.31	3.93	3.90
 	High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet Wille Pet Info High Capacity Unbundled Local Loop-STS-1-Fet William Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Local Loop-STS-1-Fet William Local Lo	-	1	UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16	 	 	31.31	31.31	3.93	3.93
LOOP MAK		 	+	ODLOA	ODLOI	307.07	303.03	321.01	230.31	107.10	†	1	31.31	31.31	3.93	3.9
LOGINIAN	Loop Makeup-Preordering w/o Reservation, per working or spare facility	 	+					1	-		†	1	1		 	1
]	queried (Manual).	١.	1	UMK	UMKLW		131.22	131.22	1							
$\vdash \vdash \vdash$	Loop Makeup-Preordering With Reservation, per spare facility queried	<u> </u>	1	UIVIK	UIVIKLVV		131.22	131.22					1		 	
		١.														
$\sqsubseteq \sqsubseteq$	(Manual).	╙	↓	UMK	UMKLP		136.93	136.93					1			1
	Loop MakeupWith or w/o Reservation, per working or spare facility	١.	1						1							
	queried (Mechanized)	\perp	<u> </u>	UMK	PSUMK		0.9809855	0.9809855			ļ	ļ				!
	QUENCY SPECTRUM	<u> </u>	<u> </u>												1	
SPLI	TTERS-CENTRAL OFFICE BASED	<u> </u>	<u> </u>					ļ					ļ			1
igsquare	Line Sharing Splitter, per System 96 Line Capacity	<u> </u>	<u> </u>	ULS	ULSDA	178.25	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.7
	Line Sharing Splitter, per System 24 Line Capacity			1110	ULSDB	44.50	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.7
	Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS ULS	ULSD8	44.56 12.73	377.58	0.00	355.96	0.00			27.37	12.97		

UNB	UNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs.	al Charge - Manual
							Rec	Nonred		Nonrecur					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation						.=0.0.4							40.00		
	ENDI	(per LSOD) ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPEC	TOUR	A A I/ A	ULS	ULSDG		172.94		99.67				27.37	12.97	17.77	17.77
-		Line Sharing-per Line Activation (BST Owned splitter)	IKUN	/I ANA	ULS	ULSDC	0.61	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
		Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned			ULO	ULSDC	0.01	37.01	21.19	20.02	9.03			21.31	12.91	17.77	17.77
		Splitter			ULS	ULSDS		32.77	16.37					27.37	12.97	17.77	17.77
		Line Sharing-per Subsgnt Activity per Line Rearrangement(DLEC Owned															
		Splitter			ULS	ULSCS		32.77	16.37					27.37	12.97	17.77	17.77
		Line Sharing-per Line Activation (DLEC owned Splitter)	-		ULS	ULSCC	0.61	47.44	19.31	20.02	9.83			27.37	12.97	17.77	17.77
		Line Splitting-per line activation DLEC owned splitter	-		UEPSR UEPSB	UREOS	0.61									<u> </u>	
		Line Splitting-per line activation BST owned-physical	ı		UEPSR UEPSB	UREBP	0.641	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
UNIDI	NIBI EE	Line Splitting-per line activation BST owned-virtual	-		UEPSR UEPSB	UREBV	0.639	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
UNBU		D DEDICATED TRANSPORT : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billir		riad I	halaw DC2_ana manti	Design	1 faur mant	ho									-
-		: INTEROFFICE CHANNEL DEDICATED TRANSPORT - MINIMUM BIIIIF	ig pei	10u - 1	Delow Dos=olle Monti	1, 233/313	- ı≃ıour mont	113									
-		Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo		\vdash	U1TVX	1L5XX	0.0101						-				\vdash
 		Interoffice Channel-Dedicated Transport-2W VG-Facility Termination per			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79	†		31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per Mile per mo		\vdash	U1TVX	1L5XX	0.0101	2	202					201	231	2.50	5.50
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility														i	
		Termination per mo			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-4W VG-Per Mile per mo			U1TVX	1L5XX	0.0101									i	
		Interoffice Channel-Dedicated Transport-4W VG-Facility Termination per			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			U1TDX	1L5XX	0.0101										
		Interoffice Channel-Dedicated Transport-56 kbps-Facility Termination per			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			U1TDX	1L5XX	0.0101	04.07	54.00	00.47	40.70			04.04	04.04	0.00	0.00
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Termination per			U1TDX U1TD1	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo Interoffice Channel-Dedicated Tranport-DS1-Facility Termination per mo			U1TD1	1L5XX U1TF1	0.2067 68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-DS3-Per Mile per mo			U1TD3	1L5XX	4.67	170.55	103.01	32.70	20.00			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-DS3-Facility Termination per mo			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
		Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo			U1TS1	1L5XX	4.67	007110	020.01	120.00	110.01			01.01	01.01	0.00	0.00
		Interoffice Channel-Dedicated Transport-STS-1-Facility Termination per			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	LOCA	L CHANNEL - DEDICATED TRANSPORT															
	NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing perio	d - be	elow D													
		Local Channel-Dedicated-2W VG Per mo			ULDVX	ULDV2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
		Local Channel-Dedicated-2W VG Rev Bat per mo			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
		Local Channel-Dedicated-4W VG per mo			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	3.93
		Local Channel-Dedicated-DS1 per mo-Zone 1		2	ULDD1 ULDD1	ULDF1 ULDF1	41.52 61.05	354.94 354.94	307.43 307.43	44.38 44.38	30.52 30.52			31.31 31.31	31.31 31.31	3.93 3.93	3.93
-		Local Channel-Dedicated-DS1 per mo-Zone 2 Local Channel-Dedicated-DS1 per mo-Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93 3.93
		Local Channel-Dedicated-DS3-Per Mile per mo		3	ULDD3	1L5NC	7.91	334.34	307.43	44.30	30.32			31.31	31.31	3.93	3.93
		Local Channel-Dedicated-DS3-Facility Termination per mo			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
		Local Channel-Dedicated-STS-1-Per Mile per mo			ULDS1	1L5NC	7.91	222.00	22.101					201	231	2.50	2.50
		Local Channel-Dedicated-STS-1-Facility Termination per mo			ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MULT	IPLEX																
		Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.08	125.14	21.07	19.58			31.31	31.31	3.93	3.93
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)		\vdash	UDL	1D1DD	1.36	13.15	9.43					31.31	31.31	3.93	3.93
<u> </u>		2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo		\vdash	UDN	UC1CA	2.92	13.15	9.43					31.31	31.31	3.93	3.93
<u> </u>		VG COCI-DS1 to DS0 Channel System-per mo	<u> </u>	\vdash	UEA	1D1VG MQ3	0.64	13.15 356.28	9.43 187.94	CC F1	60.05	1	1	31.31	31.31	3.93	3.93 3.93
-		DS3 to DS1 Channel System per mo STS1 to DS1 Channel System per mo	<u> </u>	\vdash	UXTD3 UXTS1	MQ3 MQ3	201.37 201.37	356.28	187.94 187.94	66.51 66.51	63.65 63.65	-	-	31.31 31.31	31.31 31.31	3.93 3.93	3.93
-		DS3 Interface Unit (DS1 COCI) used with Loop per mo		\vdash	USL	UC1D1	15.39	13.15	9.43	00.01	03.05	1	1	31.31	31.31	3.93	3.93
		DS3 Interface Unit (DS1 COCI) used with Local Channel per mo		\vdash	ULDD1	UC1D1	15.39	13.15	9.43				-	31.31	31.31	3.93	
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	
DARK	FIBER				_												
		Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo- Local Channel			UDF	1L5DC	68.84										
-		NRC Dark Fiber-Local Channel		\vdash	UDF	UDFC4	00.04	1,278.17	275.73	634.11	395.32	1	-	31.31	31.31	3.93	3.93
-		Dark Fiber Four Fiber Str&s. Per Route Mile or Fraction Thereof per mo-	 	\vdash	וטט	00104	 	1,210.11	213.13	004.11	JJJ.JZ	-	-	31.31	31.31	3.33	3.33
		Interoffice Channel	l		UDF	1L5DF	25.53									i	
		NRC Dark Fiber-Interoffice Channel			UDF	UDF14	20.00	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
		Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-					† 1	,	2. 2 0								
L		Local Loop	L	<u> </u>	UDF	1L5DL	68.84				<u></u>	<u> </u>	<u> </u>	<u> </u>		<u>. </u>	
		NRC Dark Fiber-Local Loop			UDF	UDFL4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
TRAN		OTHER															
	Option	nal Features & Functions:															

04/12/02 Page 6 of 259

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment	: 2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	al Charge · Manual
						Rec	Nonre		Nonrecur					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	S TEN DIGIT SCREENING															
ļ	8XX Access Ten Digit Screening, Per Call	<u> </u>	1	OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number			OUD	NODAY		7.40	0.07					27.27	07.07	47.75	47.75
	Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS	1	1 1	OHD	N8R1X		7.13	0.97					27.37	27.37	17.75	17.75
	Translations			OHD			15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			0.15			10.00	1.01	10.01	0.07			27.07	2		11.10
	Translations			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX															
	Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per															
	CXR Requested Per 8XX No.			OHD	N8FMX		6.66	3.81					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Change Charge Per Request	<u> </u>		OHD	N8FAX		8.10	0.97					27.37	27.37	17.75	
LINE INCOR	8XX Access Ten Digit Screening, Call H&ling & Destination Features	1	-	OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE INFOR	MATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query	1	+	OQT		0.00004										
 	LIDB Validation Per Query	1	+	OQU		0.0004										
-	LIDB Originating Point Code Establishment or Change	1	+ +	OQT.OQU	NRPBX	0.0142	64.36						27.37	27.37	17.75	17.75
SIGNALING		1	\vdash	541,040	THIS DX		04.30				-	-	21.01	21.31	17.73	11.13
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	148.72										1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0001										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	376.12										
	CCS7 Signaling Point Code, per Originating Point Code Establishment															
.	or Change, per STP affected	<u> </u>	1	UDB	CCAPO		40.00	40.00					25.93	25.93	16.31	16.31
	CCS7 Signaling Point Code, per Destination Point Code Establishment			LIDD	CCADD		0.00	0.00					25.02	25.02	40.04	40.04
E911 SERVI	or Change, Per Stp Affected	1	+	UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16.31
ESTI SERVI	Local Channel-Dedicated-2W VG	1	+ +			13.91	382.95	62.40					18.94	8.42		+
	Interoffice Transport-Dedicated-2W VG Per Mile		1 1			0.0222	302.33	02.40					10.54	0.42		+
	Interoffice Transport-Dedicated-2W VG Per Facility Termination		1 1			17.07	79.61	36.08					18.94	18.94		
	Local Channel-Dedicated-DS1					38.36	356.15	312.89					44.22			1
	Interoffice Transport-Dedicated-DS1 Per Mile					0.4523										
	Interoffice Transport-Dedicated-DS1 Per Facility Termination					78.47	147.07	111.75					18.94	18.94		
CALLING N	AME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query	<u> </u>		OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character			001/	ODDOU		505.00	505.00					07.07	07.07	47.75	47.75
OBERATOR	Based User Interface (CHUI) CALL PROCESSING	1	1	OQV	CDDCH		595.00	595.00					27.37	27.37	17.75	17.75
OPERATOR	Oper Call Processing-Oper Provided, Per min-Using BST LIDB	1	1 1			1.20								-	-	+
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB		1 1			1.24										+
	Oper Call Processing Oper Frontage, For Hill College BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										1
INWARD OF	ERATOR SERVICES															
	Inward Operator Services-Verification, Per Minute					1.15										
	Inward Operator Services-Verification & Emergency Interrupt-Per Min					1.15										
BRANDING	- OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV		1		CBAOL		500.00	500.00					19.99	19.99		
Unbra	anding via OLNS for UNEP CLEC	1	\vdash		1		1 000 00	1 200 02		 	-	1	1	-	-	+
DIRECTORY	Loading of OA per OCN (Regional) ASSISTANCE SERVICES	+	\vdash		-	-	1,200.00	1,200.00		-	-	-		-	-	+
	CTORY ASSISTANCE ACCESS SERVICE	\vdash			+							-		 	 	+
DINE	Directory Assistance Access Service Calls, Charge Per Call	1	\vdash		1	0.275					-	-				+
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)		+		1	0.2,0						1		t	t	
	Directory Assistance Call Completion Access Service (DACC), Per Call	1	+										Ì			
	Attempt	1				0.10				1	1					
	BER SERVICES INTERCEPT ACCESS SERVICE															
DIRECTORY	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)			-												
	Directory Assistance Data Base Service Charge Per Listing		$oxed{oxed}$			0.04										
DD 41:5:::-	Directory Assistance Data Base Service, per mo	1	₩.		DBSOF	150.00								<u> </u>		
BRANDING	- DIRECTORY ASSISTANCE	1			1							1	1	1	1	1

04/12/02 Page 7 of 259

UNB	<u>UND</u> L	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
							Rec	Nonrec		Nonrecur					Rates(\$)		
		- 101-F0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Facili	ty Based CLEC Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
		Loading of Custom Branded Announcement per DRAM Card/Switch	 		AMT	CBADA		1,170.00	1,170.00								-
	UNEP	CLEC			7	05/150		1,170.00	1,170.00								
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch															
		per OCN						1,170.00	1,170.00								
	Unbra	Inding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)						420.00	400.00								
		Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						16.00	420.00 16.00								
SELE	CTIVE	ROUTING						10.00	10.00								
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		230.60	230.60					40.71	9.58		
VIRTU	JAL CO	DLLOCATION															
		Virtual Collocation-Application Cost			AMTFS	EAF		2,848.30	2,848.30								
		Virtual Collocation-Cable Installation Cost, per cable			AMTES	ESPCX	2.00	2,750.00	2,750.00				-				
	-	Virtual Collocation-Floor Space, per sq. ft. Virtual Collocation-Power, per breaker amp	 	-	AMTFS AMTFS	ESPVX ESPAX	3.20 3.48				<u> </u>	-	-	-			
		Virtual Collocation-Cable Support Structure, per entrance cable	 		AMTFS	ESPSX	13.35										
		Titudi Concoditori Cabio Capport Citadiano, por citidino Cabio			UEANL,UEA,UDN,	20.0%	10.00										
					UDC,UAL,UHL,UCL,U												
					EQ,AMTFS,UDL,												
					UNCVX,UNCDX,												
		Virtual Collocation-2W Cross Connects (loop)			UNCNX	UEAC2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
					UEA,UHL,UCL,UDL,A MTFS,UAL,UDN,												
		Virtual Collocation-4W Cross Connects (loop)			UNCVX,UNCDX	UEAC4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99
		virtual Concocatori 444 Cross Cornicoto (1999)	-		AMTFS,UDL12,	OL/10+	0.00	00.71	00.40	12.02	11.00			10.00	10.00	10.00	10.00
					UDLO3,U1T48,												
					U1T12,U1T03,												
					ULDO3,ULD12,												
		Virtual Collocation-2-Fiber Cross Connects			ULD48,UDF	CNC2F	12.10	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99
					AMTFS,UDL12, UDLO3,U1T48,												
					U1T12,U1T03,												
					ULDO3,ULD12,												
		Virtual Collocation-4-Fiber Cross Connects			ULD48,UDF	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99
					USL,ULC,AMTFS,												
					ULR,UXTD1,UNC1X,U												
		Minus I will a self-se BO4 Occasion			LDD1,U1TD1,USLEL,	ONOAY	7.50	455.00	44.00								
		Virtual collocation-DS1 Cross Connects			UNLD1 USL,ULC,AMTFS,	CNC1X	7.50	155.00	14.00					1			
					UE3,U1TD3,UXTS1,U												
					XTD3,UNC3X,												
					UNCSX,ULDD3,												
					U1TS1,ULDS1,												
		Virtual collocation-DS3 Cross Connects			UDLSX,UNLD3	CND3X	56.25	151.90	11.83								
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0026										
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable			AIVITS	VEICE	0.0026										
		Support Structure, per linear ft	1		AMTFS	VE1CD	0.0038										1
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support					1.1130										
		Structure,per cable	L	L_	AMTFS	VE1CC		535.37				<u></u>					
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable															
		Support Structure, per cable	<u> </u>		AMTES	VE1CE		535.37	05.00					-			
	-	Virtual collocation-Security Escort-Basic, per half hour Virtual collocation-Security Escort-Overtime, per half hour	 	-	AMTFS AMTFS	SPTBX SPTOX		41.00 48.00	25.00 30.00		<u> </u>	-	-	-			
		Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTPX		55.00	35.00					1			
		Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
		Virtual collocation-Maintenance in CO-Overtime, per half hour	L		AMTFS	SPTOM		35.77	35.77								
		Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTU	JAL CC	DLLOCATION	<u> </u>	<u> </u>	LIEBOS	\/E-150	0.00			/0 =-	41.0-				10.0-		
		Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38		-	27.37	12.97	17.77	1.44
		PBX Trunk-Bus	1		UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk	\vdash		5L1 51	V L 11\Z	0.20	30.70	20.70	12.13	11.00			21.51	12.31	11.11	1.77
		Res	1		UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	<u> </u>	F			52. 52		5.20	00.70	20.70	.2.70		·	·	201	.2.01		

04/12/02 Page 8 of 259

ATT ELEMENTS Nove BCS UBCO PARTERIAL Company	OMBONDE	ED NETWORK ELEMENTS - Alabama					1							Attachment		Exhibit: B	
Committee Comm	CATEGORY	RATE ELEMENTS	1		BCS	usoc			.,,			Order Submitte d Elec	Order Submitte d Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	al Charge Manual Svc Order vs.
Wind Collection IV Close Content, Card grey Full 29 Analog Dec. UPPS VETE 0.28 0.307 2.6.6 1.70 1.18 2.737 1.28 7.777						-	Rec					COMEC	COMAN			COMAN	COMAN
District Controller No. 10 Controller Controller (1997) 1997		And a local control of the control o			LIEDOD	\/E4D0	0.00					SOMEC	SOMAN				SOMAN
Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes Contents (Lospo) for Loss State (Lospo) Virtual Californian And Votes (Lospo) Virtual Californian And Vote																	1.44
Wind Collections of Orest Content, Eathering Park (WISIN 25) USPS																	1.44
NETICAL COLOCATION Concessions (Loop) for line Soliming LemPSK (LEPPSK VP11.5 0.0000 24.50 27.50 17.50 10.00										12.75	11.38						
New Column Privated Coloroscopes (Apply Colored Co					UEPEX	VETR4	0.56	66.71	50.43					21.31	12.97	17.77	1.44
AN SELECTIVE CARRIER ROUTING Negocia Statisticisment					HEDED HEDED	\/E1I	0.0297	24.50	22.50	12.05	10.97			10.00	10.00	10.00	19.99
Regional Severe Establishment					OLI OIX,OLI OD	VLILO	0.0207	24.00	25.55	12.00	10.07			13.33	13.33	13.33	13.33
Color Equation Color Equation Color					SRC	SRCEC		202 197 82		17 181 39				27.37	27.37	27.37	27.37
Dury 1987, per query			ΗĖ						339 75		3 39						27.37
AM RELIGIOTT AND SIGN SCREENS SERVICE AND SIGN SCREENS SERVICE SERVICE AND SIGN SCREENS SERVICE SERV			Ť				0.0031412			0.00							
ANN SMS Access Service-Service Engineering Access Service Printing Access Service Printing Access Service Printing Access Service Service Service Printing Access Service Printing Access Service Serv					*****												
AN SIGN Access Service-Principation of Committee (Committee) AN Committee) AN Committee (Committee) AN Committee (Committee) AN Committee) AN Committee (Committee) AN Committee) AN Committee) AN Committee (Committee) AN Committee) AN Committe					A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
ANN SASS Access Service For Commendation CDN Access on Expense For Law 17 Content Ann CAMAU 1414 A 70.05 70.05 72.04 72.37 72.37 177.5 ANN SASS Access Service-Security Card, Pro User D Code, Institut or Ann CAMAU 1414 A 70.05 70.05 72.05 72.05 72.37 177.5 ANN SASS Access Service-Security Card, Pro User D Code, Institut or Ann CAMAU 1414 A 70.05 70.05 70.05 72.05 72.37 177.5 ANN SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Card, Pro User D Code, Institut or Ann SASS Access Service-Security Profront Selection Card, Pro User D Code, Institut or Ann SASS Access Service-Security Profront Security Profron																	17.75
AN SMS Access Sentice-Specific User IT Codes AN SMS Access Sentice-					A1N	CAM1P		64.05									17.75
Replacement AIN CAMBC 142.13 142.13 55.26 35.26 32.36 27.37 27.37 17.76						CAMAU											17.75
AN SSA Access Service-Storage, Per Lingt (100 Katolynes) AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN SSA Access Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Service, Per Minute AN STORAGE Service-Strippe, Access Charge, Per Minute AN STORAGE Service-Strippe, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe Access Charge, Per Minute AN STORAGE Service-Strippe An Strippe Access Strippe Access Charge AN STORAGE Service-Strippe An Strippe Access Strippe Access Charge AN STORAGE Service-Strippe Access Strippe Access Strippe Access Strippe Access Strippe Access Strippe Access Strippe		AIN SMS Access Service-Security Card, Per User ID Code, Initial or															
AN SIGN Access Service—Season. Per Minute AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH AN TOOLKT SERVICE AN SELSOUTH SERVICE TIPING SEASON PRE TIPING SEASON SEASON PRE TIPING SEASON SEASON PRE TIPING SEASON			L		A1N	CAMRC		142.13	142.13	35.26	35.26	<u> </u>	<u> </u>	27.37	27.37	17.75	17.75
AN Stock Access Review-Company Partitioned Session, Per Minutes 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,08 2,09		AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0026										
ANA TOURIS Service—Troping Estate, Initial ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA Touris Service—Troping Estate ANA To																	
ARN Totals Service Service Statistics Service Statistics Service Tailing Service Trigger Service Name SAPPIX SAPPI							2.08										
ANY TOORS Service-Traging Season. Per Customer ANY TOORS Service-Traging Season. Per Customer ANY TOORS Service-Traging Per No. 1989. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CIT. BAPTT ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CIT. BAPTD ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CIT. BAPTD ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CIT. BAPTD ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. BAPTD ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. BAPTD ANY TOORS Service-Traging Access Charge, Per Trigger, Per DN. CID. BAPTD ANY TOORS Service-Traging Access Charge, Per ANY Toolst Subscription, Per Note, Per Outer ANY TOORS Service-Traging Access Charge, Per ANY Toolst Subscription, Per Note, Per Outer ANY TOORS Service-Traging Access Access Charge, Per ANY Toolst Subscription, Per Note, Per Outer ANY TOORS Service-Traging Access Access Charge, Per ANY Toolst Subscription, Per Note, Per ANY Toolst Subscription, Per Note, Per Outer ANY TOORS Service-Traging Access Access Access Access Charge, Per ANY Toolst Subscription, Per Note, Per ANY Toolst Subscription, Per Note, Per ANY Toolst Subscription, Per Note, Per Outer ANY Toolst Service-Traging Access Access Access Access Access Access Access Access Access Access Access Access Access Access Access Access Access Access Access Acces																	
AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Delay AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- Holds Service-Trigger Access Charge, Per Trigger, Per DN, Off- BAPTI AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, Off- BAPTI AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, COP AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, COP AN TOOMS Service-Trigger Access Charge, Per Trigger, Per DN, COP AN TOOMS Service-Trigger Access Charge, Per Per Trigger, Per DN, COP AN TOOMS Service-Trigger Access Charge, Per Per Trigger, Per DN, COP AN TOOMS Service-Trigger Access Charge, Per Service Code AN TOOMS Service-Strigger Access Charge, Per SNS Access Account, Per LOX AND TOOMS Service-Strigger Access Charge, Per SNS Access Account, Per LOX AND TOOMS Service-Strigger Access Charge, Per SNS Access Account, Per LOX AND TOOMS Service-Strigger Access Charge, Per AN TOOMS Service-Strigger Access Charge, Per AN TOOMS Service-Strigger Access Charge, Per AN TOOMS Service-Strigger Access Access Access Access Access And Tooms Service Subscription AN TOOMS Service-Strigger Access Charge, Per SNS Access Account, Per LOX AND TOOMS Service-Strigger Access Charge Access Acce					CAM					114.22	114.22						17.75
Alternipt						BAPVX		8,363.00	8,363.00					27.37	27.37	17.75	17.75
Hook Delay 149.64 49.64 27.04 27.04 27.37 27.37 17.75		Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPI Hook Immediate AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per Trigger, Per DN, CPU AN Toolal Service-Trigger Access Charge, Per AN Toolal Subscription, Per Note Charge, Per SNS Access Account, Per 100 Kilobytes AN Toolal Service-Special Study-Per AN Toolal Service Subscription AN Toolal Service-Special Study-Per AN Toolal Service Subscription AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Service-Special Study-Per AN Toolal Service AN Toolal Service-Special Service-Special Study-Per AN To																	
Hook Immediate BAPTM						BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODE ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per Trigger, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Service-Trigger Access Charge, Per DN, CDP ANY Toolet Servi																	
PODP						BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
AIN Toolks Service-Tigger Access Charge, Per Tingger, Per DN. CDP AIN Toolks Service-Tigger Access Charge, Per Tingger, Per DN. Feature Code AIN Toolks Service-Charge, Per Output AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service Charge Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN Toolks Service-Storage Charge, Per AIN T						DARTO		447.00	447.00	07.00	07.00			07.07	07.07	47.75	47.75
AIN Toolks Service-Dept Note Energy Per GNF, Per DNF, Feature Code AIN Toolks Service-Query Charge, Per Query AIN Toolks Service-Query Charge, Per Query AIN Toolks Service-Step 100 Kiloshyes AIN Toolks Step 100 Kiloshyes AIN Toolks S																	17.75
Code						BAPIC		117.98	117.98	37.90	37.90			21.31	21.31	17.75	17.75
AN Tockid Service-Query Charge, Per Query AN Tockid Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AN Tockid Service-SCP Storage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-SCP Storage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Storage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Storage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Scorage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Scorage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Scorage Charge, Per SMS Access Account, Per 110 Kilobytes AN Tockid Service-ScP Scorage Charge, Per SM Tockid Service Subscription CAM BAPIS AN Tockid Service-Scl Event Special Study-Per AIN Tockid Service Subscription CAM BAPES CAM						DADTE		117.00	117.00	27.00	27.00			27.27	27.27	17.75	17.75
AN Toolks Service-Type 1 Node Charge, Per ANN Toolks Subscription, Per Node, Per Query ANN Toolks Service-SCP Storage Charge, Per SMS Access Account, Per 100 kilobytes ANN Toolks Service-Scpelal Study-Per ANN Toolks Service Subscription ANN Toolks Service-Special Study-Per ANN Toolks Service Subscription ANN Toolks Service-Special Study-Per ANN Toolks Service Subscription ANN Toolks Service-Special Study-Per ANN Toolks Service ANN Toolks Service-Call Event Report-Per ANN Toolks Service CAM BAPLS 0.10 4.77.4 47.74 15.90 15.90 27.37 27.37 17.75 ANN Toolks Service-Call Event Report-Per ANN Toolks Service CAM BAPDS 15.90 44.56 44.56 31.84 31.84 27.37 27.37 17.75 ENHANCED EXTENDED LINK (EELs) NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined Tacilities converted to UNE safe As a Switch As Is Charge applies to currently combined Tacilities converted to UNE. (Non-recurring rates do no apply). 2. WIRE VOICE GRADE EXTENDED LOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First ZW VG Loop(SL2) in a DS1 Interofficed Transport Combination-2 and 3 UNCVX UEAL2 29.16 First ZW VG Loop(SL2) in a DS1 Interofficed Transport Combination-2 and 3 UNCVX UEAL2 29.16 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo UNCYX USCAL 29.16 UNCYX UEAL2 17.95 UNCYX UEAL2 17.95 UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Each Add 12W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Per mo UNCYX UEAL2 29.16 Eac						DAFIF	0.024	117.90	117.90	37.90	37.90			21.31	21.31	17.75	17.75
Per Node, Per Query							0.024										
ANI Toolkit Service-SCP Strage Charge, Per SMS Access Account, Per 100 (bilopytes 1.63							0.006										
100 Kilobytes							0.000										
AN Toolkit Service-Publy report-Per AIN Toolkit Service Subscription AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription AIN Toolkit Service-Special Study-Per AIN Toolkit Service CAM BAPLS 0.10 47.74 47.74 15.90 15.90 27.37 27.37 17.75 AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service CAM BAPLS 0.003 47.74 47.74 ENHANCED EXTRENDED LINK (EELs) NOTE: In all states, Etc. nativork elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do no apply.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 UNCVX UEAL2 AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service UNCVX UEAL2		0 0.					1.63										
AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription					CAM	BAPMS		44 56	44 56	31 84	31 84			27.37	27.37	17 75	17.75
AIN Toolkt Service-Call Event Report-Per AIN Toolkt Service AIN Toolkt Service-Call Event Report-Per AIN Toolkt Service Subscription ENHANCED EXTENDED LINK (EELs) NOTE: In all States, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do no apply.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 1 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 UNCVX UEAL2 17.95 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 UNC1X U1TF1 68.75 UNC1X UEAL2 17.95 DS1 Channelization System Per mo UNC1X U1TF1 68.75 UNC1X UEAL2 17.95 UNC1X UEAL2 17.95 UNC1X UEAL2 17.95 UNC1X U1TF1 68.75 UNC																	17.75
AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription S																	17.75
Subscription Su								3-	1								Ì
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do no apply.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFICE TRANSPORT (EEL) First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 1		Subscription	L		CAM	BAPES	0.003	47.74	47.74		<u></u>	<u> </u>	<u> </u>	27.37	27.37	17.75	17.75
apply.) 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2W VO Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 1 I UNCVX UEAL2 IT7.95 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 UNCVX UEAL2 Interoffice Transport-Dedicated-DS1 combination- Zone 3 UNCVX UEAL2 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo UNC1X UNC1X UNC1X UNC1X USAL2 S2.84 Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X UNC1X	ENHANCED	EXTENDED LINK (EELs)															
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 1 1 UNCVX UEAL2 17.95 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 2 UNCVX UEAL2 29.16 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 3 3 UNCVX UEAL2 52.84 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo UNC1X 1L5XX 0.2067 Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNCVX MQ1 122.50 VG COCI-DS1 To Ds0 Interface-Per mo UNCVX 11VO 0.64 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 1 UNCVX UEAL2 29.16 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 2 UNCVX UEAL2 29.16 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 3 UNCVX UEAL2 52.84			ently	combii	ned facilities which a	re converte	ed to UNE rate	es. A Switch A	s Is Charge a	pplies to cu	rrently co	ombined fa	cilities con	verted to UN	Es.(Non-recu	irring rates	do not
First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 1								1	T					1	T		
Zone 1 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 UNCVX UEAL2 29.16 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X USCA UNCVX UEAL2 29.16 UNCVX UEAL2 52.84 UNCVX UEAL2 52.84 UNCVX UEAL2 52.84 UNCVX UEAL2 DS1 Channelization System Per mo UNC1X U1TF1 68.75 UNC1X U1TF1 68.75 UNCVX UEAL2 10TF1 1	2-WIR		ICE.	IRANS	PORT (EEL)	1	1							1			
First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 2 UNCVX UEAL2 29.16 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 3 UNCVX UEAL2 52.84 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo UNC1X UEAL2 52.84 Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X UTF1 68.75 DS1 Channelization System Per mo UNC1X UTF1 68.75 DS1 Channelization System Per mo UNC1X UNCVX UEAL2 17.95 UNCVX UEAL2 17.95 Each Add'1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 UNCVX UEAL2 17.95					1110101		47.0-		1			1	1		1	1	
Zone 2 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 3 3 UNCVX UEAL2 52.84 Interoffice Transport-Dedicated-DS1 combination-Fer Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X 1L5XX 0.2067 Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X MQ1 122.50 VG COCI-DS1 To Ds0 Interface-Per mo UNCVX 1D1VG 0.64 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 LUNCVX UEAL2 17.95 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 LUNCVX UEAL2 29.16 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 UNCVX UEAL2 52.84				1	UNCVX	UEAL2	17.95					1	1	ļ			
First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination- Zone 3 UNCVX UEAL2 52.84 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X VI DS0 Interface-Per mo UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNC1X VI DVG UNCYX VI DVG UNCYX VI DVG UNCYX VI DVG UNCYX VI DVG UNCYX VI UEAL2 VI T.95 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 UNCYX VI DVG UNCYX VI UEAL2 VI COMBINIATION-ZONE 2 UNCYX VI UEAL2 VI UE					LINION				1			1	1		1	1	
Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X MQ1 122.50 VG COCI-DS1 To Ds0 Interface-Per mo UNCVX 1D1VG 0.64 Each Add'l ZW VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1 1 UNCVX UEAL2 17.95 Each Add'l ZW VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 2 UNCVX UEAL2 29.16 Each Add'l ZW VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 3 UNCVX UEAL2 52.84			-	2	UNCVX	UEAL2	29.16	1	 			1	1	1	 	ļ	
Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X WG COCI-DS1 To Ds0 Interface-Per mo UNCVX 1D1VG 0.64 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1 1 UNCVX UEAL2 17.95 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 2 UNCVX UEAL2 29.16 Each Add'I 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 3 UNCVX UEAL2 52.84					LINO	LIEALO	50.04		1			1	1		1	1	
Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo UNC1X U1TF1 68.75 DS1 Channelization System Per mo UNC1X MQ1 122.50 VG COCI-DS1 To Ds0 Interface-Per mo UNCVX 1D1VG 0.64 Each Add1 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1 1 UNCVX UEAL2 17.95 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 2 UNCVX UEAL2 29.16 Each Add1 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 3 UNCVX UEAL2 52.84				3								1	1	1			
Mo				\vdash	OINGIA	ILOAA	0.2067	1	1			1	1	1	1	 	
DS1 Channelization System Per mo					LINC1Y	LI1TE1	69.75		1			1	1		1	1	
VG COCI-DS1 To Ds0 Interface-Per mo			1	\vdash								1	1	1			
Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 UNCVX UEAL2 17.95 UNCVX UEAL2 29.16									 			1	1	1	 	1	
Combination-Zone 1 1 UNCVX UEAL2 17.95			1	+	557/	.2.140	0.04					1	1	1		1	
Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 UNCVX UEAL2 29.16 UNCVX UEAL2 52.84				1	UNCVX	UEAL2	17.95		1			1	1		1	1	
Combination-Zone 2 2 UNCVX UEAL2 29.16					0.10171	02,12	00		1					1	1		
Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3 UNCVX UEAL2 52.84				2	UNCVX	UEAL2	29.16		Ì			1	1		l	1	
Combination-Zone 3 3 UNCVX UEAL2 52.84								l						İ	İ		
				3	UNCVX	UEAL2	52.84										
		VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.64										

NBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
											Svc	Svc	Incremental	Incremental	Incrementa	Increme
											Order	Order	Charge -	Charge -	I Charge -	al Char
		Inter	Zon								Submitte	Submitte	Manual Svc	Manual Svc	Manual	Manua
TEGORY	RATE ELEMENTS	im	е	BCS	USOC		F	ATES(\$)			d Elec	d	Order vs.	Order vs.	Svc Order	Svc Ord
											per LSR	Manually	Electronic-	Electronic-	vs.	vs.
												per LSR	1st	Add'l	Electronic-	Electron
						1	Nonrec	urring	Nonrecur	rina			OSS	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	ICE 1	RANS	SPORT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-			, ,												
	Zone 1		1	UNCVX	UEAL4	24.01										
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-															
1	Zone 2		2	UNCVX	UEAL4	39.00										
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-										1					
	Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.2067										
	Interoffice Transport-Dedicated-DS1-Facility Termination Per mo			UNC1X	U1TF1	68.75										
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	122.50										
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.64										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCVX	UEAL4	24.01										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCVX	UEAL4	39.00										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL4	70.67										
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	0.64										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	,
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERC	OFFIC	E TRA	ANSPORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		1 7												1	
	Combination-Zone 1		1	UNCDX	UDL56	27.33										
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	44.40										
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.2067										
1	Interoffice Transport-Dedicated-DS1-combination Facility Termination Per															
	mo			UNC1X	U1TF1	68.75					ļ		1			
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	122.50										
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	1.36										L
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															1
	Combination-Zone 1		1	UNCDX	UDL56	27.33				l			1		l	

04/12/02 Page 10 of 259

ONBOND	LED NETWORK ELEMENTS - Alabama												Attachment		Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	al Charge Manual
						Rec	Nonre	curring	Nonrecur	ring			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	44.40										
	Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	80.45										
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.36										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.30	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WII	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTER	OFFIC	E TRA		0.1000				10.00	10.00			0	01.01	0.00	0.00
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	27.33										
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	44.40										
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		2	LINCDY	LIDI 64	00.45										
	Combination-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		3	UNCDX UNC1X	UDL64 1L5XX	80.45 0.2067						-				
	Interoffice Transport-Dedicated-DS1 combination-Fet Mile Fet Into			UNCIA	ILSAA	0.2067										
	mo			UNC1X	U1TF1	68.75										
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	122.50										
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs) Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCDX	1D1DD	1.36										
	Combination-Zone 1 Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		1	UNCDX	UDL64	27.33										
	Combination-Zone 2		2	UNCDX	UDL64	44.40										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	80.45										
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.36										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.00	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	CE T	RANSI		911999										0.00	
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		1	UNC1X	USLXX	51.74										
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		2	UNC1X	USLXX	84.05										
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone		3	UNC1X	USLXX	152.29										ļ
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo interoffice Transport-Dedicated-DS1 combination-Facility Termination Per mo			UNC1X	1L5XX U1TF1	0.2067 68.75										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X UNC1X	UNCCC	00.75	11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF	CE T	RANSI		011000		11.10	11.10	10.00	10.00			01.01	01.01	0.00	0.00
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	51.74										
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.05										
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo			UNC3X	1L5XX	4.67										
	Interoffice Transport-Dedicated-DS3-Facility Termination per mo DS3 to DS1 Channel System combination per mo			UNC3X UNC3X	U1TF3 MQ3	804.02 201.37										
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	15.39										
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	51.74										
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.05										
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	15.39										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WII	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROF				LIEALO	47.05										
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2	 	2	UNCVX	UEAL2 UEAL2	17.95 29.16					<u> </u>	}	1			
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3	 	3	UNCVX	UEAL2	52.84		1		1	1	1	1			+
	Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo		J	UNCVX	1L5XX	0.0101										
	Interoffice Transport-Dedicated-2W VG combination-Facility Termination per mo]	UNCVX	U1TV2	24.15										
	NRC Currently Combined Network Elements Switch-As-Is Charge	1		UNCVX	UNCCC	24.13	11.18	11.18	13.96	13.96	 		31.31	31.31	3.93	3.93
4-WII	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROF	FICE	TRANS		1	† 1		1					1		2.30	1.50
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.01										
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	39.00										
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo			UNCVX	1L5XX	0.0101		l				1				<u> </u>

NRONDL	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						Rec	Nonrec	curring	Nonrecur	ring				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport-Dedicated-4W VG combination-Facility Termination															
	per mo			UNCVX	U1TV4	21.41	44.40	44.40	40.00	40.00			24.24	24.24	2.02	2.02
Dea D	NRC Currently Combined Network Elements Switch-As-Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRA	NEDC	DT /E	UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
D33 L	High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo	NOPC	ואל (ב	UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop-DS3 combination-Facility			CHOOK	TEOINE	10.10										
	Termination per mo			UNC3X	UE3PX	374.52										
	Interoffice Transport-Dedicated-DS3-Per Mile per mo			UNC3X	1L5XX	4.67										
	Interoffice Transport-Dedicated-DS3 combination-Facility Termination per															
	mo			UNC3X	U1TF3	804.02										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE T	RANS	PORT		41.5110	40.40										
	High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo			UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop-STS1 combination-Facility			LINICOV	UDLS1	207.67										
	Termination per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo	 		UNCSX UNCSX	1L5XX	387.67 4.67					1	-	†			
	Interoffice Transport-Dedicated-STS1 combination-Facility Termination			ONOOX	TLOAX	4.07										
	per mo			UNCSX	U1TFS	801.57										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEI	.)														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	23.23										
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	37.74										
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	68.38										
	Interoffice Transport-Dedicated-DS1 combination-Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Termination per			LINICAV	LIATEA	CO 75										
	mo Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X UNC1X	U1TF1 MQ1	68.75 122.50										
_	2W ISDN COCI (BRITE)-DS1 to DS0 Combination-per mo			UNCNX	UC1CA	2.92										
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		1	UNCNX	U1L2X	23.23										
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		2	UNCNX	U1L2X	37.74										
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		3	UNCNX	U1L2X	68.38										
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per			UNCNX	UC1CA	2.92										
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROF	FICE														
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo		3	UNC1X UNCSX	1L5XX	152.29 4.67							1			
	Interoffice Transport-Dedicated-STS1 combination-Facility Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	15.39										
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	51.74										
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.05										
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	15.39										
	NRC Currently Combined Network Elements Switch-As-Is Charge		CDC	UNCSX	UNCCC		11.18	11.18	13.96	13.96	ļ		31.31	31.31	3.93	3.93
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE	IKAN			LIDLES	27.33				-	1	1	 			
-	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1 4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2	<u> </u>	2	UNCDX UNCDX	UDL56 UDL56	44.40				-		-	+			
-	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3	 	3	UNCDX	UDL56	80.45					1	-	†			
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per Mile			UNCDX	1L5XX	0.0101							1			
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility			UNCDX	U1TD5	17.28							Ì			
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE	TRAN	SPOR													
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.33							ļ			ļ
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	44.40					ļ		ļ			<u> </u>
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX UNCDX	UDL64	80.45 0.0101				 	-		 			
_	Interoffice Transport-Dedicated-4W 64 kbps combination-Per Mile Interoffice Transport-Dedicated-4W 64 kbps combination-Facility		-	UNCDX	1L5XX U1TD6	17.28				-		-	1			
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC	17.20	11.18	11.18	13.96	13.96	 		31.31	31.31	3.93	3.93
	L NETWORK ELEMENTS			SHODA	511000		11.10	11.10	10.00	10.00			31.31	31.31	5.35	5.50
	used as a part of a currently combined facility, the non-recurring cha	rges	do no	t apply, but a Switch	As Is char	ge does apply	/.						1			
	(SynchroNet)	Ľ														
Nonre	ecurring Currently Combined Network Elements "Switch As Is" Charge	(One	appl	ies to each combination	on)											
	NRC Currently Combined Network Elements Switch-As-Is Charge-									1						
	2W/4W VG			UNCVX	UNCCC		11.18	11.18	13.96	13.96	<u> </u>		31.31	31.31	3.93	3.93

04/12/02 Page 12 of 259

NDUND	LED NETWORK ELEMENTS - Alabama											_	Attachment		Exhibit: B	
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Char Manu Svc Ord vs.
						Rec	Nonrec	urring	Nonrecur	ring				Rates(\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3
	NRC Currently Combined Network Elements Switch-As-ls Charge-DS1			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3
	NRC Currently Combined Network Elements Switch-As-ls Charge-DS3			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	
	E: Local Channel - Dedicated Transport - minimum billing period - Bel	ow DS	3=one	month, DS3 and abo	ve=four m	onths										
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	E: Although the Port Rate includes all available features in GA, KY, LA	& TN	, the d	esired features will ne	ed to be o	rdered using	retail USOCs									
2-WII	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	<u> </u>
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port												1			
	with Caller ID-Res.	L		UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W VG unbundled res, low usage line port with Caller												1			
	ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00					27.37	12.97	17.77	
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W VG unbundled Line Port with unbundled port with															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port															
	with Caller ID-Bus.			UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					27.37	12.97	17.77	
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	
EXC	ANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus	1		UEPSP	UEPP1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	<u> </u>
	2W Analog Long Distance Terminal PBX Trunk-Bus	<u> </u>		UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	<u> </u>
-	2W Voice Unbundled 2-Way PBX Alabama Calling Port	ļ		UEPSP	UEPA2	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
-	2W Voice Unbundled PBX LD Terminal Ports	ļ		UEPSP	UEPLD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	_
	2W Vice Unbundled 2-Way PBX Usage Port	1		UEPSP	UEPXA	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	<u> </u>
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
-	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
1	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			LIEDOD	LIEDVI	0.07	04.00	04.00	0.04	0.01			07.07	40.07	47.77	
-	Calling Port	1		UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling			LIEDOD	LIEDVA	0.07	04.00	04.00	0.04	0.01			07.07	40.07	47 77	
+	Port	-	\vdash	UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			LIEDOD	LIEDVO	0.07	04.00	04.00	0.04	0.01			07.07	40.07	47.77	
-	Room Calling Port	1		UEPSP	UEPXO UEPXS	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	
-	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPSP		2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	↓
EFA	Subsqnt Activity	-	\vdash	UEPSP	USASC	0.00	0.00	0.00					27.37	12.97	17.77	<u> </u>
FEA	TURES	1		LIEDOD LIEDOE	LIEDVE		2.22	2.22					27.27	10.0=	17 7-	
EVO	All Available Vertical Features	-	\vdash	UEPSP UEPSE	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	
EXC	HANGE PORT RATES (COIN)	1				2.34	24.02	24.02	E 04	E 24			25.93	12.97	16.00	-
110-	Exchange Ports-Coin Port Transmission/usage charges associated with POTS circuit switcher			alan analan ara ar			21.93	21.93	5.21	5.21		1			16.33	
	:: rransmission/usage charges associated with PUTS circuit switched	u usa(ae Will	also apply to circuit	switched V	oice and/or c	reuit switcher	u uata transm	iission by B	-∪nannels	s associate	u with 2-W	ne ioun por		i	1

ONRONE	LED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGOR	Y RATE ELEMENTS	Inter im	Zon e	BCS	USOC	RATES(\$)						d	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic- Add'l	I Charge -	al Charge Manual Svc Order vs.
						Rec	Nonrec		Nonrecur		COMEC	COMAN		Rates(\$)	COMAN	COMAN
LINBLINDI	L ED LOCAL EXCHANGE SWITCHING(PORTS)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CHANGE PORT RATES (DID & PBX)															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	68.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
NOT	All Features Offered		<u> </u>	UEPTX UEPSX	UEPVF	5.55	0.00	0.00		01		1		_		
	E: Transmission/usage charges associated with POTS circuit switched E: Access to B Channel or D Channel Packet capabilities will be availa											a with 2-w	rre ISDN port	s.		
NO	Exchange Ports-2W ISDN PortChannel Profiles	ole ol	iiy tii	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	iirieu via tri	e BFR/NE	R FIOCESS.					
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	96.37	407.62	203.11	158.35	40.11			54.75	54.75	11.53	11.53
UNBUNDL	ED LOCAL SWITCHING, PORT USAGE															
End	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0018										
<u> </u>	End Office Trunk Port-Shared, Per MOU		<u> </u>	-		0.0002										
l'an	dem Switching (Port Usage) (Local or Access Tandem) T&em Switching Function Per MOU					0.00063							-			
	T&em Trunk Port-Shared, Per MOU		 	1		0.00063						-				
Con	nmon Transport		 		1	0.00000				1	-	1				
	Common Transport-Per Mile, Per MOU					0.00001										
	Common Transport-Facilities Termination Per MOU					0.00045										
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
	t Based Rates are applied where BellSouth is required by FCC and/or C								I Beat eres		. D. C. F. L					
	tures shall apply to the Unbundled Port/Loop Combination - Cost Based Office and Tandem Switching Usage and Common Transport Usage rat												Dant/Laan Ca			
The other	first and additional Port nonrecurring charges apply to Not Currently C er states, the nonrecurring charges shall be those identified in the Nonr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					e nonrecurrin	g charges are	Market Rates	s and are al	so listed	in the wark	et Nate Set	1010	arrently com	binea Comb	OS III ali
The other	er states, the nonrecurring charges shall be those identified in the Nonre					16.55	g charges are	e Market Rates	s and are a	so listed	in the mark	et Nate sec	I I I I I		bined Comb	os III ali
The other	er states, the nonrecurring charges shall be those identified in the Nonr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates		ing - (g charges are	e Market Rates	s and are al	so listed	III the Mark	et Nate set	Lion. For ou		onied Comb	os III ali
The other 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3		ing - (16.55	g charges are	э магкет катез	s and are al	so listed	in the wark	et Nate Set	Toron		bined Comb	US III all
The other 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates		1 2 3	Currently Combined s	ections.	16.55 25.51 44.44	g cnarges are	e Market Rates	s and are al	so listed	in the wark	et Nate Set			bined Comb	US III all
The other 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1		1 2 3	Currently Combined s	uEPLX	16.55 25.51 44.44 14.35	g cnarges are	e Market Kates	s and are al	so listed	in the wark	et Nate Sec	2.001. 10100		bined Comb	os III ali
The other 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2 3 1 2	Currently Combined s UEPRX UEPRX	UEPLX UEPLX	16.55 25.51 44.44 14.35 23.31	g cnarges are	a Market Rates	s and are a	so listed	in the Mark	et Nate Sec			omed comb	os III ali
The other 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1		1 2 3	Currently Combined s	uEPLX	16.55 25.51 44.44 14.35	g cnarges are	Market Kates	s and are a	so listed	n the Mark	et Nate Set	100		bined Collid	os III ali
The other 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	16.55 25.51 44.44 14.35 23.31 42.24	90.00	90.00	s and are a	so listed	THE WARK	et Nate Set	40.71	9.58	Sined Collis	us III ali
The other 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRL	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20	90.00	90.00	s and are a	so listed	n the wark	et Nate Set	40.71	9.58	bined Collis	os III ali
The other 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20	90.00	90.00 90.00 90.00	s and are al	Solisted	The wark	et Nate Set	40.71 40.71 40.71	9.58 9.58 9.58	omed Comb	os III ali
The other 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W vG unbundled AL extended local dialing parity port with Caller ID-res		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	s and are al	SO IISTED	THE MAIN	et Nate Sec	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58	omed Comb	US III dil
UNE UNE 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 ELoop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM)		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20	90.00	90.00 90.00 90.00	and are al	Solisted	THE WAIN	et Nate Set	40.71 40.71 40.71	9.58 9.58 9.58		US III dil
UNE UNE 2-W	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W vG unbundled AL extended local dialing parity port with Caller ID-res		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	and are al	SO IISTED	THE WAIN	and set water set	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58		US III dil
UNE UNE UNE UNE UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 1-Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ife Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES AL NUMBER PORTABILITY		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE 2-W UNE FEA	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 3 LOOP Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port with Caller ID-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Sers, low usage line port with Caller ID-res 2W voice unbundled Sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port)		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	and are al	SO listed	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE 2-W UNE FEA	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPAR UEPAP UEPAF	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	and are al	SO IISTED	THE WAIN	and set water set	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE 2-W UNE	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port dutgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPVF LNPCX	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 90.00 0.00	and are al	SO IISTED	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE 2-W UNE FEA	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Root outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Root outgoing only-res 2W voice unbundled Root outgoing outgoing outgoing outgoing outgoing outgoing outgoing outgoing outgoing outgoing outg		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPAR UEPAP UEPAF	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	and are al	Solisted	THE WAIN	and secon	40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE 2-W UNE FEA	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port dutgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPVF LNPCX	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
UNE UNE UNE 2-W UNE LOC NON	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 3 LOOP Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Rout with Caller ID-res 2W voice unbundled Port outgoing only-res 2W voice unbundled Nort outgoing only-res 2W voice unbundled Rout outgoing only-res 2W voice unbundled Rout outgoing only-res 2W voice unbundled Rout outgoing only-res 2W vice		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		US III dii
The other ot	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port duth Caller ID-res 2W voice unbundled port dutpoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled port dutpoing only-res 2W voice unbundled Sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update DITIONAL NRCS 2W VG Loop/Line Port Combination-Subsqnt Activity		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPRO UEPAR UEPAP UEPVF LNPCX	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71	9.58 9.58 9.58 9.58 9.58		US III dil
The other can be called a call	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change Update UTIONAL NRCs 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update VIC LOOP/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	SO IISTED	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		US III dil
The other control of the control of	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port dutgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port) INECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity INEC VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 1 1 1 1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		US III dil
The other control of the control of	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port dutgoing only-res 2W voice unbundled port with Caller ID-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update TITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1		1 2 3 3 1 2 3 3 1 1 2 1 1 1 1 1 1 1 1 1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN		40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other can be called a call	er states, the nonrecurring charges shall be those identified in the Nonrille VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port dutgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered CAL NUMBER PORTABILITY Local Number Portability (1 per port) INECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity INEC VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2 3 3 1 1 2 3 3 1 1 2 1 3 1 1 1 1 1 1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other control of the control of	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update INTIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2		1 2 3 3 1 2 2 3 3 1 1 2 2 3 1 1 1 2 1 1 1 2 1 1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRO UEPAR UEPAP UEPVF LNPCX USAC2 USACC	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	SO IISTED	THE WAIN	and set was set and se	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other can be called a call	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled Port outgoing only-res 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W voice unbundled Port-residence 2W VG Loop/Inle Port Combination-Conversion-Switch Caller ID (LUM) ITURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPLX USAC2 USAC2 USAC2	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	SO IISTED	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other can be called a call	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update ITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2 3 3 1 2 2 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAR UEPAP UEPAP UEVF UEPAC UEVS USAC2 USAC2 USAC2 USAC2	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 3.35 0.35 0.00 16.55 25.51 44.44	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and secon	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other ot	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Port Rates (Res) 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled AL extended local dialing parity port with Caller ID-res 2W voice unbundled Rort with Caller ID-res 2W voice unbundled Port outgoing only-res 2W voice unbundled Port outgoing only-res 2W vice unbundled Rort outgoing only-res 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update DITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2		1 2 3 1 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 1	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPLX USAC2 USAC2 USAC2	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 5.55 0.35	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	Solisted	THE WAIN	and set water set and	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		
The other ot	er states, the nonrecurring charges shall be those identified in the NonriRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES): Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 Ire Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is 2W VG Loop/Line Port Combination-Conversion-Switch with change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database Update ITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2 3 3 1 2 2 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 1 1 2 2 3 3 3 3	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRO UEPRO UEPAR UEPAP UEPAP UEVF UEPAC UEVS USAC2 USAC2 USAC2 USAC2	16.55 25.51 44.44 14.35 23.31 42.24 2.20 2.20 2.20 2.20 3.35 0.35 0.00 16.55 25.51 44.44	90.00 90.00 90.00 90.00 90.00 0.00 2.80 2.80	90.00 90.00 90.00 90.00 90.00 0.00	and are al	SO IISTED		The second secon	40.71 40.71 40.71 40.71 40.71 40.71 40.71 8.25	9.58 9.58 9.58 9.58 9.58 9.58		

04/12/02 Page 14 of 259

TONIOL	ED NETWORK ELEMENTS - Alabama					1					_		Attachment:		Exhibit: B	
											Svc Order	Svc Order	Incremental Charge -	Incremental Charge -	Incrementa I Charge -	Increme al Charg
			-								ubmitte	Submitte	_	_	_	
ATEGORY	RATE ELEMENTS		Zon	BCS	USOC		F	RATES(\$)		d Elec	d	Order vs.		Svc Order	Manua Svc Ord	
		im	е										Electronic-		vs.	vs.
										۲	JOI LOIK	per LSR	1st	Add'l	Electronic-	
							N		T 81			per Lore		S Rates(\$)	Electronic-	Electron
-		-			1	Rec	Nonred First	Add'l	Nonrecurring First A		SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.20	90.00	90.00	THIST A	uu i	JOINILO	JOHAN	40.71	9.58	JOINAIN	301117
	2W VG unbundled AL extended local dialing parity port with Caller ID-			UEPBX	UEPAW	2.20	90.00	90.00					40.71	9.58		1
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UPEB1	2.20	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	<u> </u>		UEPBX	USAC2		2.80	0.41					40.71	9.58		
	2W VG Loop/Line Port Combination-Conversion-Switch with change		-	UEPBX	USACC		2.80	0.41					40.71	9.58		
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database	1					4 4 4]				0.05			1
ADDIT	Update TIONAL NRCs	1	\vdash		1	 	1.44		 				8.25		-	
AUUII	2W VG Loop/Line Port Combination-Subsqnt Activity	 	\vdash	UEPBX	USAS2	 	0.00	0.00	 				40.71	9.58	-	├
2-WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	 		ULFDA	USASZ	 	0.00	0.00	 				40.71	9.08	-	
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1		+	16.55										
	2W VG Loop/Port Combo-Zone 2		2			25.51										
	2W VG Loop/Port Combo-Zone 3		3			44.44										
UNE L	oop Rates		Ť													
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	14.35										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	23.31										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	42.24										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					40.71	9.58		
FEAT		<u> </u>														
NONE	All Features Offered	<u> </u>		UEPRG	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>		UEPRG	LICACO		2.00	0.41					40.71	9.58		-
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-ls 2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with	<u> </u>		UEPRG	USAC2 USACC		2.80 2.80	0.41					40.71	9.58		-
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database	-	1	ULFRG	USACC		1.44	0.41	+				8.25	9.30		-
ADDIT	TIONAL NRCs						1.77						0.23			
ADDI.	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group			020	00/102	0.00	14.64	14.64					40.71	9.58		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)							-								
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			16.55										
	2W VG Loop/Port Combo-Zone 2		2			25.51										
	2W VG Loop/Port Combo-Zone 3		3			44.44										
UNE L	oop Rates															
	2W VG Loop (SL 1)-Zone 1	<u> </u>	1	UEPPX	UEPLX	14.35			ļļ							
_	2W VG Loop (SL 1)-Zone 2	<u> </u>	2	UEPPX	UEPLX	23.31		ļ	 							
O 1877	2W VG Loop (SL 1)-Zone 3	1	3	UEPPX	UEPLX	42.24							1		-	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1	\vdash	UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58	-	
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus	 	\vdash	UEPPX	UEPPO	2.20 2.20	90.00	90.00	 				40.71	9.58	-	├─
	Line Side Unbundled Incoming PBX Trunk Port-Bus	1		UEPPX	UEPP1	2.20	90.00	90.00	 				40.71	9.58		
_	2W Voice Unbundled 2-Way Combination PBX AL Calling Port	!		UEPPX	UEPA2	2.20	90.00	90.00	 				40.71	9.58	-	
	2W Voice Unbundled PBX LD Terminal Ports	 		UEPPX	UEPLD	2.20	90.00	90.00					27.37	9.58		
	2W Voice Unbundled 2-Way Combination PBX Usage Port	 		UEPPX	UEPXA	2.20	90.00	90.00					40.71	9.58		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports	†		UEPPX	UEPXB	2.20	90.00	90.00	i i				40.71	9.58		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20	90.00	90.00	1				40.71	9.58		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20	90.00	90.00	<u> </u>				40.71	9.58		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling															
_	Port	<u> </u>		UEPPX	UEPXM	2.20	90.00	90.00	ļļ				40.71	9.58		<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount	1			1]							1
	Room Calling Port	<u> </u>		UEPPX	UEPXO	2.20	90.00	90.00					40.71	9.58	1	
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	I		UEPPX	UEPXS	2.20	90.00	90.00					40.71	9.58		

CINDUNDL	ED NETWORK ELEMENTS - Alabama		,		1	ı					1	Attachment		Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES(\$)		Svc Order Submitte d Elec per LSR	d	Charge - Manual Svo Order vs. Electronic- 1st	Add'l	I Charge -	al Charge Manual Svc Orde vs.
						Rec	Nonre		Nonrecurring				Rates(\$)		T
		<u> </u>					First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				40.71	9.58		
FEAT	URES														
	All Features Offered			UEPPX	UEPVF	5.55	0.00	0.00				40.71	9.58		
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.80	0.41				40.71	9.58		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with			UEPPX	USACC		2.80	0.41				40.71	9.58		
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database						1.44					8.25			
ADDI	FIONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				40.71	9.58		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				40.71	9.58		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
UNE	Port/Loop Combination Rates								Ì						
	2W VG Coin Port/Loop Combo – Zone 1		1			16.88									
	2W VG Coin Port/Loop Combo – Zone 2		2			25.84									
İ	2W VG Coin Port/Loop Combo – Zone 3		3			44.77									
UNE I	oop Rates					1					1				1
	2W VG Loop (SL1)-Zone 1	1	1	UEPCO	UEPLX	14.35						İ	1	1	1
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	23.31									†
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	42.24									1
2-Wire	e Voice Grade Line Ports (COIN)		Ť	02. 00	02. EX	12.21									
	2W Coin 2-Way w/o Operator Screening & w/o Blocking			UEPCO	UEPRF	2.53	90.00	90.00			+	40.71	9.58	1	
-	2W Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00			+	40.71	9.58	1	
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD		1	UEPCO	UEPRA	2.53	90.00	90.00		_		40.71	9.58		
	2W Coin 2-Way with Oper Screening & Blocking. 611, 900/976, 14DBD		1	UEPCO	UEPRB	2.53	90.00	90.00				40.71	9.58		
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,		1	ULFCO	OLFKB	2.55	90.00	90.00				40.71	9.50		
	& Local			UEPCO	UEPCD	2.53	90.00	90.00				40.71	9.58		
	2W Coin Outward with Operator Screening & 011 Blocking		1	UEPCO	UEPRK	2.53	90.00	90.00				40.71	9.58		
		-	-								-				
	2W Coin Outward with Oper Screening & Blocking: 011, 900/976, 1+DDD	1	-	UEPCO	UEPRH	2.53	90.00	90.00				40.71	9.58		
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, &														
	Local		1	UEPCO	UEPCN	2.53	90.00	90.00				40.71	9.58		
	2W 2-Way Smartline with 900/976	<u> </u>		UEPCO	UEPCK	2.53	90.00	90.00				40.71	9.58		
	2W Coin Outward Smartline with 900/976	<u> </u>		UEPCO	UEPCR	2.53	90.00	90.00				40.71	9.58		
ADDI	FIONAL UNE COIN PORT/LOOP (RC)	<u> </u>													
	UNE Coin Port/Loop Combo Usage (Flat Rate)	ļ		UEPCO	URECU	1.56	90.00	90.00				40.71	9.58		
	L NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									<u> </u>
NONE	ECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		2.80	0.41				40.71	9.58		
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		2.80	0.41				40.71	9.58		
ADDI	FIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00				40.71	9.58		
UNBU	NDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UERTR	2.07	21.93	21.93				27.37	12.97	17.77	1.4
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	T (RES	3)											
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.07	225.00	175.00				40.71	9.58		
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	T (BUS									1			
	PORT/LOOP COMBINATIONS - COST BASED RATES		T									1			
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT											1			
	Port/Loop Combination Rates											1			
1	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			29.59									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2	1	2	1		36.58						İ	1	1	1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3	1		45.06			1		1	i e	1	1	
UNF I	Loop Rates	t -	Ť	1						1		1	1	1	†
0.1.2	2W Analog VG Loop-(SL2)-UNE Zone 1	t	1	UEPPX	UECD1	20.42					1	l	t	t	t
	2W Analog VG Loop-(SL2)-UNE Zone 2	-	2	UEPPX	UECD1	27.41				+	 	 	1	1	
-+	2W Analog VG Loop-(SL2)-UNE Zone 3	 	3	UEPPX	UECD1	35.89				+	1	 	1	1	-
LINE	Port Rate	-	٦	OLFFA	OLCOI	33.09				-	1	1	+	+	+
ONE	Exchange Ports-2W DID Port	-	1	UEPPX	UEPD1	9.17	600.00	45.00	 	-	1	40.71	9.58	-	
NON	ECURRING CHARGES - CURRENTLY COMBINED	-	1	UEFFA	UEPUI	9.17	000.00	45.00	 	-	1	40.71	9.58	-	
NONE	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is	├	+	HEDDA	110 4 0 4	 	1161	2.70		+	 	40.74	0.50	-	
		<u> </u>	1	UEPPX	USAC1	1	14.61	3.73		-	ļ	40.71	9.58	-	₩
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable		1	UEPPX	USA1C		14.61	3.73				40.71	9.58	<u> </u>	1

OMBONDL	ED NETWORK ELEMENTS - Alabama													Attachment		Exhibit: B	↓
CATEGORY	RATE ELEMENTS	Inte im	Zon e	B	cs	USOC			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Charge - vc Manual Svc Order vs. Electronic- Add'l	I Charge - c Manual Svc Order	al Charge Manual Svc Orde vs.			
			<u> </u>				Rec	Nonrec		Nonrecur					Rates(\$)		T
			<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI	TIONAL NRCs																<u> </u>
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UE	PPX	USAS1		53.56	53.56					40.71	9.58		<u> </u>
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)				PPX	NDT	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers				PPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non-consecutive DID Numbers , Per Number				PPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers				PPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UE	PPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UE	PPX	LNPCP	3.15	0.00	0.00								
2-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E PO	RT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		1	UEPPB	UEPPR		36.62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		2	UEPPB	UEPPR		44.49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		3	UEPPB	UEPPR		55.39										
UNE I	Loop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	27.20							40.71	9.58		
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	35.07							40.71	9.58		
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		
UNE I	Port Rate					1											
	Exchange Port-2W ISDN Line Side Port		1	UEPPB	UEPPR	UEPPB	9.42	525.00	400.00					40.71	9.58		
NONE	RECURRING CHARGES - CURRENTLY COMBINED																†
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-		1														†
	Conversion			LIEPPB	UEPPR	USACB	0.00	77.01	54.04					40.71	9.58		
ADDI	TIONAL NRCs		1	022	OZ. I IX	00,102	0.00	77.01	0 1.0 1						0.00		
	L NUMBER PORTABILITY		†			Ì							1				
	Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			†		1		1	1
B-CH	ANNEL USER PROFILE ACCESS:		+	OLITE	OLITIK	LIVI OX	0.00	0.00	0.00				-				
	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			†		1		1	1
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			†		1		1	1
	CSD		1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			†		1		1	1
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	& TN\	+	OLITE	OLITIK	01000	0.00	0.00	0.00				-				
5 011	CVS/CSD (DMS/5ESS)	<u> </u>	+	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00				-				
	CVS (EWSD)		+	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00				-				+
-+-	CSD	1	1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00				1				
LISER	TERMINAL PROFILE		+	OLITB	OLITIK	01001	0.00	0.00	0.00				-				
OOLIV	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00				1				+
VEPT	ICAL FEATURES	1	1	OLITB	JLIIK	O I OIVIA	0.00	0.00	0.00					1	1	1	+
VERT	All Vertical Features-One per Channel B User Profile	1	1	UEPPB	UEPPR	UEPVF	5.55	0.00	0.00			1	1	40.71	9.58	1	
INTER	ROFFICE CHANNEL MILEAGE	1	1	ULPPB	ULPPR	OLFVF	5.55	0.00	0.00			1	1	40.71	9.38	1	+
INIC	Interoffice Channel mileage each, including first mile & facilities	1	1	UEPPB	UEPPR	M1GNC	17.81	107.11	48.27			1	1	40.71	9.58	1	
	Interoffice Channel mileage each, Including first mile & facilities	1	+	UEPPB	UEPPR	M1GNM	0.0339	0.00	0.00			-	0.00	40.71	9.38	-	+
4-10/10	jinteronice Channel mileage each, Add I mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	+	1-	UEPPB	UEFFR	IVITGINIVI	0.0339	0.00	0.00			-	0.00	-		-	+
		1	1-	1		1							1	 	 	 	
UNE	Port/Loop Combination Rates	 	4	.,-	DDD	1	100.00						1	 	 	 	
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1	 	7		PPP	1	198.29						1	 	 	 	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2	 	2		PPP	 	274.00					 	 	1	1	1	├
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3	1	3	UE	PPP	<u> </u>	425.41						1	-	ļ	-	₩
UNE	Loop Rates	1	+-		DDD	1101.45	404.65							40 =:	0.50	1	₩
-	4W DS1 Digital Loop-UNE Zone 1	 	1		PPP	USL4P	101.92					 	 	40.71	9.58	1	
-	4W DS1 Digital Loop-UNE Zone 2	 	2		PPP	USL4P	177.63					 	 	40.71	9.58	1	
	4W DS1 Digital Loop-UNE Zone 3	1	3	UE	PPP	USL4P	329.04						1	40.71	9.58	-	₩
UNE	Port Rate	!	1-	ļ <u>.</u> .	DDD	LIEDDS	00.67	4.450.00	4.450.00				1	40 =:	0.50		
	Exchange Ports-4W ISDN DS1 Port	1	1	UE	PPP	UEPPP	96.37	1,150.00	1,150.00				1	40.71	9.58	-	₩
NONE	RECURRING CHARGES - CURRENTLY COMBINED		1	1		1							1				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-	1	1										1				
	Conversion-Switch-as-is	<u> </u>	<u> </u>	UE	PPP	USACP	0.00	238.13	157.11					40.71	9.58		
ADDI	TIONAL NRCs	<u> </u>	<u> </u>			ļ											↓
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way tel	1	1										1	1	l		
	nos within Std Allowance		<u> </u>		PPP	PR7TF		0.9801									
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UE	PPP	PR7TO		23.02	23.02								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos	1	1			1	l T						1	_	i		
	Above Std Allowance	<u> </u>	<u></u>	UE	PPP	PR7ZT	<u> </u>	46.05	46.05			<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	1

ONBONDE	ED NETWORK ELEMENTS - Alabama												Attachment:	: 2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge -	Charge - Manual Svo Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						Rec	Nonred	urring	Nonrecur			•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										ļ
INTE	RFACE (Provsioning Only)				DD=01	2.22										<u> </u>
	Voice/Data Digital Data	-	1	UEPPP UEPPP	PR71V PR71D	0.00	0.00	0.00								-
	Inward Data	-	1	UEPPP	PR71E	0.00	0.00	0.00								-
New o	or Additional "B" Channel			OLITI	TIXTIL	0.00	0.00	0.00								
1.0	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	29.05									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	29.05									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.05									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage		1	LIEDDD	41.514.5	00.000	100 :-	140.10	05.44	ļ	ļ		40 = 1	0.50		
	Fixed Each Including First Mile	1	1	UEPPP	1LN1A	80.382	198.15	148.18	25.44	ļ			40.71	9.58		
4 18/15	Each Airline-Fractional Add'l Mile RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	-	1-	UEPPP	1LN1B	0.692				 			 		ļ	
	Port/Loop Combination Rates	-	1													-
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1	-	1	UEPDC		170.59										-
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		246.30										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		397.71										
UNE I	Loop Rates		Ť	02.50		007.77										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	101.92										1
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	177.63										1
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	329.04										
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	68.67										
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		258.98	134.03					40.71	9.58		ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with	1														
	DS1 Changes			UEPDC	USAWA		258.98	134.04					40.71	9.58		ļ
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk	1		UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDI	TIONAL NRCs	-	1	UEPDC	USAVVB		230.90	134.03					40.71	9.56		-
ADDI	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel															
	Activation/Chan-2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1	1		OLI DO	ODTIA		20.00	20.00					40.71	0.00		
	Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			,										0.00		
	Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-															
	Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alterr	nate Mark Inversion	-	-	LIEDDO	MOOCE		0.00	0.00								
	AMI-Superframe Format AMI-Extended SuperFrame Format	1	1	UEPDC UEPDC	MCOSF MCOPO		0.00	0.00		 	-	-	 		-	₩
Tolon	hone Number/Trunk Group Establisment Charges	-	1	UEPDC	MCOPO		0.00	0.00								-
reieb	Telephone Number for 2-Way Trunk Group	1	+	UEPDC	UDTGX	0.00							 			
1	Telephone Number for 1-Way Outward Trunk Group		1	UEPDC	UDTGY	0.00						1	t			
	Telephone Number for 1-Way Inward Trunk Group w/o DID		1	UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00						1			
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digita	al Loc	p with													
	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								<u> </u>
	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Termination)		1	UEPDC	1LNO2	0.00	0.00	0.00		ļ			ļ			<u> </u>
	Interoffice Channel Mileage-Add'l rate per mile-9-25 miles		1	UEPDC	1LNOB	0.692	0.00	0.00					-			
	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Termination)	<u> </u>	1	UEPDC	1LNO3	0.00	0.00	0.00	0.00	 			!			├
	Interoffice Channel Mileage-Add'l rate per mile-25+ miles	1	1	UEPDC	1LNOC	0.692	0.00	0.00		l	l		1		1	L

04/12/02 Page 18 of 259

NRONDL	ED NETWORK ELEMENTS - Alabama			T	1	1					_		Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charg Manua Svc Ord vs.
						Rec	Nonred		Nonrecurr				oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00										₩
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation:					-			-							—
	System can have up to 24 combinations of rates depending on type a		mher	of norts used					+							
	OS1 Loop	<u> </u>		or ports useu												
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00	†							
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		
	96 DSO Channel Capacity-1per 4 DS1s		<u> </u>	UEPMG	VUM96	463.56	0.00	0.00	ļ			ļ	40.71	9.58		—
-	144 DS0 Channel Capacity-1 per 6 DS1s	<u> </u>	<u> </u>	UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58		
	192 DS0 Channel Capacity-1 per 8 DS1s		-	UEPMG	VUM19	980.00	0.00	0.00	 			1	40.71	9.58		-
+	240 DS0 Channel Capacity-1 per 10 DS1s 288 DS0 Channel Capacity-1 per 12 DS1s	-	 	UEPMG UEPMG	VUM20 VUM28	1,158.90 1,390.68	0.00	0.00	1			1	40.71 40.71	9.58 9.58		
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00	-				40.71	9.58		-
	480 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00	1				40.71	9.58		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00	1				40.71	9.58		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58		\vdash
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chan	nelizt	ion w						i				10111			
	imum System configuration is One (1) DS1, One (1) D4 Channel Bank,						-		i i							
Multip	oles of this configuration functioning as one are considered Add'l after	er the	minir	num system configui	ation is cou	unted.										
	NRC-Conversion (Currently Combined) with or w/o BellSouth Allowed															
	Changes			UEPMG	USAC4	0.00	300.95	16.72					40.71	9.58		
	m Additions at End User Locations Where 4-Wire DS1 Loop with Char	nneliz	ation	with Port Combination	on Currently	y Exists and										<u> </u>
New (Not Currently Combined) In GA, KY, LA, MS & TN Only															₩
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation- New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	716 11	468.04	148.75	17.65			40.71	9.58		1
Pinol	ar 8 Zero Substitution			UEFIVIG	VUIVID4	0.00	716.11	400.04	146.75	17.03			40.71	9.56		—
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00	+							
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity			OLI WO	00001	0.00	0.00	000.00	1							
	Only			UEPMG	CCOEF	0.00	0.00	600.00								l
	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with	Port														
	nge Ports				L	ļ										
_	Line Side Combination Channelized PBX Trunk Port-Business		<u> </u>	UEPPX	UEPCX	1.58	0.00	0.00	0.00	0.00		ļ	40.71	9.58		—
	Line Side Outward Channelized PBX Trunk Port-Business	 	 	UEPPX	UEPOX	1.58	0.00	0.00	0.00	0.00			40.17	9.58		—
	Line Side Inward Only Channelized PBX Trunk Port w/o DID	<u> </u>	<u> </u>	UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
+	2W Trunk Side Unbundled Channelized DID Trunk Port	-	 	UEPPX	UEPDM	9.20	0.00	0.00	0.00	0.00		1	40.71	9.58 9.58		
-	2W Channelized PBX Area Calling Service Combination Port (AL Only) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only)	-	-	UEPPX UEPPX	UEPA4 UEPA3	1.58 1.58	0.00	0.00	1		-	-	40.71 40.71	9.58		
Featur	re Activations - Unbundled Loop Concentration			ULFFA	OLFAS	1.30	0.00	0.00	 			 	40.71	3.30		
. Juliu	Feature (Service) Activation for each Line Side Port Terminated in D4			UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16	 	1	40.71	9.58		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4			UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		
Telepi	none Number/ Group Establishment Charges for DID Service				1											
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								$ldsymbol{oxed}$
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	ļļ							<u> </u>
	Number Portability	 	 	LIESSY.	LNDOS											—
	Local Number Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00	ļ ļ							—
	URES - Vertical and Optional Switching Features Offered with Line Side Ports Only		-		1	 						1	 			
	All Features Available	-	 	UEPPX	UEPVF	5.55	0.00	0.00	 		-	-	40.71	9.58		
	All I batules Avallable	L	L	ULFFA	OLFVF	ე.ეე	0.00	0.00	1		ı	1	40.71	9.38	1	

JNBUND	PLED NETWORK ELEMENTS - Alabama											Attachment	2	Exhibit: B	
ATEGOR	Y RATE ELEMENTS	Inter	Zon e	BCS	usoc			RATES(\$)	None	Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
		1				Rec		curring	Nonrecurring		001111		Rates(\$)	001111	001441
NEUNEL		-					First	Add'l	First Add	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ket Rates shall apply where BellSouth is not required to provide unbu	ndlad	ocal c	witching or switch n	orte por EC	C and/or Con	amission rulo	<u> </u>							-
	se scenarios include:	luicu	ocai a	witching or switch p	l per i c	l and/or con	iiiii33i0ii Tule.). 							
	Inbundled port/loop combinations that are Not Currently Combined in	AL. FI	and	NC.											
	South currently is developing the billing capability to mechanically bi				Market Ra	tes in this sec	tion except fo	or nonrecurrin	g charges for not	currently cor	nbined in A	AL, FL and N	C. In the inte	rim where B	ellSouth
cann	not bill Market Rates, BellSouth shall bill the rates in the Cost-Based s	ection	prece	eding in lieu of the Ma	rket Rates	and reserves	the right to tr	ue-up the bill	ng difference.	-					
The	Market Rate for unbundled ports includes all available features in all	states.	L										l		
	Office and Tandem Switching Usage and Common Transport Usage r	ates in	the P	ort section of this rat	e exhibit s	hall apply to a	III combinatio	ns of loop/po	rt network elemer	ts except for	UNE Coin	Port/Loop Co	ombinations	which have	a flat rate
	ge charge (USOC: URECU). Not Currently Combined scenarios where Market Rates apply, the Non	rocurr	na ch	arace are listed in the	Eiret and	Additional N	C columns fo	or each Bort I	SOC Ear Curron	ly Combined	cconarios	the Monrocu	rring charge	e are listed i	n the ND
	rently Combined section. Additional NRCs may apply also and are cat				z i iist aiiu	Additional N	(C COlumns it	or each ron o	occ. For curren	ily Combined	occitatios,	the Nomecu	iiiig cilaige	s are iisteu i	ii tile ivitt
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	gonz	u uot	Jordingly.											
	Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			28.35									
	2W VG Loop/Port Combo-Zone 2		2			37.31									
	2W VG Loop/Port Combo-Zone 3		3			56.24					1				1
UNE	Loop Rates	1	_	HEDDY	UEPLX	44.0-		-			1				
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2	-	2	UEPRX UEPRX	UEPLX	14.35 23.31									
	2W VG Loop (SL1)-Zone 3	+	3	UEPRX	UEPLX	42.24					1				
2-Wi	ire Voice Grade Line Port (Res)	1	3	OLITIX	OLILA	72.27					1				
	2W voice unbundled port-residence			UEPRX	UEPRL	14.00	90.00	90.00				40.71	9.58		
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	14.00	90.00	90.00				40.71	9.58		
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				40.71	9.58		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				40.71	9.58		
LOC	AL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					-				
FEA	ITURES All Features Offered	-		UEPRX	UEPVF	0.00	0.00	0.00							
NON	RECURRING CHARGES - CURRENTLY COMBINED	+		ULFKA	OLFVI	0.00	0.00	0.00							
	DITIONAL NRCs														
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPRX	USAS2		0.00	0.00				40.71	9.58		
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNE	Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			28.35									
	2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	-	3			37.31 56.24									
UNE	E Loop Rates	+	3			50.24									
0.42	2W VG Loop (SL1)-Zone 1	1	1	UEPBX	UEPLX	14.35									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	23.31									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	42.24									
2-Wi	ire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus	1		UEPBX	UEPBL	14.00	90.00	90.00			1	40.71	9.58		
	2W voice unbundled port with Caller + E484 ID-bus 2W voice unbundled port outgoing only-bus	+		UEPBX UEPBX	UEPBC UEPBO	14.00 14.00	90.00	90.00		_	1	40.71 40.71	9.58 9.58		₩
100	AL NUMBER PORTABILITY	+		UEPBA	UEPBU	14.00	90.00	90.00		+	+	40.71	9.58		
100	Local Number Portability (1 per port)	+		UEPBX	LNPCX	0.35				-	 		1		
FEA	TURES	1		02. 5%		2.00									
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				40.71	9.58		
	RECURRING CHARGES - CURRENTLY COMBINED														
ADD	DITIONAL NRCs				L										ļ
0.15**	NRC-2W VG Loop/Line Port Combination-Subsqnt	1		UEPBX	USAS2		0.00	0.00				40.71	9.58		├
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) Port/Loop Combination Rates	+			 						1				-
UNE	2W VG Loop/Port Combo-Zone 1	+	1		 	28.35				+	+	1	-		
	2W VG Loop/Port Combo-Zone 1	+	2			37.31					†				
	2W VG Loop/Port Combo-Zone 3	†	3			56.24					1				—
UNE	Loop Rates										Ì				
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	14.35									
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	23.31									
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	42.24					1				
	ire Voice Grade Line Port Rates (RES - PBX)														

04/12/02 Page 20 of 259

Inter Zon BCS	Nonrec First	curring Add'I	Nonrecurring First Add'I		d	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord
Local Number Portability Local Number Portability (1 per port) UEPRG LNPCP 3.1	First 5 0.00 0.00	Add'l		SOMEC				Electronic-	vs. Electron
Local Number Portability (1 per port)	5 0.00		First Add I		COMAN		Rates(\$)	COMAN	COMAI
Local Number Portability (1 per port)	0.00	0.00		100	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATÜRES	0.00	0.00		+	+				
All Features Offered UEPVF 0.0 ADDITIONAL NRCs ZW Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group Z-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates ZW VG Loop/Port Combo-Zone 1 1 28.3				+	+				
ADDITIONAL NRCs 2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 1 28.3		0.00		+	+	40.74	0.50		
2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 1 28.3	0.00	0.00		+	+	40.71	9.58		
PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 1 28.3	0.00	0.00		+	+	40.74	0.50		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 1 28.3	11.01	0.00				40.71	9.58	ļ	
UNE Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 1 28.3	14.64	14.64				40.71	9.58	<u> </u>	
2W VG Loop/Port Combo-Zone 1 1 28.3								<u> </u>	
	-							<u> </u>	
								<u> </u>	
								<u> </u>	
2W VG Loop/Port Combo-Zone 3 3 56.2	24				4	↓			
UNE Loop Rates					4	↓			
2W VG Loop (SL1)-Zone 1 1 UEPPX UEPLX 14.3						↓			1
2W VG Loop (SL1)-Zone 2 2 UEPPX UEPLX 23.3						↓			
2W VG Loop (SL1)-Zone 3 3 UEPPX UEPLX 42.2	24						ļ	<u> </u>	
2-Wire Voice Grade Line Port Rates (BUS - PBX)									
Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus UEPPX UEPPC 14.0	90.00	90.00			T	40.71	9.58	ĺ	
Line Side Unbundled Outward PBX Trunk Port-Bus UEPPX UEPPO 14.0	90.00	90.00			T	40.71	9.58	ĺ	
Line Side Unbundled Incoming PBX Trunk Port-Bus UEPPX UEPP1 14.0	00 90.00	90.00				40.71	9.58		
2W Voice Unbundled 2-Way Combination PBX Alabama Calling Port UEPPX UEPA2 14.0	90.00	90.00		1	1	40.71	9.58	1	
2W Voice Unbundled PBX LD Terminal Ports UEPPX UEPLD 14.0	00 90.00	90.00		1	1	40.71	9.58		
2W Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPXA 14.0		90.00		_	+	40.71	9.58		t
2W Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX UEPX 14.0		90.00		_	+	40.71	9.58		t
2W Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPXC 14.0		90.00		_	1	40.71	9.58		—
2W Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPXD 14.0		90.00		-	1	40.71	9.58	t	
2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPXE 14.0		90.00		+	+	40.71	9.58		
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPPX UEPX 14.0		90.00				40.71	9.58		
2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPPX UEPXM 14.0		90.00				40.71	9.58		
2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount		00.00			1	40.74			
Room Calling Port UEPX UEPXO 14.0		90.00				40.71	9.58		
2W Voice Unbundled 1-Way Outgoing PBX Measured Port UEPPX UEPXS 14.0	90.00	90.00				40.71	9.58		
LOCAL NUMBER PORTABILITY									
Local Number Portability (1 per port) UEPPX LNPCP 3.1	5 0.00	0.00						<u> </u>	
FEATURES								<u> </u>	
All Features Offered UEPPX UEPVF 0.0	0.00	0.00				40.71	9.58		
NONRECURRING CHARGES - CURRENTLY COMBINED									
ADDITIONAL NRCs									
2W VG Loop/Line Port Combination-Subsqnt UEPPX USAS2 0.0		0.00				40.71	9.58	<u> </u>	
2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC	0.00	0.00		+	+	40.71	9.58		<u> </u>
PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	14.64	14.64				40.71	9.58		<u> </u>
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT				4					4
UNE Port/Loop Combination Rates								<u> </u>	
2W VG Coin Port/Loop Combo – Zone 1 1 28.3						↓			
2W VG Coin Port/Loop Combo – Zone 2 2 37.3					4	↓			<u> </u>
2W VG Coin Port/Loop Combo – Zone 3 3 56.2	24			4					4
UNE Loop Rates	_			4					4
2W VG Loop (SL1)-Zone 1 1 UEPCO UEPLX 14.3				4					4
2W VG Loop (SL1)-Zone 2 2 UEPCO UEPLX 23.3					4		<u> </u>		
2W VG Loop (SL1)-Zone 3 3 UEPCO UEPLX 42.2	24					↓			1
2-Wire Voice Grade Line Port Rates (Coin)					4		ļ		
2W Coin 2-Way w/o Operator Screening & w/o Blocking UEPCO UEPRF 14.0		90.00			4	40.71	9.58		
2W Coin 2-Way with Operator Screening (AL, KY) UEPCO UEPRE 14.0		90.00				40.71	9.58		1
2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD UEPCO UEPRA 14.0		90.00				40.71	9.58		
2W Coin 2-Way with Operator Screening & 011 Blocking UEPCO UEPRB 14.0	90.00	90.00				40.71	9.58		
2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+,									
		90.00			1	40.71	9.58		<u> </u>
& Local UEPCO UEPCD 14.0		90.00							
& Local UEPCO UEPCD 14.0 2W Coin Outward with Operator Screening & 011 Blocking UEPCO UEPRK 14.0	90.00	90.00	'I			40.71	9.58	L	L
		90.00	<u> </u>		-	40.71 40.71	9.58 9.58		\vdash

ONRONDE	ED NETWORK ELEMENTS - Alabama													Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	во	:s	usoc			RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonred First	Add'l	Nonrecur First	Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
LOCA	I L NUMBER PORTABILITY						1	FIISL	Add I	FIISL	Addi	SOIVIEC	SOWAN	SOWAN	SOWAN	SOMAN	SUMAN
	Local Number Portability (1 per port)			UEP	CO	LNPCX	0.35						1				
	FIONAL NRCs			OLI	-	LIVI OX	0.00						-				
	2W VG Loop/Line Port Combination-Subsqnt			UEP	CO	USAS2		0.00	0.00					40.71	9.58		
UNBUNDLE	D PORT/LOOP COMBINATIONS - MARKET BASED RATES																
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE I	Port/Loop Combination Rates																
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				69.59										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				76.58										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				85.06										
UNE	Loop Rates		<u> </u>				00.10										ļ
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEF		UECD1	20.42				 	<u> </u>		-			<u> </u>
	2W Analog VG Loop (SL2) UNE Zone 2	-	2	UEF		UECD1	27.41				 	<u> </u>	1	1		1	1
LINE	2W Analog VG Loop-(SL2)-UNE Zone 3 Port Rate	-	3	UEF	۲Λ	UECD1	35.89				 	1	+	 		-	
UNE	Exchange Ports-2W DID Port		 	UEF	PPX	UEPD1	40.00	600.00	45.00		 	1	1	40.71	9.58		
NONE	RECURRING CHARGES - CURRENTLY COMBINED		-	JLF	1 //	JEIDI	40.00	000.00	75.00		 		 	40.71	3.30	<u> </u>	
	FIONAL NRCs						1						1				<u> </u>
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEF	PPX	USAS1		53.56	53.56					40.71	9.58		<u> </u>
Telep	hone Number/Trunk Group Establisment Charges														0.00		
	DID Trunk Termination (One Per Port)			UEF	PX	NDT	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers			UEF		ND4	0.00	0.00	0.00								
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEF		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEF		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEF	PPX	NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY		<u> </u>			111505											
	Local Number Portability (1 per port)		<u> </u>	UEF	PPX	LNPCP	3.15	0.00	0.00								
	LE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SID	E POI	K I														-
UNE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		1	UEPPB	UEPPR		87.20						-				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		2	UEPPB	UEPPR		104.49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone		3	UEPPB	UEPPR		115.97						1				
UNE I	Loop Rates		Ť	02.12	OL: III		110.01										
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	27.20							40.71	9.58		
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	35.07							40.71	9.58		
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		
UNE	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	60.00	525.00	400.00					40.71	9.58		
	RECURRING CHARGES - CURRENTLY COMBINED																
	FIONAL NRCs	.	<u> </u>								<u> </u>	<u> </u>	1				<u> </u>
	L NUMBER PORTABILITY		<u> </u>	HEDDE	LIEDDE	LNDOY	0.05	0.00	0.00					-			<u> </u>
	Local Number Portability (1 per port)	-	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		 	<u> </u>	1	1		1	
B-CH/	ANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)	-	├	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		 	1	+	 		-	
	CVS (EWSD)	-	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		1	1	1	 			
	ICSD		1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00				1				
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	& TNI		JEI I B	JEITIN	31000	0.00	0.00	0.00			 	 	-			
	CVS/CSD (DMS/5ESS)	,	l -	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00					1			
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	TERMINAL PROFILE							· · · · · · · · · · · · · · · · · · ·									
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES		<u> </u>			==-					ļ	ļ					
1517	All Vertical Features-One per Channel B User Profile	-	 	UEPPB	UEPPR	UEPVF	5.55	0.00	0.00		ļ	<u> </u>	-	40.71	9.58		
INTER	ROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile & facilities	-	1	LIEDDO	LIEDDD	MACNO	17.04	107.44	40.07		 	1	1	40.74	0.50	ļ	
	Interoffice Channel mileage each, including first mile & facilities Interoffice Channel mileage each, Add'l mile		1	UEPPB UEPPB		M1GNC M1GNM	17.81 0.0339	107.11 0.00	48.27 0.00		 	 	 	40.71	9.58		
4-W/I	interonice Channel mileage each, Add i mile E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT	-	1	ULPPD	JLFFK	IVITGINIVI	0.0339	0.00	0.00		 	1	+	 		1	
	Port/Loop Combination Rates		-								 		 	1		<u> </u>	
OIAL I	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEF	PP	1	951.92					1	1	t			
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2	1	2	UEF			1,027.63							1			
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEF			1,179.04							1	i	İ	
							,										

UNBL	<u> INDL</u>	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	<u> </u>
CATE	SORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC			RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
				<u> </u>			Rec		curring	Nonrecur					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		oop Rates			LIEDDD	1101.45	404.00				<u> </u>			40.74	0.50		
		4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPPP UEPPP	USL4P USL4P	101.92 177.63							40.71 40.71	9.58 9.58		-
		4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	329.04							40.71	9.58		
		ort Rate		3	OLFFF	USL4F	329.04							40.71	9.30		
		Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00					40.71	9.58		
		ECURRING CHARGES - CURRENTLY COMBINED						1,100100	1,100100						0.00		
		IONAL NRCs															
		4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way tel															
		nos within Std Allowance			UEPPP	PR7TF		0.9801									
		4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPP	PR7TO		23.02	23.02								
		4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos															
		Above Std Allowance			UEPPP	PR7ZT		46.05	46.05		<u> </u>						
		NUMBER PORTABILITY				1								ļ			<u> </u>
		Local Number Portability (1 per port)		<u> </u>	UEPPP	LNPCN	1.75				!			ļ			
		FACE (Provsioning Only)		<u> </u>	LIESSS	DD=:::					 	ļ		ļ			—
		Voice/Data		<u> </u>	UEPPP	PR71V	0.00	0.00	0.00		 			ļ			
		Digital Data Inward Data	<u> </u>	├	UEPPP	PR71D	0.00	0.00	0.00		1	ļ		ļ			
		nward Data r Additional "B" Channel		<u> </u>	UEPPP	PR71E	0.00	0.00	0.00		-						
		New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	40.00						1			-
		New or Add'I-Voice/Data B Channel			UEPPP	PR7BF	0.00	40.00						1			-
		New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	40.00			1						
		TYPES			OLITI	TIVIDD	0.00	40.00									
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Intero	fice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
		Each Airline-Fractional Add'l Mile			UEPPP	1LN1B	0.692										
		E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
		ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		170.59										
		4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		246.30										
		4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		397.71				<u> </u>						
		oop Rates		_	LIEDDO	LICI DO	404.00							40.74	0.50		
		4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPDC UEPDC	USLDC	101.92 177.63				-			40.71 40.71	9.58 9.58		
		4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	329.04							40.71	9.58		-
		ort Rate		3	OLFDC	USLDC	329.04				1			40.71	9.30		
		4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,003.02	478.01	211.87	20.77			40.71	9.58		
		ECURRING CHARGES - CURRENTLY COMBINED			OLI DO	ODDII	700.00	1,000.02	470.01	211.07	20.11			40.71	5.55		
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is															
		Top 8 MSAs only			UEPDC	USAC4		258.98	134.03					40.71	9.58		
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
		DS1 Changes Top 8 MSAs only	l	1	UEPDC	USAWA		258.98	134.04		1			40.71	9.58		1
		4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with															
		Change-Trunk Top 8 MSAs only			UEPDC	USAWB		258.98	134.03					40.71	9.58		
		IONAL NRCs															
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service									1						
		Order		<u> </u>	UEPDC	USAS4					ļ			40.71	9.58		<u> </u>
		4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel			LIEDDO												ĺ
		Activation/Chan-2-Way Trunk		<u> </u>	UEPDC	UDTTA		28.85	28.95		 			40.71	9.58		
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-	l	1	LIEDDO	LIDTTS		20.25	20.25		1			40.74	0.50		1
		Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan		1	UEPDC	UDTTB		28.85	28.85		 	-	-	40.71	9.58		
		4W DS1 Loop/4W DDI1S Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID	l	1	UEPDC	UDTTC		28.85	28.85		1			40.71	9.58		1
		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-		1	OLFDC	טווט		20.00	20.00		1	1	-	40.71	9.58		
		Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		ĺ
		4W DS1 Loop/4W DDITS Trunk Port-Subsgnt Chan Activation/Chan-2-		!	OLFDO	טווטט		20.00	20.00		 	 		40.71	3.30		
		Way DID w User Trans	l	1	UEPDC	UDTTE		28.85	28.85		1			40.71	9.58		1
		AR 8 ZERO SUBSTITUTION		 	521.00	33112		20.00	20.00		1	t	<u> </u>	70.71	5.56		—
		B8ZS-Superframe Format		t	UEPDC	CCOSF		0.00	600.00					1			
		B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	600.00		1			İ			
		ate Mark Inversion															
		AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00					1			
		•												-			

04/12/02 Page 23 of 259

BUND	LED NETWORK ELEMENTS - Alabama												Attachment:	. 2	Exhibit: B	
											Svc	Svc	Incremental	Incremental	Incrementa	Incremen
											Order	Order	Charge -	Charge -	I Charge -	al Charge
		Intor	700								Submitte	Submitte	Manual Svc		_	Manual
TEGORY	RATE ELEMENTS		Zon	BCS	USOC		R	RATES(\$)			d Elec	d	Order vs.	Order vs.	Svc Order	Svc Orde
		im	е											Electronic-	vs.	vs.
											per Loix	per LSR		Add'l	Electronic-	
												per Lon			Liectionic-	Liectionii
						Rec	Nonrec		Nonrecur					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								<u> </u>
Teler	hone Number/Trunk Group Establisment Charges															<u> </u>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										<u> </u>
Ш	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										ļ
	Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non-consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	<u> </u>		LIEBBO	41.110.7	70.00	400.45	,	6=	00.15					├	
\bot	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
\bot	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00					ļ	Ļ		<u> </u>
\bot	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00					ļ	Ļ——I	├	
Ш	Interoffice Channel Mileage-Add'l rate per mile-9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								
—	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00				<u> </u>			<u> </u>
\bot	Interoffice Channel Mileage-Add'l rate per mile-25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								<u> </u>
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00				<u> </u>			<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation															
	stem can have various rate combinations based on type and number o	f port	s use	d												
UNE	DS1 Loop															
\bot	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58	<u> </u>	
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58	<u> </u>	
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58	1	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58	1	
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	980.00	0.00	0.00					40.71	9.58	1	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,158.90	0.00	0.00					40.71	9.58	1	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,390.68	0.00	0.00					40.71	9.58	1	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58	ſ	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58		
	576 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,244.92	0.00	0.00					40.71	9.58	1	
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chan	nelizt	ion w	ith Port - Conversion	n Charge Ba	sed on a Syste	em									
A Mi	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank,	and	Up To	24 DSO Ports with	Feature Activ	ations.										
Multi	iples of this configuration functioning as one are considered Add'l afte	r the	minin	num system configu	ration is cou	inted.										
	em Additions Where Currently Combined and New (Not Currently Com	bined	l)													
In To	p 8 MSAs and AL, FL, and NC Only															
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Bipo	lar 8 Zero Substitution													\Box		
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only	L		UEPMG	CCOEF	0.00	0.00	600.00			<u> </u>	<u></u>			<u></u>	<u> </u>
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							(
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port														
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.71	9.58		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.17	9.58		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.71	9.58	(
-	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			40.71	9.58	(
				UEPPX	UEPA4	14.00	0.00	0.00					40.71	9.58	(
+	2W Channelized PBX Area Calling Service Combination Port (AL Only)				UEPA3	14.00	0.00	0.00					40.71	9.58		
#	2W Channelized PBX Area Calling Service Combination Port (AL Only) 2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX	ULFAS	14.00										
Featu				UEPPX	ULFAS	14.00							10.7.1			
Featu	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			40.71	9.58		
Featu	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) ure Activations - Unbundled Loop Concentration							20.00	6.00 65.00	5.00						
	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4			UEPPX	1PQWM	0.62	40.00						40.71	9.58		
	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Feature (Service) Activation for each Trunk Side Port Terminated in D4			UEPPX	1PQWM	0.62	40.00						40.71	9.58		

04/12/02 Page 24 of 259

JNBUNDLED NE	TWORK ELEMENTS - Alabama												Attachment	2	Exhibit: B	i
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
						1	Managa		Namasan mina	_			220	D-4(f)		L
					-	Rec	Nonrec First	arring Add'l	Nonrecurring First A		COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
Non-Cor	nsecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00	FIISL A	add i	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
	Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	 							
	DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local Number				02.1.7		0.00	0.00	0.00								
	umber Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	Vertical and Optional			-												
Local Switchin	ng Features Offered with Line Side Ports Only															
All Featu	ures Available			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NBUNDLED CENTR	REX PORT/LOOP COMBINATIONS - COST BASED RATES															
	Rates are applied where BellSouth is required by FCC and/or															
2. Features sh	nall apply to the Unbundled Port/Loop Combination - Cost Base	sed Ra	ate se	ction in the same ma	nner as the	y are applied	to the Stand-	Alone Unbun	dled Port section	on of thi	is Rate Ex	xhibit.				
3. End Office a	and Tandem Switching Usage and Common Transport Usage d additional Port nonrecurring charges apply to Not Currently	rates	in the	Port section of this	ate exhibit	shall apply to	all combinat	tions of loop/	port network el	lements	except f	or UNE Co	in Port/Loop	Combination	1S.	In all orb
	nrecurring charges shall be those identified in the Nonrecurri					iese nomecu	ing charges	are market ive	ates and are no	teu III tii	ie market	itale secti	on. Tor our	entry Combin	ieu combos	iii aii otii
	es for Unbundled Centrex Port/Loop Combination will be neg					urther notice			1				1	l		
	REX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	Otlato	u 0	an marviadar oase Be	1010, until 11	I										
	op/2-Wire Voice Grade Port (Centrex) Combo															
	p Combination Rates (Non-Design)															
	Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		16.55										
	Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		25.51										
	Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		44.44										
	p Combination Rates (Design)															
2W VG I	Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		22.62										
2W VG I	Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		29.61										
	Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		38.09										
UNE Loop Rat																
	Loop (SL 1)-Zone 1		1	UEP91	UECS1	14.35										
	Loop (SL 1)-Zone 2		2	UEP91	UECS1	23.31										
	Loop (SL 1)-Zone 3		3	UEP91	UECS1	42.24										
	Loop (SL 2)-Zone 1		1	UEP91 UEP91	UECS2	20.42 27.41										-
	Loop (SL 2)-Zone 2 Loop (SL 2)-Zone 3		3	UEP91	UECS2 UECS2	35.89			 							
UNE Ports	Loop (SL 2)-2011e 3		3	OLF91	ULUGZ	33.09			+							
	cept NC and Sout Carolina)															
	Port (Centrex) Basic Local Area			UEP91	UEPYA	2.20							40.71	9.58		
	Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	2.20							40.71	9.58		
	Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	2.20			i i				40.71	9.58		
2W VG I	Port (Centrex from diff SWC)2 Basic Local Area			UEP91	UEPYM	2.20			<u> </u>				40.71	9.58		
2W VG I	Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	2.20							40.71	9.58		
	Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	2.20							40.71	9.58		
	Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	2.20							40.71	9.58		
AL, KY, LA, M					 	ļ			ļļ				1			
	Port (Centrex)			UEP91	UEPQA	2.20							40.71	9.58		1
	Port (Centrex 800 termination)			UEP91	UEPQB	2.20			 				40.71	9.58		1
	Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQH UEPQM	2.20 2.20			 				40.71 40.71	9.58 9.58		
	Port (Centrex from diff SWC)2 Port. Diff SWC-800 Service Term			UEP91	UEPQI	2.20			 				40.71	9.58		
	Port terminated in on Megalink or equivalent			UEP91	UEPQ2	2.20				+			40.71	9.58		
	Port Terminated in on Megalink of equivalent Port Terminated on 800 Service Term			UEP91	UEPQ9	2.20			 				40.71	9.58		
Local Switchin				OLIGI	JLI QZ	2.20			 	-			40.71	3.36		
	Intercom Funtionality, per port			UEP91	URECS	0.5488			 				 			
Local Number				02101	5	5.0-100						1	1			
	umber Portability (1 per port)			UEP91	LNPCC	0.35			1							
Features	7 (1 E-1 E-1)					3.50			i							
	rd Features Offered, per port			UEP91	UEPVF	2.64										f
	ct Features Offered, per port			UEP91	UEPVS	0.00	405.52		i i				40.71	9.58		
	rex Control Features Offered, per port			UEP91	UEPVC	2.64										

UNB	UNDL	ED NETWORK ELEMENTS - Alabama												Attachment	2	Exhibit: B	
	GORY	RATE ELEMENTS	Inter im	Zon e	BCS	USOC		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.		al Charge Manual Svc Order vs.
								Nonre	curring	Nonrecurr	ina		1	oss	Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NARS								71441	100	71441	0020			00	00	
		Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00					40.71	9.58		
		Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00					40.71	9.58		
		Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00					40.71	9.58		
		Ilaneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	9.17										<u> </u>
		ffice Channel Mileage - 2-Wire			LIEDOA	MODO	04.45							40.74	0.50		
		Interoffice Channel Facilities Termination-VG Interoffice Channel mileage, per mile or fraction of mile			UEP91 UEP91	MIGBC MIGBM	24.15 0.0101			-		-	-	40.71 40.71	9.58 9.58		
		re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	MIGBIN	0.0101			-				40.71	9.58		<u> </u>
		annel Bank Feature Activations				+				1							
	24 511	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64					l		1			-
	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.64		1								
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.64		Ì								
		Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP91	1PQWP	0.64		<u> </u>								
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.64										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.64										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.64										
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion-Currently Combined Switch-As-Is with allowed changes, per												40 =4			
		port			UEP91	USAC2	0.00	2.80	0.41					40.71	9.58		
		New Centrex St&ard Common Block			UEP91 UEP91	M1ACS M1ACC	0.00	667.21 667.21						40.71 40.71	9.58 9.58		
		New Centrex Customized Common Block Secondary Block, per Block			UEP91	M2CC1	0.00	78.02						40.71	9.58		
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73		1				40.71	9.58		
	UNF-F	P CENTREX - 5ESS (Valid in All States)			OLF91	UNLCA	0.00	12.13						40.71	9.56		
		e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		Port/Loop Combination Rates (Non-Design)															
		2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		16.55										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		25.51										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		44.44										
		Port/Loop Combination Rates (Design)															
		2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		22.62										<u> </u>
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95	1	29.61										
		2W VG Loop/2W VG Port (Centrex)Port Combo-Design oop Rate		3	UEP95	+	38.09			-		-	-				
		2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	14.35			-							
		2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	23.31										-
		2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	42.24										
		2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	20.42										
		2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	27.41		<u> </u>								
		2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	35.89										
		ort Rate						•									
	All Sta																
		2W VG Port (Centrex) Basic Local Area	<u> </u>		UEP95	UEPYA	2.20					ļ		40.71	9.58		
	 	2W VG Port (Centrex 800 termination)	<u> </u>	<u> </u>	UEP95	UEPYB	2.20		 			1	1	40.71	9.58		
	 	2W VG Port (Centrex with Caller ID)1Basic Local Area	<u> </u>	<u> </u>	UEP95	UEPYH	2.20		 			1	1	40.71	9.58		
	1	2W VG Port (Centrex from diff SWC)2 Basic Local Area 2W VG Port, Diff SWC-800 Service Term-Basic Local Area	<u> </u>		UEP95 UEP95	UEPYM	2.20			 		 	 	40.71 40.71	9.58 9.58		
	1	2W VG Port, Dill SWC-800 Service Term-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area	-		UEP95 UEP95	UEPY2	2.20		1			1	1	40.71	9.58		
	1	2W VG Port Terminated in 60 Negatific of equivalent-basic Local Area			UEP95	UEPY2	2.20		 			1	1	40.71			†
		Y, LA, MS, SC, & TN Only			22.00	1	2.20		Ì						0.00		
		2W VG Port (Centrex)			UEP95	UEPQA	2.20		Ì					40.71	9.58		
		2W VG Port (Centrex 800 termination)			UEP95	UEPQB	2.20							40.71	9.58		
		2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	2.20							40.71	9.58		
		2W VG Port (Centrex from diff SWC)2			UEP95	UEPQM	2.20							40.71	9.58		
		2W VG Port, Diff SWC-800 Service Term			UEP95	UEPQZ	2.20							40.71	9.58		
		2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.20		ļ					40.71	9.58		
		2W VG Port Terminated on 800 Service Term	<u> </u>		UEP95	UEPQ2	2.20			1		1	ļ	40.71	9.58		
		Switching Control Intercon Functionality per part	 	 	LIEDOS	LIBEOG	0.5400		 			}	1	1			1
		Centrex Intercom Funtionality, per port Number Portability	-	 	UEP95	URECS	0.5488		1	 		-	1		-		
		Local Number Portability (1 per port)	 	-	UEP95	LNPCC	0.35		1	 		1	}		1		
		Local Hambel Foliability (Their port)			OLF 30	LINECO	0.55		l .			1	1	1	l		

NRONDI	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	I Charge -	al Charge Manual Svc Orde vs.
						Rec	Nonred		Nonrecur		COMEC	COMAN		Rates(\$)	COMAN	COMAN
Featu	roe					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i catu	All St&ard Features Offered, per port			UEP95	UEPVF	2.64										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52							40.71	9.58	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64										
NARS																1
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00						40.71	9.58	
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00						40.71	9.58	
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00						40.71	9.58	
	Illaneous Terminations															
2-Wir	e Trunk Side			UEP95	CEND6	9.17										
4-Wir	Trunk Side Terminations, each e Digital (1.544 Megabits)			UEP95	CENDO	9.17										
vv11	DS1 Circuit Terminations, each			UEP95	M1HD1	68.67		1				1	t			\leftarrow
	DS0 Channels Activated, each		1	UEP95	M1HD0	0.00	28.25							40.71	9.58	
Interd	ffice Channel Mileage - 2-Wire			321 00	1100	0.00	20.20						1	70.71	5.50	1
	Interoffice Channel Facilities Termination			UEP95	MIGBC	24.15					İ	1				t
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0101		1					1			1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															1
D4 Cł	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP95	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.64										
Non I	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.64										
Non-r	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		2.80	0.41					40.71	9.58		
	New Centrex St&ard Common Block			UEP95	M1ACS	0.00	667.21	0.41					40.71	9.58		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.71	9.58		
UNE-	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		16.55										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		25.51										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		44.44										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		22.62										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		29.61										
LINE	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		38.09										
UNE	_oop Rate 2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	14.35										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	23.31										+
_	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	42.24										
-	2W VG Loop (SL 1)-2-one 3		1	UEP9D	UECS2	20.42					1	1	I			
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	27.41							1			T
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	35.89							1			T
UNE I	Port Rate															
	STATES			_												
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.20							40.71			
	2W VG Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.20	·						40.71	9.58		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.20							40.71	9.58		
	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.20						ļ	40.71	9.58		
	2W VG Port (Centrex/EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.20						ļ	40.71	9.58		1
	2W VG Port (Centrex/EBS-M5112))3 Basic Local Area		1	UEP9D	UEPYF	2.20		ļ				<u> </u>	40.71	9.58		
	2W VG Port (Centrex/EBS-M5312))3Basic Local Area	-		UEP9D	UEPYG	2.20						ļ	40.71	9.58		₩
-	2W VG Port (Centrex/EBS-M5008))3 Basic Local Area	-	1	UEP9D	UEPYT	2.20						1	40.71	9.58		
	2W VG Port (Centrex/EBS-M5208))3 Basic Local Area 2W VG Port (Centrex/EBS-M5216))3 Basic Local Area	-	1	UEP9D UEP9D	UEPYU	2.20					-	1	40.71 40.71	9.58 9.58		+
_	2W VG Port (Centrex/EBS-M5216))3 Basic Local Area 2W VG Port (Centrex/EBS-M5316))3 Basic Local Area	-	1	UEP9D UEP9D	UEPYV UEPY3	2.20 2.20					-	1	40.71	9.58		
		 	<u> </u>					-				 		9.58	 	
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.20						1	40.71	9.58		1

INRONDL	ED NETWORK ELEMENTS - Alabama												Attachment:	: 2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge Manual Svc Orde vs. Electroni
						_ 1	Nonrec	urrina	Nonrecur	rina			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYW	2.20							40.71	9.58		
	2W VG Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area		-	UEP9D	UEPYJ	2.20			1	1			40.71	9.58		-
	2W VG Port (Centrex/mg vttg Edin) indication/// Edic Eccal vtca		-	UEP9D	UEPYM	2.20			-		-		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 Basic Local Area		 	UEP9D	UEPYO	2.20			-	1			40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.20			1				40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.20			1				40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.20			1				40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area		h	UEP9D	UEPYS	2.20					1		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.20			1				40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area		h	UEP9D	UEPY5	2.20					1		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3 Basic Local Area	1		UEP9D	UEPY6	2.20			+				40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area	1		UEP9D	UEPY7	2.20				1			40.71	9.58		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	2.20			1	1	1		40.71	9.58		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	1	1	UEP9D	UEPY9	2.20			<u> </u>	1	1		40.71	9.58		
	2W VG Port Terminated in 601 Meganink of equivalent Basic Local Area		1 1	UEP9D	UEPY2	2.20			1	1	1		40.71	9.58		
AL. K	Y, LA, MS, SC, & TN Only		 	02.02	J_: :2				 	1	1			5.50		
, . <u></u> ,	2W VG Port (Centrex)	1		UEP9D	UEPQA	2.20			+				40.71	9.58		
	2W VG Port (Centrex 800 termination)	1		UEP9D	UEPQB	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-PSET)3	1		UEP9D	UEPQC	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-M5009)3	1		UEP9D	UEPQD	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-M5209)3		 	UEP9D	UEPQE	2.20			-	1			40.71	9.58		
	2W VG Port (Centrex/EBS-M5112)3	1		UEP9D	UEPQF	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-M5312)3	1		UEP9D	UEPQG	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-M5008)3	1		UEP9D	UEPQT	2.20			+				40.71	9.58		
	2W VG Port (Centrex/EBS-M5208)3		h	UEP9D	UEPQU	2.20					1		40.71	9.58		
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPQV	2.20			1				40.71	9.58		
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPQ3	2.20							40.71	9.58		
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	2.20							40.71	9.58		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	2.20							40.71	9.58		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	2.20							40.71	9.58		
	2W VG Port (Centrex from diff SWC) 2		h	UEP9D	UEPQM	2.20					1		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3			UEP9D	UEPQO	2.20							40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3		h	UEP9D	UEPQS	2.20					1		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3			UEP9D	UEPQ4	2.20							40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3			UEP9D	UEPQ5	2.20							40.71	9.58		
1	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3	1	t	UEP9D	UEPQ6	2.20			†	†	†		40.71	9.58		
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3			UEP9D	UEPQ7	2.20				†			40.71	9.58		
	2W VG Port, Diff SWC-800 Service Term	1	 	UEP9D	UEPQZ	2.20			†	 			40.71	9.58		
1	2W VG Port terminated in on Megalink or equivalent	1	t - t	UEP9D	UEPQ9	2.20			†	†			40.71	9.58		
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.20							40.71	9.58		
Local	Switching	1	t			2.23			†	†				5.50		
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488				†			İ			
Local	Number Portability	1	 	*=: *=		2.2.30			†	 			1			
1.2.2	Local Number Portability (1 per port)	1	t - t	UEP9D	LNPCC	0.35			†	†			İ			
Featu		1	t - t	- *-	 				†	†			İ			
. Juliu	All St&ard Features Offered, per port	1	t	UEP9D	UEPVF	2.64			†	†			İ			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52						İ	İ		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.64							İ	İ		
NARS					1								İ	İ		
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00		Ì			40.71	9.58		
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.71	9.58		
_	Unbundled Network Access Register-Outdial	1	t	UEP9D	UAROX	0.00	0.00	0.00		†			40.71	9.58		
Misce	Illaneous Terminations	1	 	*=: *=		2.30	2.00	2.00	†	 				2.00		
	e Trunk Side		1 1		1	1			1	1	1		 			
1	Trunk Side Terminations, each	1	t - t	UEP9D	CEND6	9.17			†	†			İ			
4-Wire	e Digital (1.544 Megabits)	1	t		1	ÿ			†	†			İ			
1	DS1 Circuit Terminations, each	1	t	UEP9D	M1HD1	68.67			†	†			İ			
+	DS0 Channels Activiated per Channel		1 1	UEP9D	M1HDO	0.00	28.25		t	1	1		40.71	9.58		
	and the contract per executed	1		05		0.00	_00		1		1			0.00		

	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter im	r Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge -	Charge - Manual Svo Order vs.	Svc Order	al Charge Manual Svc Orde vs.
						Boo	Nonrec	curring	Nonrecu	rring				Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ffice Channel Mileage - 2-Wire															<u> </u>
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.15										<u> </u>
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0101										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations			-						-						+
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9D	1PQWS	0.64										+
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.64										+
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP9D	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.64										ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP9D	1PQWA	0.64										4
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	1	1			 			1	1	-	-			 	
1 '	changes, per port	1		UEP9D	USAC2	1	2.80	0.41					40.71	9.58		
	New Centrex St&ard Common Block	 	1	UEP9D	M1ACS	0.00	667.21	0.41	1	1	1	1	40.71	9.58	t	†
	New Centrex Customized Common Block	l	1	UEP9D	M1ACC	0.00	667.21			1			40.71	9.58		1
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73			İ			40.71	9.58	İ	
UNE-F	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															1
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		16.55										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		25.51										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP9E		44.44										4
	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		22.62									-	+
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP9E		29.61										+
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		38.09										1
	oop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	14.35										1
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	23.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	42.24										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	20.42										
	2W VG Loop (SL 2)-Zone 2		3	UEP9E UEP9E	UECS2	27.41 35.89				1						+
	2W VG Loop (SL 2)-Zone 3 Port Rate		3	UEP9E	UECS2	35.89										+
	L, KY, LA, MS, & TN only															+
/,	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.20							40.71	9.58		1
	2W VG Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	2.20							40.71	9.58		
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	2.20							40.71	9.58		
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	2.20							40.71	9.58		
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	2.20							40.71	9.58		ļ
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	<u> </u>	1	UEP9E	UEPY9	2.20			ļ	1			40.71	9.58	<u> </u>	
	2W VG Port Terminated on 800 Service Term-Basic Local Area	1	1	UEP9E	UEPY2	2.20			1	1	-	-	40.71	9.58	 	+
	Y, LA, MS, & TN Only 2W VG Port (Centrex)	 	1	UEP9E	UEPQA	2.20			1	1	1	1	40.71	9.58	 	+
	2W VG Port (Centrex) 2W VG Port (Centrex 800 termination)	1	1	UEP9E	UEPQB	2.20				1			40.71	9.58		+
	2W VG Port (Centrex 666 termination)	l	1	UEP9E	UEPQH	2.20							40.71	9.58	t e	†
	2W VG Port (Centrex from diff SWC)2	1		UEP9E	UEPQM	2.20				1			40.71	9.58		1
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPQZ	2.20							40.71	9.58		
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.20							40.71	9.58		
	2W VG Port Terminated on 800 Service Term	<u> </u>		UEP9E	UEPQ2	2.20				1			40.71	9.58		4
	Switching	<u> </u>	1	LIEBAE	LIBECO	0.5400			ļ	1					<u> </u>	
	Centrex Intercom Funtionality, per port Number Portability	1	1	UEP9E	URECS	0.5488			1	1	-	-			 	+
Local	Local Number Portability (1 per port)	 	1	UEP9E	LNPCC	0.35			1	1	1	1			 	+
Featu		1	1	JLF 9E	LINECC	0.33				1						+
	All St&ard Features Offered, per port	l	1	UEP9E	UEPVF	2.64									t	1
	All Select Features Offered, per port	1		UEP9E	UEPVS	0.00	405.52			1			40.71	9.58		1
	All Select realules Offered, per port				UEPVC	2.64				1					1	1
	All Centrex Control Features Offered, per port			UEP9E	OLFVC	2.07										
NARS	All Centrex Control Features Offered, per port		<u>L</u>						<u> </u>							
NARS	All Centrex Control Features Offered, per port Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00					40.71	9.58		
NARS	All Centrex Control Features Offered, per port Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial			UEP9E UEP9E	UARCX UAR1X	0.00 0.00	0.00	0.00					40.71	9.58		
NARS	All Centrex Control Features Offered, per port Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00										

04/12/02 Page 29 of 259

NROND	DLED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGOR	RY RATE ELEMENTS	Inter im	r Zon e	BCS	usoc		F	RATES(\$)			Svc Order Submitte d Elec per LSR	d	Charge -	Charge - Manual Svo Order vs.	Svc Order	al Charge Manual Svc Orde vs.
						Rec	Nonrec		Nonrecur			l.		Rates(\$)	1	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations, each			UEP9E	CEND6	9.17										
4-Wi	Vire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.67										<u> </u>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.25						40.71	9.58		
Inter	eroffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0101										-
Feat	ature Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3L	IVIIODIVI	0.0101										
	Channel Bank Feature Activations				1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different V	VC		UEP9E	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.64										
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex	_	1	ļ		ļ							ļ		ļ	<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed		1]]										
	changes, per port			UEP9E	USAC2		2.80	0.41					40.71	9.58		
	New Centrex St&ard Common Block			UEP9E	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21						40.71	9.58		
LINE	NAR Establishment Charge, Per Occasion E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			UEP9E	URECA	0.00	72.73						40.71	9.58		
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	E Port/Loop Combination Rates (Non-Design)	_	+		1											-
UNL	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	_	1	UEP93		16.55			1							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2	UEP93	1	25.51										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		44.44										
UNE	E Port/Loop Combination Rates (Design)															1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		22.62										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		29.61										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		38.09										
UNE	E Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	14.35										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	23.31										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	42.24										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	20.42										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	27.41										
LINIT	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	35.89										
	E Port Rate , KY, LA, MS, & TN only															
AL,	2W VG Port (Centrex) Basic Local Area	_	+	UEP93	UEPYA	2.20							40.71	9.58		+
	2W VG Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	2.20							40.71	9.58		
-	2W VG Port (Centrex with Caller ID)1Basic Local Area	-	 	UEP93	UEPYH	2.20					 	 	40.71	9.58	†	
-	2W VG Port (Centrex from diff SWC)2 Basic Local Area	-	1	UEP93	UEPYM	2.20					1	1	40.71	9.58	1	t
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	-	 	UEP93	UEPYZ	2.20							40.71	9.58		1
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	2.20							40.71	9.58		†
	2W VG Port Terminated on 800 Service Term-Basic Local Area		1	UEP93	UEPY2	2.20							40.71	9.58		
	2W VG Port (Centrex)		1	UEP93	UEPQA	2.20							40.71	9.58		
	2W VG Port (Centrex 800 termination)			UEP93	UEPQB	2.20							40.71	9.58		
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	2.20							40.71	9.58		
	2W VG Port (Centrex from diff SWC)2			UEP93	UEPQM								40.71	9.58		
	2W VG Port, Diff SWC-800 Service Term			UEP93	UEPQZ	2.20							40.71	9.58		
	2W VG Port terminated in on Megalink or equivalent	_	1	UEP93	UEPQ9	2.20							40.71	9.58		<u> </u>
	2W VG Port Terminated on 800 Service Term		<u> </u>	UEP93	UEPQ2	2.20					ļ	ļ	40.71	9.58	ļ	1
Loca	cal Switching		 	LIEBOO	LIDEOC	0.5400										₩
 	Centrex Intercom Funtionality, per port		 	UEP93	URECS	0.5488					ļ	ļ	1		 	
Loca	Cal Number Portability		 	LIEDOS	LNDCC	0.05										₩
	Local Number Portability (1 per port)		 	UEP93	LNPCC	0.35					ļ	ļ	1		 	
Feat	All St&ard Features Offered, per port		1	HEDOS	HEDVE	2.64					-	-			 	
$-\!\!\!\!+\!\!\!\!-$	All Centrex Control Features Offered, per port		+	UEP93	UEPVF	2.64 2.64					-	-	-	-	1	+
NAR			┼	UEP93	UEPVC	2.64					-	-			1	
INAK	Unbundled Network Access Register-Combination	-	1-	UEP93	UARCX	0.00	0.00	0.00			1	1	40.71	9.58	1	+
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial		1	UEP93	UAR1X	0.00	0.00	0.00					40.71	9.58	1	+
$oldsymbol{}$	Unbundled Network Access Register-Indial Unbundled Network Access Register-Outdial		1-	UEP93	UAROX	0.00	0.00	0.00					40.71	9.58		

04/12/02 Page 30 of 259

UNBUNDI	LED NETWORK ELEMENTS - Alabama				•						•	•	Attachment	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Inter im	Zon e	BCS	usoc		R	ATES(\$)			d Elec	Order Submitte d	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs.	I Charge - Manual Svc Order	al Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	Nonrecu	rring				Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Misc	ellaneous Terminations															
2-Wir	re Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	9.17										
4-Wir	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.67										
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25						40.71	9.58		
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101										
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.64										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP93	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.64										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		2.80	0.41					40.71	9.58		
	New Centrex St&ard Common Block			UEP93	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73						40.71	9.58		
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage							•								
Note	3 - Requires Specific Customer Premises Equipment															

UNB	UNDL	.ED NETWORK ELEMENTS - Florida												Attachmer	ıt: 2	Exhibit: B	
	1											Svc	Svc Order	Increment	Increment	Incrementa	Increment
												Order	Submitte		al Charge -	I Charge -	al Charge -
			Int	70								Submitte	d	Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	eri	ne	BCS	USOC		R/	ATES(\$)			d Elec	Manually	Svc Order	Svc Order	Svc Order	Svc Order
			m									per LSR	per LSR	vs.	vs.	vs.	vs.
														Electronic	Electronic-	Electronic-	Electronic-
				T			1 _ 1	Nonrec	urring	Nonrecur	ring		1	oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPER		AL SUPPORT SYSTEMS	l.,.,	<u> </u>													11. 41.1
		: (1) Electronic Service Order: CLEC should contact its contract negotiator															
	NOTE	it is the BellSouth regional electronic service ordering charge. CLEC may: (2) Any element that can be ordered electronically will be billed accordin	g to 1	the	SOMEC rate listed in	this catego	ry. Please refe	r to BellSouth	's Business	Rules for L	ocal Ord	ering (BBR	-LO) to det	ermine if a	product can	be ordered	g charge.
		onically. For those elements that cannot be ordered electronically at prese															
	eleme	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to a C	LEC	s bil	I when it submits an I		South.										
		Manual Service Order Charge, per LSR, Disconnect Only (FL)		<u> </u>		SOMAN				1.83							
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive				001450		0.50									
LINDII	NDI EI	interfaces (Regional) D EXCHANGE ACCESS LOOP		+		SOMEC	-	3.50									1
OIADO		RE ANALOG VOICE GRADE LOOP	-	\vdash	<u> </u>	+	+				 	 	 	-			
		2W Analog VG Loop-Service Level 1-Zone 1	 	1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90	1			
		2W Analog VG Loop-Service Level 1-Zone 2		2	UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57		11.90				
		2W Analog VG Loop-Service Level 1-Zone 3		3	UEANL	UEAL2	33.36	49.57	22.83	25.62	6.57		11.90				
	<u> </u>	Loop Testing-Basic 1st Half Hour	<u> </u>		UEANL	URET1		77.09					11.90				ļ
		Loop Testing-Basic Add'l Half Hour	<u> </u>	╀	UEANL	URETA	1	33.12	0.04			<u> </u>	11.90				<u> </u>
	-	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1) Engineering Information Document (EI)	!	+	UEANL UEANL	UREWO	+	15.78 12.28	8.94 12.28		 	 	11.90	-	-		
		Engineering information Document (EI) Manual Order Coordination for UVL-SL1s (per loop)	<u> </u>	1	UEANL	UEAMC	1	9.00	9.00		 	 	 	-			
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		l	UEANL	OCOSL		23.02	23.02								
		E Unbundled COPPER LOOP															
		2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	13.83	41.64	19.02	19.65	5.09		11.90				
		2W Unbundled Copper Loop-Non-Designed-Zone 2	ı	2	UEQ	UEQ2X	15.29	41.64	19.02	19.65	5.09		11.90				
		2W Unbundled Copper Loop-Non-Designed-Zone 3	ı	3	UEQ	UEQ2X	20.29	41.64	19.02	19.65	5.09		11.90				
		Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)		<u> </u>	UEQ UEQ	USBMC		9.00	9.00				44.00				
		Engineering Information Document Loop Testing-Basic 1st Half Hour		+	UEQ	URET1	-	12.28 77.09	12.28				11.90 11.90				1
		Loop Testing-Basic Add'l Half Hour		l	UEQ	URETA		33.12					11.90				
		CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43				11.90				
UNBU	NDLE	D EXCHANGE ACCESS LOOP															
	2-WIR	E ANALOG VOICE GRADE LOOP															
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		11.90				
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 1 2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB UEPSR UEPSB	UEABS UEALS	12.79 17.27	49.57 49.57	22.83	25.62	6.57		11.90 11.90				
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.27	49.57	22.83 22.83	25.62 25.62	6.57 6.57		11.90				1
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		11.90				
		2W Analog VG Loop-Service Level 1-Line Splitting-Zone 3		3		UEABS	33.36	49.57	22.83	25.62	6.57		11.90				
UNBU	NDLE	D EXCHANGE ACCESS LOOP															
	2-WIR	E ANALOG VOICE GRADE LOOP	lacksquare	L		1											
	.	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	<u> </u>	1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01	<u> </u>	11.90				<u> </u>
		2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2	<u> </u>	3	UEA UEA	UEAL2	19.57 37.82	135.75 135.75	82.47 82.47	63.53	12.01	 	11.90 11.90	-	-		
	\vdash	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	13	UEA	OCOSL	31.82	23.02	82.47	63.53	12.01	 	11.90	-	-		1
		2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1	 	1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01		11.90	1			
		2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2	T	2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				
		2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>	1	UEA	UREWO		87.71	36.35				11.90				
		RE ANALOG VOICE GRADE LOOP	!	1	I IE A	LIEAL 4	22.00	167.00	145 45	67.00	15 50	 	11.00	-	-		
		4W Analog VG Loop-Zone 2	 	2	UEA LIEA	UEAL4	23.02	167.86 167.86	115.15	67.08 67.08	15.56 15.56	 	11.90	-	-		1
		4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3	-	3	UEA	UEAL4	31.07 60.02	167.86	115.15 115.15	67.08	15.56 15.56	 	11.90	-			
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.52	23.02	. 10110	31.00	.0.00		10				
		CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35				11.90				
		E ISDN DIGITAL GRADE LOOP															
		2W ISDN Digital Grade Loop-Zone 1	<u> </u>	1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90				
		2W ISDN Digital Grade Loop-Zone 2	<u> </u>	2		U1L2X	29.38	147.69	94.41	62.23	10.71		11.90				<u> </u>
		2W ISDN Digital Grade Loop-Zone 3 Order Coordination For Specified Conversion Time (per LSR)	-	3	UDN UDN	U1L2X OCOSL	56.76	147.69 23.02	94.41	62.23	10.71	1	11.90				
		CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>	1	UDN	UREWO	1	91.61	44.15		 	 	11.90	H			
		RE Universal Digital Channel (UDC) COMPATIBLE LOOP	 	H	ODIN	SINLANO		31.01	77.13				11.90				
		2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
		2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				
		2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71	1	11.90	1			1

04/12/02 Page 32 of 259

UNBUND	LED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	
CATEGORY	Y RATE ELEMENTS	Int eri m	Zo	всѕ	USOC		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually	Increment al Charge - Manual Svc Order vs.	Increment	Incrementa I Charge - Manual Svc Order vs.	
						Dee	Nonrecu	ırring	Nonrecur	ring			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.61	44.15				11.90				<u> </u>
2-WI	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOO	P														_
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-Zone 1		4	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				
-+	2W Unbundled ADSL Loop including manual service inquiry & facility		<u>'</u>	UAL	UALZA	12.05	149.55	103.63	75.05	15.65		11.90				
	reservation-Zone 2		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manual service inquiry & facility			-												
	reservation-Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90			ļ	
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-		3	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		11.90				
-+	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch		 	UAL UAL	OCOSL UREWO		23.02 86.19	40.39				11.90			+	
2-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		1	UAL	UKEWU		00.19	40.39				11.90			+	
2-111	2W Unbundled HDSL Loop including manual service inquiry & facility		1		+										+	-
	reservation-Zone 1		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				
	2W Unbundled HDSL Loop including manual service inquiry & facility		Ė	¥												
	reservation-Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90				
	2W Unbundled HDSL Loop including manual service inquiry & facility															1
	reservation-Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-		1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90			ļ	
	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-		2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90				
-+	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation- Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	26.00	134.40 23.02	80.69	60.64	9.12	-	11.90			-	
-+	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP			OTIL	OKLVVO		00.12	40.55				11.30				
	4W Unbundled HDSL Loop including manual service inquiry & facility														1	
	reservation-Zone 1		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manual service inquiry & facility															
	reservation-Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manual service inquiry & facility															
	reservation-Zone 3		3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61		11.90			ļ	
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL UHL4W	15.69	23.02 168.62	115.47	62.74	11.22		11.90				
	4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation- 4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-		2	UHL UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90			-	
	4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-		3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22		11.90			+	
	Order Coordination for Specified Conversion Time (per LSR)		٦	UHL	OCOSL	40.30	23.02	110.47	52.14	11.22	1	11.50			1	
	CLEC to CLEC Conversion Charge w/o outside dispatch		t	UHL	UREWO		86.12	40.39				11.90				
4-WI	IRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)		1	USL	OCOSL	ļ	23.02	40.01			<u> </u>	44.00				
4 147	CLEC to CLEC Conversion Charge w/o outside dispatch IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	USL	UREWO		101.07	43.04	1		}	11.90			1	
4-1/1	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56	-	11.90				
-+	4W Unbundled Digital 19.2 Kbps 4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.62	161.56	108.85	67.08	15.56	1	11.90			<u> </u>	
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	68.82	161.56	108.85	67.08	15.56	l	11.90			 	†
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90				
1	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
-+					UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	ODLO	00.02	.01.00									
	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL UDL	OCOSL UDL64	26.39	23.02 161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled Digital Loop 64 Kbps-Zone 1 4W Unbundled Digital Loop 64 Kbps-Zone 2		1 2	UDL UDL UDL	OCOSL UDL64 UDL64	26.39 35.62	23.02 161.56 161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR) 4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL UDL	OCOSL UDL64	26.39	23.02 161.56									

OND	ONDE	ED NETWORK ELEMENTS - Florida		_	1								1-	Attachmen		Exhibit: B	+
CATE	GORY	RATE ELEMENTS	Int eri m	Z0 ne		USOC			ATES(\$)	T		Svc Order Submitte d Elec per LSR	Submitte d Manually	al Charge Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
				-			Rec	Nonrec		Nonrecu		COMEC	LCOMAN		Rates(\$)	COMAN	LCOMAN
	2 14/15	RE Unbundled COPPER LOOP		+-				First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SUMAN	SOMAN	SOMAN
	Z-VVII			+													
		2W Unbundled Copper Loop/Short including manual service inquiry & facility reservation-Zone 1		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63		11.90				
		2W Unbundled Copper Loop/Short including manual service inquiry & facility		+ '	UCL	UCLFB	12.00	140.50	102.02	75.05	13.03		11.50	1			+
		reservation-Zone 2		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90				
		2W Unbundled Copper Loop/Short including manual service inquiry & facility		Ť	002	002. 5	11.00	0.00	102.02	7 0.00	10.00						t
		reservation-Zone 3		3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2W Unbundled Copper Loop/Short w/o manual service inquiry & facility															1
		reservation-Zone 1		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
		2W Unbundled Copper Loop/Short w/o manual service inquiry & facility															1
		reservation-Zone 2		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
		2W Unbundled Copper Loop/Short w/o manual service inquiry & facility															
		reservation-Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2W Unbundled Copper Loop/Long-includes manual srvc. inquiry & facility															
		reservation-Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90				
		2W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90				
		2W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 3		3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility		١.													
		reservation-Zone 1		1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12		11.90				
		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility					=0.04										
		reservation-Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				
		2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility			1101	1101.014	00.07	100.01	70.00	00.04	0.40		44.00				
		reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL2W UCLMC	96.67	123.81	70.09	60.64	9.12		11.90	1			
		CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)		+-	UCL	UREWO		9.00 97.21	9.00 42.47				11.90	1			
	4-14/15	RE COPPER LOOP		+	UCL	UKEWU		91.21	42.47				11.90				
	7-1111	4W Copper Loop/Short-including manual service inquiry & facility reservation-		+									1	1			
		Zone 1		1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73		11.90				
		4W Copper Loop/Short-including manual service inquiry & facility reservation-		+-	OOL	OOLTO	10.03	177.07	132.70	77.13	17.75		11.30				
		Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90				
		4W Copper Loop/Short-including manual service inquiry & facility reservation-		Ť	002	002.0	2		102.70								
		Zone 3		3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	11.02	9.00	9.00				11.00				
		4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				
		4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
		4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				1
		Order Coordination for Unbundled Copper Loops (per loop)		I	UCL	UCLMC		9.00	9.00								
		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 1	L	1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90			L	<u> </u>
		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
		4W Unbundled Copper Loop/Long-includes manual svc. inquiry & facility															
		reservation-Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				1
<u> </u>		Order Coordination for Unbundled Copper Loops (per loop)		1_	UCL	UCLMC		9.00	9.00					<u> </u>			
		4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility reservation-		1.													
		Zone 1	_	1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90	ļ			<u> </u>
l		4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility reservation-		_	1101	1107.10		.=	400.0-		4						
		Zone 2	<u> </u>	2	UCL	UCL40	87.09	153.18	100.03	62.74	11.22		11.90	1		-	
		4W Unbundled Copper Loop/Long-w/o manual svc. inquiry & facility reservation-		1	LICI	1101.40	160.05	152.40	100.00	60.74	11.00		11.00				
		Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL UCL	UCL40 UCLMC	168.25	153.18 9.00	100.03 9.00	62.74	11.22		11.90				
				+									11.00				
LCOP	MOD	CLEC to CLEC Conversion Charge w/o outside dispatch FICATION	<u> </u>	+	UCL	UREWO		97.21	42.47	-	-	 	11.90	 			
LOOP	MICD	FIGATION		╁	UAL,UHL,UCL,UEQ,					 	1		<u> </u>	1	1	-	
					ULS,UEA,UEANL,				1								
		Unbundled Loop Modification, Removal of Load Coils-2W pair < or = 18kft			UDL,UDC,UDN,USL	ULM2L		0.00	0.00								
		Unbundled Loop Modification, Removal of Load Coils-2W > 18kft		+	UCL,ULS	ULM2G		343.12	343.12	<u> </u>	 		11.90	 			
-		Unbundled Loop Modification Removal of Load Coils-2W > 16kft		+	UHL,UCL	ULM4L		0.00	0.00		1		11.50				
 		Unbundled Loop Modification Removal of Load Coils-4W pair > 18kft		+	UCL	ULM4G		343.12	343.12		1		11.90	1			
	1	The state of the s			332	JJ		J-10.12	370.12				11.00	1	1	1	

UNB	UNDL	ED NETWORK ELEMENTS - Florida	_											Attachmen	t: 2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Int eri m	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	vs. Electronic	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic	Increment al Charge Manual Svc Order vs. Electronic
							Rec	Nonrect First	urring Add'l	Nonrecur First	rıng Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ, UEF,ULS,UEA, UEANL,UDL,UDC, UDN,USL	ULMBT		10.52	10.52	Filst	Addi	SOWIEC	11.90	SOMAN	SOMAN	SOMAN	SOWAN
SUB-	LOOPS				05.1,002	OLIND:		10.02	10.02				11.00				
		oop Distribution															
		Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up	_		UEANL	USBSA		487.23	487.23				11.90 11.90				
		Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	\pm		UEANL UEANL	USBSB		6.25 169.25	6.25 169.25				11.90				
		Sub-Loop-Per Building Equipment Room-Per 25 Pair Panel Set-Up	÷	H	UEANL	USBSD		38.65	38.65				11.90				
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				
		Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26	 	11.90		ļ		ļ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1	_	1	UEANL UEANL	USBMC USBN4	8.12	9.00 68.83	9.00 30.42	49.71	6.60	1	11.90		-		
		Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60	1	11.90		†		
		Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 2W Intrabuilding Network Cable (INC)		 	UEANL	USBR2	3.50	51.84	13.44	47.50	5.26		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4W Intrabuilding Network Cable (INC)	_	!	UEANL UEANL	USBMC USBR4	6.68	9.00 55.91	9.00 17.51	49.71	6.60	<u> </u>	11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	_		UEANL	USBMC	0.00	9.00	9.00	43.71	0.00		11.30				
		2W Copper Unbundled Sub-Loop Distribution-Zone 1	ı	1	UEF	UCS2X	6.25	60.19	21.78	47.50	5.26		11.90				
		2W Copper Unbundled Sub-Loop Distribution-Zone 2	_	2	UEF	UCS2X	8.44	60.19	21.78	47.50	5.26		11.90				
		2W Copper Unbundled Sub-Loop Distribution-Zone 3	ı	3	UEF	UCS2X	16.30	60.19	21.78	47.50	5.26		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4W Copper Unbundled Sub-Loop Distribution-Zone 1	_	1	UEF UEF	USBMC UCS4X	5.20	9.00 68.83	9.00	49.71	6.60		11.90				
		4W Copper Unbundled Sub-Loop Distribution-Zone 2	÷	2	UEF	UCS4X	7.02	68.83	30.42	49.71	6.60		11.90				
		4W Copper Unbundled Sub-Loop Distribution-Zone 3	Ė	3	UEF	UCS4X	13.55	68.83	30.42	49.71	6.60		11.90				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Unbu	ndled Sub-Loop Modification															
		Unbundled Sub-Loop Modification-2-W Copper Dist Load Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification-4-W Copper Dist Load Coil/Equip Removal			UEF	ULM2X		10.11	10.11				11.90				
		per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
		Unbundled Sub-loop Modification-2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58	15.58				11.90				
		ndled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
		ork Interface Device (NID) Network Interface Device (NID)-1-2 lines			UENTW	UND12		68.08	42.80				11.90				
		Network Interface Device (NID)-1-2 lines Network Interface Device (NID)-1-6 lines		H	UENTW	UND16		110.48	85.20				11.90				
		Network Interface Device Cross Connect-2 W			UENTW	UNDC2		7.63	7.63				11.90				
		Network Interface Device Cross Connect-4W			UENTW	UNDC4		7.63	7.63				11.90				
SUB-	LOOPS	oop Feeder		-													
		USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set- up			UEA,UDN,UCL, UDL,UDC	USBFW		487.23					11.90				
		USL Feeder-DS0 Set-up per Cross Box location-per 25 pair set-up			UEA,UDN,UCL, UDL,UDC	USBFX		6.25	6.25				11.90				
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522.41	11.32				11.90				
		Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1		USBFA	8.05	92.75	51.24	58.45			11.90				
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2		USBFA	10.87	92.75	51.24	58.45	13.07	 	11.90		ļ		
		Unbundled Sub-Loop Feeder Loop, Per 2W Ground-Start, VG-Zone 3 Order Coordination for Specified Conversion Time, per LSR	_	3	UEA UEA	USBFA OCOSL	21.00	92.75 23.02	51.24	58.45	13.07	1	11.90		-		
		Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07	1	11.90		†		
		Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
		Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90				
		Order Coordination for Specified Time Conversion, per LSR		Ļ	UEA	OCOSL	0.0-	23.02	51.01	FO 15	40.0=	 	44.00		ļ		
		Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA UEA	USBFC	8.05 10.87	92.75 92.75	51.24 51.24	58.45 58.45	13.07 13.07	<u> </u>	11.90 11.90		 		
		Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Analog Reverse Battery, VG-Zone 3		3		USBFC	21.00	92.75	51.24	58.45	13.07		11.90				<u> </u>
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1		USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90			1	

04/12/02 Page 35 of 259

CATEGORY	LED NETWORK ELEMENTS - Florida RATE ELEMENTS	Int eri m	Zo ne	BCS	USOC		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	vs.	Increment al Charge - Manual	Exhibit: B Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge Manual Svc Order vs. Electronic
						Rec	Nonrec		Nonrecur	,	001150	001111		Rates(\$)	001141	
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	1	3	UEA	USBFD	45.00	First 106.92	Add'I 64.46	First 63.54	Add'l 14.83	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR	+	3	UEA	OCOSL	43.00	23.02	04.40	00.04	14.00		11.30				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1	1	1	UDN	USBFF	17.04	109.71	66.68	60.21	12.49		11.90				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	+	3	UDN UDN	USBFF	23.00 44.43	109.71 109.71	66.68 66.68	60.21 60.21	12.49 12.49		11.90 11.90				
	Order Coordination For Specified Conversion Time, Per LSR	+	3	UDN	OCOSL	44.43	23.02	00.00	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	1	1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	44.43	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	46.27	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	1	2	USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				lacksquare
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3	_	3	USL	USBFG	120.65	133.77	78.02	85.16	21.21		11.90				<u> </u>
$-\!+\!-$	Order Coordination For Specified Conversion Time, Per LSR	-	1	USL UCL	OCOSL USBFH	7.25	23.02 85.27	42.24	58.54	10.82		11.90				
-+	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2	+	2	UCL	USBFH	9.79	85.27	42.24 42.24	58.54	10.82		11.90				
-+	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3	+	3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90				
	Order Coordination For Specified Conversion Time, per LSR	1	Ť	UCL	OCOSL	10.02	23.02		00.01	10.02		11100				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	19.20	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	37.09	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	10.00	23.02	=0.10	00.51	11.00		44.00				
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	+	1	UDL UDL	USBFN	18.68 25.21	100.62 100.62	58.16	63.54 63.54	14.83 14.83		11.90 11.90				<u> </u>
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	+	3	UDL	USBFN	48.71	100.62	58.16 58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1	1	1	UDL	USBFO	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2	1	2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	1	3	UDL	USBFP OCOSL	48.71	100.62	58.16	63.54	14.83		11.90				
SUB-LOOP	Order Coordination For Specified Conversion Time, per LSR	+	-	UDL	UCUSL	-	23.02									
	Loop Feeder	1	H													
	Sub Loop Feeder-DS3-Per Mile Per mo	T	t	UE3	1L5SL	15.69										
	Sub Loop Feeder-DS3-Facility Termination Per mo	П		UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per mo	-		UDLSX	1L5SL	15.69										
	Sub Loop Feeder-STS-1-Facility Termination Per mo	1		UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per mo	<u> </u>	\vdash	UDLO3	1L5SL	11.90										
	Sub Loop Feeder-OC-3-Facility Termination Protection Per mo Sub Loop Feeder-OC-3-Facility Termination Per mo	I	\vdash	UDLO3 UDLO3	USBF5 USBF2	62.98 547.22	3,386.00	407.15	166.83	94.58	-	11.90				
	Sub Loop Feeder-OC-12-Per Mile Per mo	ti	1	UDL12	1L5SL	14.65	3,300.00	407.15	100.03	94.36		11.90				
	Sub Loop Feeder-OC-12-Facility Termination Protection Per mo	ΤĖ		UDL12	USBF6	502.47										
	Sub Loop Feeder-OC-12-Facility Termination Per mo	Τi	t	UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder-OC-48-Per Mile Per mo	1		UDL48	1L5SL	48.06	·									1
	Sub Loop Feeder-OC-48-Facility Termination Protection Per mo	-		UDL48	USBF9	251.80										
	Sub Loop Feeder-OC-48-Facility Termination Per mo	ı		UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		11.90				
	Sub Loop Feeder-OC-12 Interface On OC-48			UDL48	USBF8	331.15	788.39	407.15	168.35	95.43		11.90				
ONBONDLE	ED LOOP CONCENTRATION	+	H	111.0	LICTOA	449.49	359.42	359.42				44.00				
$-\!\!+\!\!\!-$	Unbundled Loop Concentration-System A (TR008) Unbundled Loop Concentration-System B (TR008)	+	₽	ULC ULC	UCT8A UCT8B	53.44	149.76	359.42 149.76	-		-	11.90 11.90				
-+	Unbundled Loop Concentration-System 8 (TR303)	1	\vdash	ULC	UCT3A	487.33	359.42	359.42				11.90				
-+	Unbundled Loop Concentration-System A (TR303)	+	\vdash	ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration-DS1 Loop Interface Card	1	Ħ	ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				1
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop		ΙТ						1		1					
				115	1 111 000		16 50	16.50	6.77	6.73	ı	11.90		l	l	1
	Interface (POTS Card)	-	-	UEA	ULCC2	2.00	16.59									1
	Interface (POTS Card) Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA UEA	ULCC2 ULCC4	11.90 7.10	16.59 16.59	16.50 16.50	6.77 6.77	6.73 6.73		11.90 11.90				

04/12/02 Page 36 of 259

UNE	RUNDI	.ED NETWORK ELEMENTS - Florida											Attachmen	t· 2	Exhibit: B	\Box
	GORY	RATE ELEMENTS		o BCS	USOC		RA	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Increment al Charge Manual Svc Order vs.	Increment	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual
	1 -		-				Nonrecu	ırrina	Nonrecui	ring			220	Rates(\$)		
	+ +		-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	+ - 1	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface		UDL	ULCC7	10.51	16.59	16.50	6.77	6.73	SOWIEC	11.90	SOWIAN	JOWAN	JOWAN	SOWAN
	1 1	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface		UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				+
		Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE	OTHER	, PROVISIONING ONLY - NO RATE														
		NID-Dispatch & Service Order for NID installation		UENTW	UNDBX											
		UNTW Circuit Id Establishment, Provisioning Only-No Rate		UENTW	UENCE											
				UEANL,UEF,UEQ,												
	071155	Unbundled Contract Name, Provisioning Only-No Rate		UENTW	UNECN											-
UNE	OTHER	, PROVISIONING ONLY - NO RATE	-	UAL,UCL,UDC,UDL,U						1						+
		Unbundled Contact Name, Provisioning Only-no rate		DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	+	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate	-+	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			 	1		1			+
		Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate		UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop-Superframe Format Option-no rate		USL	CCOSF	0.00	0.00			1						1
		Unbundled DS1 Loop-Exp&ed Superframe Format option-no rate		USL	CCOEF	0.00	0.00									1
HIGH	CAPA	CITY UNBUNDLED LOCAL LOOP														
		High Capacity Unbundled Local Loop-DS3-Per Mile per mo		UE3	1L5ND	10.92										
	1	High Capacity Unbundled Local Loop-DS3-Facility Termination per mo	<u> </u>	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84	ļ	11.90				
		High Capacity Unbundled Local Loop-STS-1-Per Mile per mo		UDLSX	1L5ND	10.92			100.10			11.00				<u> </u>
1.00		High Capacity Unbundled Local Loop-STS-1-Facility Termination per mo		UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	-
LOOI	MAKE															
		Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).		UMK	UMKLW		52.17	52.17								
	1 1	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).	-	UMK	UMKLP		55.07	55.07								+
		Loop MakeupWith or w/o Reservation, per working or spare facility queried		OWIT	OWNER		00.01	00.07								+
		(Mechanized)		UMK	PSUMK		0.6784	0.6784								1
HIGH	FREQ	DENCY SPECTRUM														
	SPLIT	TERS-CENTRAL OFFICE BASED														
		Line Sharing Splitter, per System 96 Line Capacity-True up pending approval by PSC	R	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
		Line Sharing Splitter, per System 24 Line Capacity-True up pending approval	_													
	-	by PSC	R	ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				-
	+	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				+
		LSOD)-True up pending approval by PSC		ULS	ULSDG		173.66		97.42			11.90				
	END I	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM	AKA		OLODO		170.00		57.4Z			11.00				+
		Line Sharing-per Line Activation-True up pending approval by PSC(BST Owned														1
		Splitter)		ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
		Line Sharing-per Subsqnt Activity per Line Rearrangement-True up pending														
		approval by PSC(BST Owned Splitter)	R	ULS	ULSDS		21.68	16.44				11.90				
		Line Sharing-per Subsqnt Activity per Line Rearrangement-True up pending														
ļ	+	approval by PSC(DLEC Owned Splitter)	R	ULS	ULSCS		21.68	16.44	60.0-	40=:		11.90				
	+	Line Sharing-per Line Activation (DLEC owned Splitter)	1	ULS UEPSR UEPSB	ULSCC	0.61	47.44	19.31	20.67	12.74	1	11.90	1	-		+
-	+	Line Splitting-per line activation DLEC owned splitter Line Splitting-per line activation BST owned-physical	+	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.638	29.68	21.28	19.57	9.61	1	11.90	1	-		
	+	Line Splitting-per line activation BST owned-physical Line Splitting-per line activation BST owned-virtual	+	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	}	11.90	-	-	-	+
UNBU		D DEDICATED TRANSPORT		OLI OK OLI OB	OKLDV	1.104	23.00	21.20	13.37	3.01		11.30				+
2.450		: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing per	iod - b	elow DS3=one month. D	S3/STS-1:	=four months										
		ROFFICE CHANNEL - DEDICATED TRANSPORT									Ì		Ì			
		Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo		U1TVX	1L5XX	0.0091										
		Interoffice Channel-Dedicated Transport-2W VG-Facility Termination per mo		U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
	$oldsymbol{\perp}$	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per Mile per mo		U1TVX	1L5XX	0.0091										
		Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Termination		11477.07				a							1	
	+	per mo		U1TVX U1TVX	U1TR2 1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03		11.90				+
	+	Interoffice Channel-Dedicated Transport-4W VG-Per Mile per mo Interoffice Channel-Dedicated Transport-4W VG-Facility Termination per mo	\vdash	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03	1	11.90	1			
—	+	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo		U1TDX	1L5XX	0.0091	41.35	31.70	10.31	7.03	1	11.30	1	 		+
	+	Interoffice Channel-Dedicated Transport-56 kbps-Facility Termination per mo		U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03	1	11.90	1	1		
		Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo		U1TDX	1L5XX	0.0091	00	20		50		1				<u> </u>
		Interoffice Channel-Dedicated Transport-64 kbps-Facility Termination per mo		U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				1
		Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo		U1TD1	1L5XX	0.1856										
		Interoffice Channel-Dedicated Tranport-DS1-Facility Termination per mo		U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	$oldsymbol{\perp}$	Interoffice Channel-Dedicated Transport-DS3-Per Mile per mo		U1TD3	1L5XX	3.87										
	1	Interoffice Channel-Dedicated Transport-DS3-Facility Termination per mo		U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56	ļ	11.90				<u> </u>
		Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo		U1TS1	1L5XX	3.87				1	1	1	1	1	l	1

04/12/02 Page 37 of 259

UNR	UNDI	ED NETWORK ELEMENTS - Florida												Attachmen	t· 2	Exhibit: B	T
OIVE	OND	LED NETWORK ELEMENTO TIONGE		I								Svc	Svc Order		Increment	Incrementa	Increment
												Order		al Charge		I Charge -	al Charge -
			Int	70								Submitte		Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	eri	Zo ne	I BCS	USOC		R.A	ATES(\$)			d Elec	Manually	Svc Order	Svc Order	Svc Order	Svc Order
			m									per LSR	per LSR	vs.	vs.	vs.	vs.
														Electronic	Electronic-	Electronic-	Electronic-
	1			<u> </u>				Nonrecu	ırrina	Nonrecui	ring			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Interoffice Channel-Dedicated Transport-STS-1-Facility Termination per mo			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
		L CHANNEL - DEDICATED TRANSPORT															
	NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - be	low	DS:													<u> </u>
	1 1	Local Channel-Dedicated-2W VG per mo-Zone 1		1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	1 1	Local Channel-Dedicated-2W VG per mo-Zone 2 Local Channel-Dedicated-2W VG per mo-Zone 3		3	ULDVX UNDVX	ULDV2 ULDV2	29.62 57.22	265.84 265.84	46.97 46.97	37.63 37.63	4.00 4.00	-	11.90 11.90				
		Local Channel-Dedicated-2W VG Rev Bat Per mo-Zone 1		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	1 1	Local Channel-Dedicated-2W VG Rev Bat Per mo-Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90				1
		Local Channel-Dedicated-2W VG Rev Bat Per mo-Zone 3		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00		11.90				
		Local Channel-Dedicated-4W VG per mo-Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				1
		Local Channel-Dedicated-4W VG per mo-Zone 2		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90				
	\vdash	Local Channel-Dedicated-4W VG per mo-Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33	ļ	11.90				
<u> </u>	+	Local Channel-Dedicated-DS1 per mo-Zone 1		1	ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95	1	11.90				
-	+	Local Channel-Dedicated-DS1 per mo-Zone 2 Local Channel-Dedicated-DS1 per mo-Zone 3		3	ULDD1 ULDD1	ULDF1 ULDF1	47.63 92.01	216.65 216.65	183.54 183.54	24.30 24.30	16.95 16.95	1	11.90 11.90		-		
-	+	Local Channel-Dedicated-DS1 per mo-zone 3 Local Channel-Dedicated-DS3-Per Mile per mo		٦	ULDD3	1L5NC	92.01 8.50	210.05	103.34	24.30	10.95	1	11.90				+
	+	Local Channel-Dedicated-DS3-Facility Termination per mo		H	ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
		Local Channel-Dedicated-STS-1-Per Mile per mo			ULDS1	1L5NC	8.50	300.07	2.0.01	. 500	20.04						<u> </u>
		Local Channel-Dedicated-STS-1-Facility Termination per mo		Ĺ	ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
MULT	ΓIPLEX																
		Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
		OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				<u> </u>
-	1	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo		<u> </u>	UDN	UC1CA	3.66	10.07	7.08				11.90				
-	1	VG COCI-DS1 to DS0 Channel System-per mo DS3 to DS1 Channel System per mo	_	-	UEA UXTD3	1D1VG MQ3	1.38 211.19	10.07 199.28	7.08 118.64	40.34	39.07		11.90 11.90				
-	+ +	STS1 to DS1 Channel System per mo		<u> </u>	UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				+
	1 1	DS3 Interface Unit (DS1 COCI) used with Loop per mo		H	USL	UC1D1	13.76	10.07	7.08	40.04	00.01		11.90				+
		DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo			U1TD1	UC1D1	13.76	10.07	7.08				11.90				
DARK	(FIBE																
		Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-Local															
		Channel		<u> </u>	UDF	1L5DC	55.04	==	100.00				44.00				
-	1 1	NRC Dark Fiber-Local Channel		-	UDF	UDFC4		751.34	193.88	356.21	230.11		11.90				+
		Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo- Interoffice Channel			UDF	1L5DF	26.85										
		NRC Dark Fiber-Interoffice Channel			UDF	UDF14	20.03	751.34	193.88	356.21	230.11		11.90				+
	1 1	Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-Local		T													1
		Loop			UDF	1L5DL	55.04										
		NRC Dark Fiber-Local Loop			UDF	UDFL4		751.34	193.88	356.21	230.11		11.90				
TRAN		T OTHER															
		nal Features & Functions:															
8XX A		S TEN DIGIT SCREENING	_	+	OHD	-	0.0006252					}	1	1	-		+
-	+	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number		+	OHD OHD	N8R1X	0.0006252	4.15	0.70		-	}	11.90		-		+
-	+	8XX Access Ten Digit Screening, Reservation Charge Fer 8XX Number 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS		\vdash	OHD	NOINIA	<u> </u>	8.78	1.18	5.77	0.70		11.90				+
	+	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		t	OHD	N8FTX	1	8.78	1.18	5.77	0.70	1	11.90	1			+
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No		t	OHD	N8FCX	1	4.15	2.07				11.90				†
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR			-												
		Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				<u> </u>
		8XX Access Ten Digit Screening, Change Charge Per Request		\Box	OHD	N8FAX		4.85	0.70				11.90				\perp
		8XX Access Ten Digit Screening, Call H&ling & Destination Features		1	OHD	N8FDX	0.00000	4.15	4.15				11.90				
-		8XX Access Ten Digit Screening, w/8FL No. Delivery, per query	_	+	OHD	-	0.0006252 0.0006252					}	1	1	-		+
LINE		8XX Access Ten Digit Screening, w/POTS No. Delivery, per query MATION DATA BASE ACCESS (LIDB)		\vdash	OHD	+	0.0006252				1	1	1	1	1	1	+
LIME		LIDB Common Transport Per Query		\vdash	OQT	+	0.0000203					 	 				+
	\dagger	LIDB Validation Per Query		H	OQU		0.0136959										
		LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		55.13	55.13	55.13	55.13		11.90				
SIGN	ALING	(CCS7)															
		CCS7 Signaling Termination, Per STP Port		匚	UDB	PT8SX	135.05										
		CCS7 Signaling Usage, Per TCAP Message		_	UDB	TE:	0.0000607	10 =-			40.0						1
	\vdash	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	17.93	43.57	43.57	18.31	18.31	1	11.90		-		
<u> </u>	+	CCS7 Signaling Connection, Per link (B link) (also known as D link) CCS7 Signaling Usage, Per ISUP Message		1	UDB UDB	TPP++	17.93 0.0000152	43.57	43.57	18.31	18.31	-	11.90				+
-		CCS7 Signaling Usage, Per ISOP Message CCS7 Signaling Usage Surrogate, per link per LATA	_	+	UDB	STU56	694.32					1	1		 		+
		COC. Cignaing Coage Currogate, per lift per LATA		1	L	01000	034.32			1	l	1	1	1		1	

04/12/02 Page 38 of 259

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachmen		Exhibit: B	<u></u>
CATEGORY	RATE ELEMENTS	Int eri m	1 7 0	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitte d Manually per LSR	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
			<u> </u>			Rec	Nonrecu		Nonrecur					Rates(\$)		
	00070						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				1
E911 SERVI			+	UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
L911 SERVI	Local Channel-Dedicated-2W VG-Zone 1		1			21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG-Zone 2		+		-	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG-Zone 3		+-			57.22	265.84	46.97	37.63	4.00		11.90				
	Interoffice Transport-Dedicated-2W VG Per Mile		+-			0.0091	203.04	40.57	37.03	4.00		11.90				1
	Interoffice Transport-Dedicated-2W VG Per Facility Termination		+-			25.32	47.35	31.78	18.31	7.03		11.90				1
	Local Channel-Dedicated-DS1-Zone 1		+		-	35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel-Dedicated-DS1-Zone 1 Local Channel-Dedicated-DS1-Zone 2	-	+-		+	35.28 47.63	216.65	183.54	21.47	19.05		11.90			 	
	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3	-	+-		+	92.01	216.65	183.54	21.47	19.05		11.90			 	
	Interoffice Transport-Dedicated-DS1 Per Mile	1	+-		+	0.1856	210.00	100.04	21.47	19.00	<u> </u>	11.90	1		-	
	Interoffice Transport-Dedicated-DS1 Per Mile Interoffice Transport-Dedicated-DS1 Per Facility Termination		+		-	88.44	105.54	98.47	21.47	19.05	+	11.90				
	ME (CNAM) SERVICE		+		-	00.44	105.54	90.47	21.47	19.05	+	11.90				
	CNAM for DB Owners, Per Query		-	OQV	_	0.001024							-			
	CNAM for Non DB Owners, Per Query		-	OQV	_	0.001024							-			
	CNAM For DB Owners-Service Establishment		-	OQV	_	0.001024	25.35	25.35	40.04	19.01		11.90				
			-	OQV	_				19.01	19.01		11.90				
	CNAM For Non DB Owners-Service Establishment		-	OQV	_		25.35	25.35	19.01							
	CNAM For DB Owners-Service Provisioning With Point Code Establishment		-				1,592.00	1,177.00	352.36	259.09		11.90				+
	CNAM For Non DB Owners-Service Provisioning With Point Code		-	OQV			546.51	393.82	358.06	259.09		11.90				
LNP Query S			-	001/												
	LNP Charge Per query		-	OQV		0.000852	10.00	10.00	10.71	10 =1						└
	LNP Service Establishment Manual		-		-		13.83	13.83	12.71	12.71		11.90				+
	LNP Service Provisioning with Point Code Establishment		-				655.50	334.88	297.03	218.40		11.90				
	CALL PROCESSING		-			4.00										
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB		-			1.20										+
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB		-			1.24										+
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB		-			0.20										+
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB		-			0.20										
INWARD OF	ERATOR SERVICES		-			4.00										
	Inward Operator Services-Verification, Per Call		-			1.00										
	Inward Operator Services-Verification & Emergency Interrupt-Per Call		↓		-	1.95										├
	OPERATOR CALL PROCESSING		-		00100		=									├
	Recording of Custom Branded OA Announcement		-		CBAOS		7,000.00	7,000.00				11.90				
	Loading of Custom Branded OA Announcement per shelf/NAV		-		CBAOL		500.00	500.00				11.90				
	nding via OLNS for UNEP CLEC		-													├
	Loading of OA per OCN (Regional)		-				1,200.00	1,200.00				11.90				+
	ASSISTANCE SERVICES		-													+
	CTORY ASSISTANCE ACCESS SERVICE		-													
	Directory Assistance Access Service Calls, Charge Per Call		-			0.275										
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)		-													
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt		-			0.10										
	TORY TRANSPORT	!	₩		-								ļ			
	ASSISTANCE SERVICES	!	1								ļ		1			
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)	!	1								ļ		1			
	Directory Assistance Data Base Service Charge Per Listing	!	1			0.04					ļ		1			
	Directory Assistance Data Base Service, per mo	!	1		DBSOF	150.00					ļ		1			
	DIRECTORY ASSISTANCE	!	₩		-								ļ			
	y Based CLEC	<u> </u>	1													<u> </u>
	Recording & Provisioning of DA Custom Branded Announcement	<u> </u>	1	AMT	CBADA		6,000.00	6,000.00			ļ				ļ	
	Loading of Custom Branded Announcement per DRAM Card/Switch	<u> </u>	1	AMT	CBADC		1,170.00	1,170.00			ļ				ļ	
	CLEC	<u> </u>	1								ļ				ļ	
	Recording of DA Custom Branded Announcement	<u> </u>	1				3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per		T				1,170.00	1,170.00								

UNBL	JNDL	ED NETWORK ELEMENTS - Florida												Attachmen	it: 2	Exhibit: B	
CATE	GORY	RATE ELEMENTS	Int eri m	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	al Charge Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic	al Charge - Manual
							Rec	Nonrect First	urring Add'l	Nonrecu First	rring Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Unhr	anding via OLNS for UNEP CLEC		-				FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	O.I.D.I	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
SELEC		ROUTING															
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.55	93.55	12.71	12.71		11.90				
VIRTU	AL C	OLLOCATION			11.7750				4 0 40 00								
		Virtual Collocation-Application Cost Virtual Collocation-Cable Installation Cost, per cable		-	AMTFS AMTFS	EAF ESPCX	12.45	4,122.00 965.00	1,249.00								-
		Virtual Collocation-Coable Installation Cost, per cable Virtual Collocation-Floor Space, per sq. ft.		-	AMTFS	ESPVX	4.25	905.00									
		Virtual Collocation-Power, per breaker amp	-	-	AMTFS	ESPAX	6.95										+
		Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
		Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN, UDC,UAL,UHL,UCL,U EQ,AMTFS,UDL, UNCVX,UNCDX, UNCNX	UEAC2	0.0502	11.57	11.57				11.90				
					UEA,UHL,UCL,UDL,A												
		Notice Celleration ANN Corne Comments (Issue)			MTFS,UAL,UDN, UNCVX.UNCDX	LIEAC4	0.0500	44.57	44.57				44.00				
		Virtual Collocation-4W Cross Connects (loop)			ONC VX, UNC DX AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	UEAC4	0.0502	11.57	11.57				11.90				
		Virtual Collocation-2-Fiber Cross Connects			ULD48,UDF	CNC2F	6.71	2,431.00					11.90				
		Virtual Collocation-4-Fiber Cross Connects			UDLO3,U1T48, U1T12,U1T03, ULDO3,ULD12, ULD48,UDF USL,ULC,AMTFS, ULR,UXTD1,UNC1X,U	CNC4F	6.71	2,431.00					11.90				
		Virtual collocation-DS1 Cross Connects			LDD1,U1TD1,USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
		Virtual collocation-DS3 Cross Connects			USL,ULC,AMTFS, USA,UTD3,UXTS1,U XTD3,UNC3X, UNCSX,ULDD3, U1TS1,ULDS1, UDLSX,UNLD3	CND3X	56.25	151.90	11.83				11.90				
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,				1/5405											
		per linear foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTES CLO	VE1CB VE1CD	0.0028										
		Structure, per linear ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support			AMTFS,CLO	VETCD	0.0041										
<u> </u>		Structure,per cable			AMTFS	VE1CC		535.54									
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.54									
$\vdash \vdash$		Virtual collocation-Security Escort-Basic, per quarter hour	ļ	4	AMTES	SPTBQ		10.89			 	 		ļ			
$\vdash \vdash$		Virtual collocation-Security Escort-Overtime, per quarter hour		4	AMTES	SPTOQ		13.64			1	<u> </u>	1				
$\vdash \vdash$		Virtual collocation-Security Escort-Premium, per quarter hour Virtual Collocation-DS-1/DCS Cross Connects, PER 28 CKTS	+	4	AMTFS AMTFS	SPTPQ VE11S	226.39	16.40 1,950.00		-	 	 	-	 			
\vdash		Virtual Collocation-DS-1/DCS Cross Connects, PER 28 CKTS Virtual Collocation-DS-1.DSX Cross Connects, PER 28 CKTS	+	+	AMTFS	VE11X	11.51	1,950.00									
		Virtual Collocation-DS-3/DCS Cross Connects, PER CKT	<u> </u>	T	AMTFS	VE13S	56.97	528.00			1						†
		Virtual Collocation-DS-3/DSC Cross Connects, PER CKT		T	AMTFS	VE13X	10.06	528.00									
		Virtual collocation-Maintenance in CO-Basic, per quarter hour		\Box	AMTFS	SPTRE		10.89									
igsquare		Virtual collocation-Maintenance in CO-Overtime, per quarter hour	[_[AMTES	SPTOE		13.64									$oxed{\Box}$
VIDT	A1 C	Virtual collocation-Maintenance in CO-Premium per quarter hour	_	4	AMTFS	SPTPE		16.40			 	 	1	-	-		
VIRIU	AL C	DLLOCATION Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res	+	+	UEPSR	VE1R2	0.524	11.57	11.57	-	 	 	11.90	 			
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Ariang-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk- Bus		1	UEPSP	VE1R2	0.524	11.57	11.57				11.90				
$\vdash \vdash \vdash$		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	\dashv	+	UEPSE	VE1R2	0.524	11.57	11.57	-	1	1	11.90	 	 	1	
		Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus	寸		UEPSB	VE1R2	0.524	11.57	11.57				11.90				
		Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.524	11.57	11.57				11.90				
		Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN	T	П	UEPTX	VE1R2	0.524	11.57	11.57		1		11.90			I	

04/12/02 Page 40 of 259

UNE	BUNDI	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	1
	EGORY	RATE ELEMENTS	Int eri m	Zo	BGS	USOC		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	Increment al Charge Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs.	Increment al Charge - Manual
							Rec	Nonreci	urring	Nonrecur	ring		•		Rates(\$)	•	•
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.524	11.57	11.57				11.90				<u> </u>
VIRT		OLLOCATION			115505 115505	1/5/10			04.05				44.00				
AINI		Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		-	UEPSR,UEPSB	VE1LS	0.0297	33.86	31.95				11.90				 '
AIN :	SELEC	TIVE CARRIER ROUTING Regional Service Establishment		╀	SRC	SRCEC		193,444.00		7,737.00			11.90				<u> </u>
	-	End Office Establishment		+	SRC	SRCEO		187.36	187.36	0.69	0.69		11.90		-		<u> </u>
	1	Query NRC, per query		╁	SRC	OROLO	0.0031868	107.50	107.50	0.03	0.03		11.30				
AIN -	BELLS	SOUTH AIN SMS ACCESS SERVICE		1	OITO		0.0001000										
		AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
		AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				
		AIN SMS Access Service-Port Connection-ISDN Access		1	A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
		AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				1
		AIN SMS Access Service-Security Card, Per User ID Code, Initial or			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
		AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)		Ľ			0.0028										
		AIN SMS Access Service-Session, Per Minute					0.7809										
		AIN SMS Access Service-Company Performed Session, Per Minute					0.4609										
AIN -	BELLS	SOUTH AIN TOOLKIT SERVICE															<u> </u>
		AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
		AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90				ļ
	_	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt		_		BAPTT		8.64	8.64	10.03	10.03		11.90				
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook		-		BAPTD		8.64	8.64	10.03	10.03		11.90				<u> </u>
		AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook				DADTM		0.04	0.04	40.00	40.00		44.00				
	+	Immediate ANN Tabilité Sonice Trigger Access Charge Der Trigger Der DN 10 Digit DODD		-		BAPTM BAPTO		8.64 38.06	8.64 38.06	10.03 15.86	10.03 15.86	-	11.90 11.90				
	+	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP		-		BAPTC		38.06	38.06	15.86	15.86	-	11.90				
	-	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code		+		BAPTE		38.06	38.06	15.86	15.86		11.90				
	+	AIN Toolkit Service-Trigger Access Charge, Fer Trigger, Fer Bit, Feature Code AIN Toolkit Service-Query Charge, Per Query		+		DAFII	0.0535927	36.00	36.00	13.00	13.00		11.50				
_		AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per		1			0.0333321						-				
		Node, Per Query					0.0063698										
	-	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100		+			0.0000000										
		Kilobytes					0.06										
		AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56	0.00			11.90				
		AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription		1	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
		AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			CAM	BAPES	0.12	9.56	9.56				11.90				
ENH.	ANCED	EXTENDED LINK (EELs)															
		:: New EELs available in density zone 1 of following MSAs: Orlando, FL; Mia															
		EEL network elements shown below also apply to currently combined faci				JNE rates.	A Switch As Is	s Charge appli	es to curren	tly combin	ed facilitie	es converte	ed to UNEs	(Non-recuri	ring rates do	not apply.)	/
	2-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE T	RAN	NSP													
		First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				ļ
	_	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 2		2		UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
<u> </u>		First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 3		3		UEAL2	37.82	127.59	60.54	48.00	6.31	}	11.90	}			↓
-	+	Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo		+	UNC1X	1L5XX	0.1856	474.40	100.40	45.04	17.05	1	44.00	1	-		
-	+	Interoffice Transport-Dedicated-DS1 combination-Facility Termination per mo DS1 Channelization System Per mo		+	UNC1X UNC1X	U1TF1 MQ1	88.44 146.77	174.46 57.28	122.46 14.74	45.61 1.50	17.95 1.34	1	11.90 11.90	1	-		
 	+-	VG COCI-DS1 To Ds0 Interface-Per mo		1	UNCTX	1D1VG	1.38	6.71	4.84	1.50	1.34	 	11.90	 	-	 	
	-	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport		+	UNCVA	IDIVG	1.30	0.71	4.04	1			11.50	1			
		Combination-Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90			1	1
	+-	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		+	UNCVA	ULALZ	14.50	121.59	00.34	40.00	0.31	 	11.90	 			
	1	Combination-Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90			1	1
		Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		Ť	0.1.0171	O E / ILL	10.07	127.00	00.01	10.00	0.01						
	1	Combination-Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90			1	1
	1	VG COCI-DS1 to DS0 Channel System combination-per mo		Ť	UNCVX	1D1VG	1.38	6.71	4.84	.0.00	0.01		11.90				
		NRC Currently Combined Network Elements Switch-As-Is Charge		T	UNC1X	UNCCC		8.98	8.98	8.98	8.98	İ	11.90	İ			
		RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE T	RAN	NSP								İ		İ			
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
		First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3		3		UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
		Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		L	UNC1X	1L5XX	0.1856										
		Interoffice Transport-Dedicated-DS1-Facility Termination Per mo		匚	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
		Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34	<u> </u>	11.90				ļ
<u> </u>	4	VG COCI-DS1 to DS0 Channel System combination-per mo		+	UNCVX	1D1VG	1.38	6.71	4.84				11.90				
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone		1		UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone		2		UEAL4	31.07	127.59	60.54	48.00	6.31	<u> </u>	11.90				
		Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31	1	11.90	1	1	i	1

04/12/02 Page 41 of 259

NBUNDL	LED NETWORK ELEMENTS - Florida										Svc			Increment	Exhibit: B	
ATEGORY	RATE ELEMENTS	Int eri m	Zo	BCS	usoc		R.A	ATES(\$)			Order Submitte d Elec per LSR	d Manually	al Charge Manual Svc Order vs. Electronic	Manual	I Charge - Manual Svc Order vs. Electronic	vs.
						Rec	Nonrec		Nonrecur		COMEC	COMAN		Rates(\$)	COMAN	SOMAN
	VG COCI-DS1 to DS0 Channel System combination-per mo		╁	UNCVX	1D1VG	1.38	First 6.71	Add'I 4.84	First	Add'l	SOWIEC	11.90	SOWAN	SOMAN	SOMAN	SOMAN
	NRC Currently Combined Network Elements Switch-As-Is Charge		T	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	E TI	RAN	ISPORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination- Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-		-	ONCDA	ODLSO	33.02	127.39	00.54	40.00	0.31		11.90				
	Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		T	UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-combination Facility Termination Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)	<u> </u>	+	UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		1	LINCDY	UDL56	26.20	107 50	60 E4	40.00	6 24		11.00				
_	Combination-Zone 1 Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport	<u> </u>	1 1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31	-	11.90				
	Combination-Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		1-	CHODA	ODLOO	00.02	127.00	00.04	40.00	0.01		11.00				
	Combination-Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-															
	64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	NRC Currently Combined Network Elements Switch-As-ls Charge	<u> </u>	<u></u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFIC	E TI	RAN	ISPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination- Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-		+	UNCDX	UDL64	26.39	127.59	60.54	46.00	0.31		11.90				
	Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-		T					-		0.01						
	Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combination-Facility Termination Per mo		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo		+	UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		+	UNCDA	10100	2.10	0.71	4.04				11.50				1
	Combination-Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		t													
	Combination-Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-			LINIODY	10100	0.40	0.74	4.04				44.00				
	64kbs) NRC Currently Combined Network Elements Switch-As-Is Charge		+	UNCDX UNC1X	1D1DD UNCCC	2.10	6.71 8.98	4.84 8.98	8.98	8.98		11.90 11.90				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TR	RAN	ISPO		UNCCC		0.50	0.90	0.90	0.90		11.50				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1	<u> </u>	1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2		USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3		USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		L	UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combination-Facility Termination Per mo		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
/-\A/IE	NRC Currently Combined Network Elements Switch-As-Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TR	2 / 10	ISD/	UNC1X	UNCCC		8.98	8.98	8.98	8.98	-	11.90				1
-4-VVIP	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	'WIN	1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45	-	11.90				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2		USLXX	99.13	217.75	121.62	51.44			11.90				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3		USLXX	191.51	217.75	121.62	51.44			11.90				1
	Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo		Ĺ	UNC3X	1L5XX	3.87										
	Interoffice Transport-Dedicated-DS3-Facility Termination per mo			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	DS3 to DS1 Channel System combination per mo		1	UNC3X	MQ3	211.19	115.50	56.54	12.16	4.26		11.90				1
	DS3 Interface Unit (DS1 COCI) combination per mo	<u> </u>	+-	UNC1X	UC1D1	13.76	6.71	4.84	F4 4 *	44.45		11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X UNC1X	USLXX	73.44 99.13	217.75 217.75	121.62 121.62	51.44 51.44	14.45 14.45		11.90 11.90				1
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3	-	3		USLXX	191.51	217.75	121.62	51.44	14.45	-	11.90	-	-	-	1
\dashv	DS3 Interface Unit (DS1 COCI) combination per mo		Ť	UNC1X	UC1D1	13.76	6.71	4.84	31.77	. 4.40		11.90				†
	NRC Currently Combined Network Elements Switch-As-Is Charge		1	UNC3X	UNCCC	.50	8.98	8.98	8.98	8.98	1	11.90				1
			_													1
	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE 1 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 1	RA	NSF	ORT (EEL)	UEAL2	14.50	127.59	60.54	48.00	6.31	<u> </u>	11.90	<u> </u>	<u></u>		<u> </u>

04/12/02 Page 42 of 259

UNBUND	LED NETWORK ELEMENTS - Florida												Attachmen		Exhibit: B	
CATEGOR'	RATE ELEMENTS	Int eri m	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	al Charge Manual Svc Order vs. Electronic	Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual
						Rec	Nonrect First	ırring Add'l	Nonrecui First	ring Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31	SOWIEC	11.90	JOWAN	JOWAN	JOWAN	JOWAN
	2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo			UNCVX	1L5XX	0.0091										
	Interoffice Transport-Dedicated-2W VG combination-Facility Termination per mo NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX UNCVX	U1TV2 UNCCC	25.32	94.70 8.98	52.59 8.98	45.28 8.98	18.03 8.98		11.90 11.90				
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE 1	RAN	ISP		011000		0.30	0.30	0.30	0.30		11.30				+
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
	4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Facility Termination per mo			UNCVX UNCVX	1L5XX U1TV4	0.0091 22.58	94.70	52.59	45.28	18.03		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	22.50	8.98	8.98	8.98	8.98		11.90				+
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT (EEL			<u> </u>	2.00	2.00	2.00	2.30						
	High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Termination per			UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27		11.90	ļ			1
	Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination per mo			UNC3X UNC3X	1L5XX U1TF3	3.87 1,071.00	320.00	138.20	38.60	18.81		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge		_	UNC3X	UNCCC	1,071.00	8.98	8.98	8.98	8.98		11.90				+
STS	1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANS	POR	T (E		0.1000		0.00	0.00	0.00	0.00		11.00				1
	High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Termination															
	per mo			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination per mo			UNCSX	1L5XX U1TFS	3.87 1,056.00	320.00	138.20	38.60	18.81		11.90				+
	NRC Currently Combined Network Elements Switch-As-Is Charge		_	UNCSX	UNCCC	1,030.00	8.98	8.98	8.98	8.98		11.90				+
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			0.10071	0.1000		0.00	0.00	0.00	0.00		11.00				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX UNC1X	U1L2X 1L5XX	56.76 0.1856	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combintion-Facility Termination per mo		_	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				+
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				+
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per mo			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per mo		3	UNCNX	U1L2X UC1CA	56.76 3.66	127.59 6.71	60.54 4.84	48.00	6.31		11.90 11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	3.00	8.98	8.98	8.98	8.98		11.90				+
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE	TRA	NSF				0.00	0.00	0.00							
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo		3	UNC1X UNCSX	USLXX 1L5XX	191.51 3.87	217.75	121.62	51.44	14.45	-	11.90	 			+
	Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo	-		UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81	-	11.90	-			+
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	211.19	320.00	.00.20	55.50	.0.01						†
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X UNC1X	USLXX	99.13 191.51	217.75 217.75	121.62	51.44	14.45 14.45	1	11.90 11.90	1			+
-	DS3 Interface Unit (DS1 COCI) combination per mo	_	3	UNC1X UNC1X	UC1D1	191.51	6.71	121.62 4.84	51.44	14.45	1	11.90	1			+
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC	10.70	8.98	8.98	8.98	8.98		11.90				
4-WI	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANS	SPO	RT ((EEL)												
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54		6.31		11.90				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2 4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3	_	2	UNCDX	UDL56 UDL56	35.62	127.59	60.54	48.00 48.00	6.31		11.90 11.90				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per Mile		3	UNCDX UNCDX	1L5XX	68.82 0.0091	127.59	60.54	48.00	6.31	-	11.90	-			+
	Interoffice Transport-Dedicated-4W 56 kbps combination-Fer Nille Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03	 	11.90	 			+
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98		8.98		11.90				
4-WI	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRAN	SPO	RT (
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2	_	2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31	-	11.90	-			+
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-4W 64 kbps combination-Per Mile		3	UNCDX UNCDX	UDL64 1L5XX	68.82 0.0091	127.59	60.54	48.00	6.31		11.90	+			+
	Interoffice Transport-Dedicated-4W 64 kbps combination-Fer Nille Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90	†			+
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98		8.98		11.90				+

04/12/02 Page 43 of 259

UNBUND	LED NETWORK ELEMENTS - Florida												Attachmen	t· 2	Exhibit: B	$\overline{}$
0.1.201.12											Svc	Svc Order	Increment			Increment
											Order		al Charge -		I Charge -	al Charge
		Int	Zo								Submitte	d	Manual	Manual	Manual	Manual
CATEGOR	Y RATE ELEMENTS	eri	lne	BCS	USOC		R/	ATES(\$)			d Elec	Manually	Svc Order	Svc Order	Svc Order	Svc Orde
		m									per LSR	per LSR	vs.	vs.	vs.	vs.
													Electronic-	Electronic-	Electronic-	Electronic
			+				Nonrec	urring	Nonrecur	rina			220	Rates(\$)		
			+			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
ADDITIONA	AL NETWORK ELEMENTS					1		71.00.		71441					00	
	en used as a part of a currently combined facility, the non-recurrng charges	do r	not a	pply, but a Switch As	Is charge	does apply.										
	e (SynchroNet)															
Non	recurring Currently Combined Network Elements "Switch As Is" Charge (One	ар	plies													
	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps		_	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1 NRC Currently Combined Network Elements Switch-As-Is Charge-DS3		-	UNC1X UNC3X	UNCCC	-	8.98 8.98	8.98 8.98	8.98 8.98	8.98 8.98		11.90 11.90				+
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3 NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOT	E: Local Channel - Dedicated Transport - minimum billing period - Below DS	3=0	ne r			ths	0.30	0.30	0.30	0.30		11.30				+
	ED LOCAL EXCHANGE SWITCHING(PORTS)		1	lionan, boo and above	-1041 111011	1										+
	nange Ports					t										†
	RE VOICE GRADE LINE PORT RATES (RES)		Ī													
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled Florida area calling with Caller ID-Res.	_	┷	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID	<u> </u>	╀	UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				11.90				
FEA	TURES All Available Vertical Features		-	UEPSR	LIEDVE	2.26	0.00	0.00				11.90				
2 14/1	RE VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEPVF	2.26	0.00	0.00				11.90				+
2-771	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus		+	UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				+
	Exchange Ports-2W VG unbundled Line Port with unbundled port with			OLI OD	OLI DL	1.40	3.74	3.03	1.00	1.00		11.30				
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				†
	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				1
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXC	HANGE PORT RATES (DID & PBX)		_	LIEDOE	LIEDDD	4.40	00.00	10.10	40.05	0.7407		44.00				
	2W VG Unbundled 2-Way PBX Trunk-Res		+	UEPSE	UEPRD	1.40	39.06	18.18	12.35			11.90				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus 2W VG Line Side Unbundled Outward PBX Trunk-Bus		-	UEPSP UEPSP	UEPPO	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				+
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35			11.90				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35			11.90				+
	2W Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35			11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			LIEDOD	LIEDY:		00.00	40.10	40.65	0.7467		44.00				
	Calling Port 2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				₩
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room	-	+	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90	1			+
	Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	-	╫	UEPSP	UEPXS	1.40	39.06	18.18	12.35			11.90	 			+
	Subsqnt Activity	\vdash	T	UEPSP	USASC	0.00	0.00	0.00	12.00	5 107		11.90				†
FEA	TURES		\dagger				2.30									T
	All Available Vertical Features		T	UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				1
EXC	HANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.40	3.74	3.63	1.88	1.80		11.90				1
	E: Transmission/usage charges associated with POTS circuit switched usage											with 2-wire	ISDN ports.			
	E: Access to B Channel or D Channel Packet capabilities will be available or	าiy t	hro	ugn BFR/NBR Process.	Rates for	tne packet cap	pabilities will	be determin	ed via the E	SFR/NBR I	rocess.					
	ED LOCAL EXCHANGE SWITCHING(PORTS)	├	+			 			1	 		1	ļ			+
EXC	HANGE PORT RATES (DID & PBX) Exchange Ports-2W DID Port	\vdash	+	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90	-		1.83	+
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability	-	+	UEPEX	UEPP2 UEPDD	54.95	151.11	77.75	48.81	3.10		11.90			1.83	
	Exchange Ports-2W ISDN Port (See Notes below.)		╁	UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	
	All Features Offered	\vdash	+	UEPTX UEPSX	UEPVF	2.26	0.00	0.00	21.04	11.00		11.90			1.83	
NOT	E: Transmission/usage charges associated with POTS circuit switched usage	ie w	rill a						ion by B-C	hannels a	ssociated		ISDN ports		1.55	†
	E: Access to B Channel or D Channel Packet capabilities will be available or												,,			†
	Exchange Ports-2W ISDN PortChannel Profiles	Ĺ		UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	

04/12/02 Page 44 of 259

ивоир	LED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	<u> </u>
		Int	17n					TEO(6)			Svc Order Submitte		Increment al Charge · Manual	Increment al Charge - Manual	Incrementa I Charge - Manual	Increme al Charg Manua
TEGORY	Y RATE ELEMENTS	eri m	ne	BCS	USOC		RA	TES(\$)			d Elec per LSR	Manually per LSR	vs.	Svc Order vs. Electronic-	Svc Order vs. Electronic-	vs.
						Rec	Nonrecu	ırring	Nonrecui	rring			oss	Rates(\$)	ı	-
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ED LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)															+
Ena	End Office Switching Function, Per MOU					0.0007662										+
	End Office Trunk Port-Shared, Per MOU					0.0007662										†
Tand	dem Switching (Port Usage) (Local or Access Tandem)															1
	T&em Switching Function Per MOU					0.0001319										1
	T&em Trunk Port-Shared, Per MOU					0.000235										
Com	nmon Transport				1	0.0000025										4
	Common Transport-Per Mile, Per MOU Common Transport-Facilities Termination Per MOU					0.0000035 0.0004372										+
BUNDLE	ED PORT/LOOP COMBINATIONS - COST BASED RATES					0.000-072										+
	t Based Rates are applied where BellSouth is required by FCC and/or Commi	ssio	n ru	le to provide Unbund	led Local S	Switching or Sv	vitch Ports.									1
	ures shall apply to the Unbundled Port/Loop Combination - Cost Based Rate															
End	Office and Tandem Switching Usage and Common Transport Usage rates in first and additional Port nonrecurring charges apply to Not Currently Combi	the	Por	section of this rate e	xhibit shal	apply to all co	mbinations of	loop/port i	network ele	ments ex	ept for UN	IE Coin Po	t/Loop Con	nbinations.		
						onrecurring cn	arges are iliari	tet Rates an	are also	listea in ti	ie warket r	ate section	i. For Curr	entry Comb	inea Combo	os in ali
	er states, the nonrecurring charges shall be those identified in the Nonrecurr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	mg -	Cul	rentry Compined Sect	ions.					ı						т —
	Port/Loop Combination Rates					-			 	1	 				 	+
1	2W VG Loop/Port Combo-Zone 1		1			14.11				1						1
	2W VG Loop/Port Combo-Zone 2		2			18.23										
	2W VG Loop/Port Combo-Zone 3		3			33.04										
UNE	Loop Rates		١,	HEDDY	LIEDLY	40.04										
-	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1	UEPRX UEPRX	UEPLX	12.94 17.06										4
+	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	31.87										+
2-Wi	re Voice Grade Line Port Rates (Res)		J	OLITOX	OLILX	31.07										+
	2W voice unbundled port-residence			UEPRX	UEPRL	1.17	90.00	90.00				11.90				1
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.17	90.00	90.00				11.90				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.17	90.00	90.00				11.90				<u> </u>
_	2W voice unbundled Florida Area Calling with Caller ID-res		-	UEPRX	UEPAF	1.17	90.00	90.00				11.90				↓
EEA	2W voice unbundles res, low usage line port with Caller ID (LUM) TURES			UEPRX	UEPAP	1.17	90.00	90.00				11.90				+
11-0	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00				11.90				+
LOC	AL NUMBER PORTABILITY			021100	02. 1.	2.20	0.00	0.00				11100				†
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										1
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															I
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102				11.90				
ADD	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPRX	USACC		0.102	0.102				11.90				+
ADD	ITIONAL NRCs 2W VG Loop/Line Port Combination-Subsqnt Activity		\vdash	UEPRX	USAS2	0.00	0.00	0.00	-	 		11.90				+
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			021100	23/102	0.00	0.00	0.00		†		71.00				t
	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.11										1
	2W VG Loop/Port Combo-Zone 2	<u> </u>	2		<u> </u>	18.23									<u> </u>	<u> </u>
LIME	2W VG Loop/Port Combo-Zone 3 Loop Rates	<u> </u>	3		 	33.04			-	 	-					+
UNE	2W VG Loop (SL1)-Zone 1	\vdash	1	UEPBX	UEPLX	12.94			 						 	+
	2W VG Loop (SL1)-Zone 1		2	UEPBX	UEPLX	17.06										1
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	31.87										1
2-Wi	re Voice Grade Line Port (Bus)															1
	2W voice unbundled port w/o Caller ID-bus	<u> </u>	_	UEPBX	UEPBL	1.17	90.00	90.00		 		11.90				↓
-	2W voice unbundled port with Caller + E484 ID-bus	<u> </u>	_	UEPBX	UEPBC UEPBO	1.17	90.00	90.00	-	 	-	11.90			-	+
-	2W voice unbundled port outgoing only-bus 2W voice unbundled incoming only port with Caller ID-Bus		1	UEPBX UEPBX	UPEB1	1.17 1.17	90.00	90.00	-	1		11.90 11.90				+
LOC	AL NUMBER PORTABILITY		\vdash	ULFDA	OFEDI	1.17	90.00	90.00	-	 		11.90				+
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35				†						†
FEA	TURES		L													1
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	oxdot	\Box													
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is	—	1	UEPBX	USAC2		0.102	0.102		 		11.90				+
ADD	2W VG Loop/Line Port Combination-Conversion-Switch with change	<u> </u>	_	UEPBX	USACC	-	0.102	0.102	-	 	-	11.90				+
ADD	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2	1	0.00	0.00		 		11.90				+
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	H	H	021 D/(33/102	1	0.00	0.00	t	1	1	71.00				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE FORT TRES - FDAT															

04/12/02 Page 45 of 259

-	LED NETWORK ELEMENTS - Florida	Int	70	D00	licoo.			TEC/P\			Svc Order Submitte	Submitte d	al Charge · Manual	Increment al Charge - Manual	Exhibit: B Incrementa I Charge - Manual	Increment al Charge Manual
ATEGORY	RATE ELEMENTS	eri m	ne	BCS	USOC		KA	ATES(\$)			d Elec per LSR		vs.	Svc Order vs. Electronic-	Svc Order vs. Electronic-	vs.
						Rec	Nonrecu First	ırring Add'l	Nonrecurr First	ing Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 1	1	1			14.11			1 41							
	2W VG Loop/Port Combo-Zone 2		2			18.23										
	2W VG Loop/Port Combo-Zone 3	<u> </u>	3			33.04										
UNE	Loop Rates			LIEDDO	LIEDLY	40.04										
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	-	1	UEPRG UEPRG	UEPLX	12.94 17.06										
	2W VG Loop (SL 1)-Zone 3	+	3	UEPRG	UEPLX	31.87			 							+
	re Voice Grade Line Port Rates (RES - PBX)	1	Ŭ	OLITIO	OLI EX	01.07			1							
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.17	90.00	90.00				11.90				
LOCA	AL NUMBER PORTABILITY								1							
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				11.90				
	TURES															
	All Features Offered	<u> </u>		UEPRG	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	\sqcup	LIEBBO	110.000		2.4-		1		ļ					1
_	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is	1	+	UEPRG	USAC2		8.45	1.91	 		<u> </u>	11.90				+
ADD	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change	╄	+	UEPRG	USACC		8.45	1.91	+		1	11.90				+
ADDI	TIONAL NRCs 2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	₩	\vdash	UEPRG	USAS2	0.00	0.00	0.00	 		1	11.90				+
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group	+-	+	UEPKG	U3A32	0.00	7.09	7.09			!	11.90		-		+
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	+	+				7.09	7.09	1			11.90				+
	Port/Loop Combination Rates	1			+				1							+
0.12	2W VG Loop/Port Combo-Zone 1	1	1			14.11			1		1					
	2W VG Loop/Port Combo-Zone 2		2			18.23			1							†
	2W VG Loop/Port Combo-Zone 3		3			33.04										
UNE	Loop Rates															1
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	12.94			1							
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	17.06										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	31.87										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus	<u> </u>		UEPPX	UEPPC	1.17	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus	<u> </u>		UEPPX	UEPPO	1.17	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus	+		UEPPX	UEPP1 UEPLD	1.17	90.00 90.00	90.00	 			11.90 11.90				
_	2W Voice Unbundled PBX LD Terminal Ports 2W Voice Unbundled 2-Way Combination PBX Usage Port	+	\vdash	UEPPX UEPPX	UEPXA	1.17 1.17	90.00	90.00	1			11.90				+
-	2W Voice Unbundled PBX Toll Terminal Hotel Ports	+		UEPPX	UEPXB	1.17	90.00	90.00	 			11.90				+
	2W Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.17	90.00	90.00	1			11.90				+
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00	1			11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	90.00	90.00	1			11.90				†
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative			-					1							
	Calling Port			UEPPX	UEPXL	1.17	90.00	90.00				11.90				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00				11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port	1	Ш	UEPPX	UEPXO	1.17	90.00	90.00			ļ	11.90				
1.55	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1	\sqcup	UEPPX	UEPXS	1.17	90.00	90.00	1		ļ	11.90				1
LOCA	AL NUMBER PORTABILITY	1	\vdash	HEDDY	LNDCD	0.45	0.00	0.00	 		<u> </u>	44.00				-
	Local Number Portability (1 per port)	+	++	UEPPX	LNPCP	3.15	0.00	0.00			<u> </u>	11.90				-
	All Features Offered	╀	\vdash	UEPPX	UEPVF	2.26	0.00	0.00	 		1	11.90		 		+
	PAIL FEATURES OTTERED RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+-	+	UEPPA	UEPVF	2.26	0.00	0.00	+		1	11.90	1	-		+
NON	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is	1	\vdash	UEPPX	USAC2		8.45	1.91	+		<u> </u>	11.90				+
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change	1	+	UEPPX	USACC		8.45	1.91	 		 	11.90				
ADDI	TIONAL NRCs	1	T				35									†
1	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity	t	П	UEPPX	USAS2	0.00	0.00	0.00	1			11.90				1
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				11.90				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		\Box													
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			14.11										
	2W VG Coin Port/Loop Combo – Zone 2		2			18.23										1
	2W VG Coin Port/Loop Combo – Zone 3		3			33.04	Ť		$oxed{oxed}$							1
UNE	Loop Rates	<u> </u>	\sqcup								ļ					<u> </u>
_	2W VG Loop (SL1)-Zone 1	1	1	UEPCO	UEPLX	12.94			1		ļ					
_	2W VG Loop (SL1)-Zone 2	1	2	UEPCO	UEPLX	17.06			 		<u> </u>					+
	2W VG Loop (SL1)-Zone 3	1	3	UEPCO	UEPLX	31.87			 		<u> </u>					+
	re Voice Grade Line Ports (COIN)	1	\sqcup	LIEBOO	LIEBOE		20.00	20.00	 			44.00				+
	2W Coin 2-Way with Operator Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEP2F	1.17	90.00	90.00			ĺ	11.90		l		<u> </u>

04/12/02 Page 46 of 259

UNBUN	DLED NETWORK ELEMENTS - Florida										Svc	Svc Order	Attachmen	t: 2 Increment	Exhibit: B	
CATEGOR	Y RATE ELEMENTS	Int eri m	Zo ne	I BUS	usoc		R/	ATES(\$)			Order Submitte d Elec per LSR	d Manually	vs. Electronic	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic	vs.
						Rec	Nonrec First		Nonrecu		COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2W Coin 2-Way with Operator Screening & 011 Blocking (FL)			UEPCO	UEPFA	1.17	90.00	Add'I 90.00	First	Add'l	SOMEC	11.90	SOWAN	SUMAN	SOMAN	SOWAN
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCG	1.17	90.00	90.00				11.90				
	2W Coin Outward with Operator Screening & 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	90.00	90.00				11.90				
	2W Coin Outward with Operator Screening & Blocking: 900/976, 1+DDD, 011+			UEPCO	UEPOF	1.17	90.00	90.00				11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			UEPCO	UEPCQ	1.17	90.00	90.00				11.90				
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	90.00	90.00				11.90				
ADI	2W Coin Outward Smartline with 900/976 (all states except LA) DITIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.17	90.00	90.00				11.90				
ADI	UNE Coin Port/Loop Combo Usage (Flat Rate)		_	UEPCO	URECU	1.86	90.00	90.00			1	11.90				
LOC	CAL NUMBER PORTABILITY			OLI GO	UNLOU	1.00	30.00	30.00				11.30				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NOI	RECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90				
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		0.102	0.102				11.90				
ADI	DITIONAL NRCs	ш	_	LIEBOO	110.505	ļ			ļ	1	1					ļ
1 15 17	2W VG Loop/Line Port Combination-Subsqut Activity	Ш		UEPCO	USAS2	 	0.00	0.00	 	1	1	11.90	1	-		
	BUNDLED REMOTE CALL FORWARDING - RES															
	BUNDLED REMOTE CALL FORWARDING - Bus	H	\vdash			<u> </u>			 	1	1		1			
0.11	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.40	3.74	3.63	1.88	1.80		11.90				
Nor	-Recurring			-		_										
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT	(RE	S)													
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.62	250.00	250.00				11.90				
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNI	E Port/Loop Combination Rates 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.21				<u> </u>						
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			28.28				1						1
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			46.53				1	1					
UNI	Loop Rates		Ŭ			.0.00										
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.50						11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.57						11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	37.82						11.90			1.83	
UNI	Port Rate															
NO	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.71	850.00	75.00		<u> </u>		11.90			1.83	
NO	NRECURRING CHARGES - CURRENTLY COMBINED 2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEPPX	USAC1		7.85	1.87				11.90				
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USACT USA1C		7.85	1.87				11.90				
ADI	DITIONAL NRCs			OLITA	00/110		7.00	1.07				11.00				
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1	1	32.26	32.26				11.90				
Tele	phone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos	Ш	_	UEPPX	NDZ	0.00	0.00	0.00		1	1	11.90			1.83	
	Add'l DID Numbers for each Group of 20 DID Numbers	ш		UEPPX	ND4	0.00	0.00	0.00		1	1	11.90	<u> </u>		1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00		+	 	11.90 11.90	-		1.83 1.83	
	Reserve DID Numbers	H	\vdash	UEPPX	NDV	0.00	0.00	0.00		+	+	11.90	1	 	1.83	<u> </u>
LO	CAL NUMBER PORTABILITY	H		OLI I X	1,00	0.00	0.00	0.00		1	1	11.30			1.00	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1					
2-W	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POP	₹T	L						İ.,							
UNI	Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEPPR		32.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2			38.15	-		<u> </u>	1	1		1			<u> </u>
I IAII	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3 E Loop Rates		3	UEPPB UEPPR		59.94			 	1	1	 	-	-		
UNI	2W ISDN Digital Grade Loop-UNE Zone 1	\vdash	1	UEPPB UEPPR	USL2X	24.71	1		1	1	+	11.90	1	1	1.83	1
	2W ISDN Digital Grade Loop-UNE Zone 2	H	2		USL2X	30.77					†	11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	52.56				1	t	11.90			1.83	
UNI	Port Rate		Ė							Ì	1		Ì		1	
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	525.00	400.00				11.09			1.83	
NOI	RECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion	Ш	_	UEPPB UEPPR	USACB	0.00	25.22	17.00	 	1	1	11.90			1.83	<u> </u>
	DITIONAL NRCs CAL NUMBER PORTABILITY					 			 	1	1	 	-	-		
LOC	Local Number Portability (1 per port)	\vdash	-	UEPPB UEPPR	LNPCX	0.35	0.00	0.00	 	1	1	 	1	-		
	Local Number Fortability (1 per port)			UEPPB UEPPR	LINPUX	0.35	0.00	0.00			1	1	1	1		

04/12/02 Page 47 of 259

NDUND	LED NETWORK ELEMENTS - Florida													Attachmen	t: 2	Exhibit: B	
TEGORY	RATE ELEMENTS	Int eri m	Zo ne	BCS	US	soc		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Submitte d	al Charge - Manual Svc Order vs.	al Charge - Manual Svc Order vs.	Manual	al Char Manu Svc Or vs.
							Rec	Nonrecu	ırring	Nonrecur	ring			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
B-CH	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPF		UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPP		UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPP	R U1	UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB UEPF	PR U1	UMA	0.00	0.00	0.00								
VER	TICAL FEATURES			·			1									1	
	All Vertical Features-One per Channel B User Profile			UEPPB UEPF	PR UE	PVF	2.26	0.00	0.00				11.90		Ì		
	ROFFICE CHANNEL MILEAGE			,		t										İ	
	Interoffice Channel mileage each, including first mile & facilities termination			UEPPB UEPP	R M1	GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, Add'l mile			UEPPB UEPP		GNM	0.0091	0.00	0.00				11.90			1.83	
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			OLITE OLIT	1011	CIVIVI	0.0001	0.00	0.00				11.00			1.00	
	Port/Loop Combination Rates																
OIL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		-	156.18										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-ONE Zone 1		2	UEPPP	-		181.87					-					
				UEPPP			274.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP			274.25										
UNE	Loop Rates		_	LIEDDD		N 4D	70.44						44.00			4.00	
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP		SL4P	73.44						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP		SL4P	99.13						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	US	SL4P	191.51						11.90			1.83	
UNE	Port Rate																
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UE	PPP	82.74	1,150.00	1,150.00				11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion-																
	Switch-as-is			UEPPP	US	SACP	0.00	84.17	61.38				11.90			1.83	
ADDI	ITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way tel nos																
	within Std Allowance			UEPPP		R7TF		0.5412					11.90		l	1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPP	PR	R7TO		12.71	12.71				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos Above																
	Std Allowance			UEPPP	PF	R7ZT		25.42	25.42				11.90			1.83	
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LN	IPCN	1.75									1	
INTE	RFACE (Provsioning Only)		П			t	i								i	İ	
	Voice/Data			UEPPP	PF	R71V	0.00	0.00	0.00							İ	
	Digital Data			UEPPP		R71D	0.00	0.00	0.00							i	
	Inward Data			UEPPP		R71E	0.00	0.00	0.00		1					1	
New	or Additional "B" Channel			OLI I I	- ' '		0.00	5.00	0.00						l	 	
14044	New or Add'I-Voice/Data B Channel		H	UEPPP	PE	R7BV	0.00	15.48					11.90			1.83	
-	New or Add'I-Digital Data B Channel		Н	UEPPP		R7BF	0.00	15.48					11.90		l	1.83	
-	New or Add I-Digital Data B Channel New or Add'l Inward Data B Channel		Н	UEPPP		R7BD	0.00	15.48			 		11.90		-	1.83	
CALL	L TYPES		Н	UEPPP	PR	עסוי	0.00	15.48			 		11.90		-	1.83	!
CALI			\vdash	HEDDE		R7C1	0.00	0.00	0.00		<u> </u>					!	
	Inward		Н	UEPPP			0.00	0.00	0.00								
	Outward			UEPPP	ı Ph	R7C0	0.00	0.00	0.00	l	ı	I				l	ı

RATE ELEMENTS Int or or or or or or or or or or or or or	JNBUNDI	LED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	
No. No.		ı			BCS	lisoc		R/	TES(\$)			Order Submitte	Submitte d	Increment al Charge - Manual	Increment al Charge - Manual	Incrementa I Charge - Manual	al Charge - Manual
Comparison Com	ATEGORI			ne	803	0300			.,	_				vs. Electronic-	vs. Electronic-	vs.	vs.
Interfaction Channel Missage							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Epsil Annue Francisco And Male	Intere	office Channel Mileage						1 1131	Auui	11100	Addi	COME	COMPAR	COMPAN	COMPAN	OOMAN	COMPAR
### APPLICATION OF THE AWARD EDITE TRUMP FORT		Fixed Each Including First Mile						105.54	98.47	21.47	19.05		11.90			1.93	
WEPPOL CONTROL COMMISSION RASES 1					UEPPP	1LN1B	0.1856										<u> </u>
OFFICE Company																	ļ
WHITE DESIRE LOGGEN DOTES Trans Port Like Zone 2 2 UMPDC 1560 1150 1185				1	UEPDC		128.39						11.90			1.83	
Web Cop Rates																	
WO ST Digital Log-VIVE Zono 1				3	UEPDC		246.46						11.90			1.83	
W SST Digital Loop-VM Zone 2	UNE			_	LIEBBO		===						44.00				
A																	
JANE PORT Rate																	
MY DOTS Objet Loppin VDOTS Trank Port Combination Switchesia UEPDC USAVA 95.31 46.71 11.90 1.83				Ť	02100	33223	101.01						11.00			1.00	†
WO ST Digital LopoyW DDTS Trunk Port Combination-Conversion with ST UEPDC USAWA 95.31 46.71 11.90 1.83 1.80		4W DDITS Digital Trunk Port			UEPDC	UDD1T	54.95						11.90			1.83	
Changes Chan						11016											ļ <u> </u>
Changes Chan					UEPDC	USAC4		95.31	46.71				11.90			1.83	
Change Trunk UEPDC USAWB 06.31 46.71 11.90 1.83		Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
HAY DST Logs/AW DDTRS Trunk Port-Nucley Support Channel Activation/Chan-1-Way Way Trunk Way Trunk Port-Nucley Support Channel Activation/Chan-1-Way UEPDC UDTTB 15.69 11.69 11.90 1.83					UEPDC	USAWB		95.31	46.71				11.90			1.83	
Way Tunk Way Tunk UEPDC UDTTA 15.69 15.69 11.90 1.83	ADDI	TIONAL NRCs															
Outward Trunk UEPDC UDTTB 15.69 15.69 11.90 1.83					UEPDC	UDTTA		15.69	15.69				11.90			1.83	
AV DST Loop/AW DOTS Trurk Port-Subsent Channel Activation/Chan Inward UEPDC UDTTC 15.69 15.69 11.90 1.83					UEPDC	UDTTB		15.69	15.69				11.90			1.83	
AW DST Loop/AW DDTS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID UEPDC UDTTD 15.69 15.69 11.90 1.83		4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward															
Trunk with DID UEPOC UDTTD 15.69 15.69 11.90 1.83					UEPDC	UDTTC		15.69	15.69				11.90			1.83	+
W User Trans					UEPDC	UDTTD		15.69	15.69				11.90			1.83	
B825-Superframe Format	PIPO	w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
B8ZS-Exended Superframe Format	- Bii 0				UEPDC	CCOSE		0.00	655.00				11.90			1.83	
AMI-Superframe Format																	
MMExtended SuperFrame Format UEPDC MCOPO 0.00 0.00 0.00																	
Telephone Number/Trunk Group Establisment Charges																	
Telephone Number for 1-Way Trunk Group	Tolor				UEPDC	МСОРО		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00 11.90 1.83	reiep				LIEPDC	LIDTGX	0.00						11 90			1.83	
Telephone Number for 1-Way Inward Trunk Group w/o DID																	
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00 11.90 1.83		Telephone Number for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ							11.90				
DID Numbers, Non-consecutive DID Numbers Per Number UEPDC ND5 0.00 0.00 0.00 11.90 1.83								0.00	0.00								
Reserve Non-Consecutive DID Nos.				Н							-	1					
Reserve DID Numbers				H				0.00	0.00	-	-	-					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				H							1						
Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Termination)	Dedic		wit	h 4-													
Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Termination)		Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1				21.47	19.05		11.90			1.83	
Interoffice Channel Mileage-Add'l rate per mile-9-25 miles				Ш							1						<u> </u>
Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Termination)				H							1	1	-			-	
Interoffice Channel Mileage-Add'l rate per mile-25+ miles		Literation Characteristics of the Control of the Co		H			0.00				1	1	+				
Local Number Portability, per DS0 Activated				H													
4-Wirke DS1 Loop With CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop WB DS1 Loop-UNE Zone 1 1 UEPMG USLDC 73.44 0.00 0.00 WW DS1 Loop-UNE Zone 2 2 UEPMG USLDC 99.13 0.00 0.00		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations Each System can have up to 24 combinations of rates depending on type and number of ports used UNE DS1 Loop UNE DS1 Loop-UNE Zone 1 4W DS1 Loop-UNE Zone 1 4W DS1 Loop-UNE Zone 2 1 UEPMG USLDC 73.44 0.00 0.00 0.00 0.00					UEPDC	CTG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used				Щ							1	1					
UNE DS1 Loop UNE DS1 Loop-UNE Zone 1 UNE DS1 Loop-UNE Zone 2 </td <td></td> <td></td> <td>aho</td> <td></td> <td>norte usod</td> <td>+</td> <td></td> <td></td> <td></td> <td>-</td> <td>1</td> <td>1</td> <td>-</td> <td></td> <td></td> <td>-</td> <td> </td>			aho		norte usod	+				-	1	1	-			-	
4W DS1 Loop-UNE Zone 1 1 UEPMG USLDC 73.44 0.00 0.00 4W DS1 Loop-UNE Zone 2 2 UEPMG USLDC 99.13 0.00 0.00			เมย	101	ports used	+	1				1	1	+				
4W DS1 Loop-UNE Zone 2 2 UEPMG USLDC 99.13 0.00 0.00	OIAL			1	UEPMG	USLDC	73.44	0.00	0.00	1	1	}	 			 	†
				2													
		4W DS1 Loop-UNE Zone 3			UEPMG	USLDC	191.51	0.00	0.00								

UNBUND	LED NETWORK ELEMENTS - Florida												Attachmen	nt· 2	Exhibit: B	
0.1.20.1.2			П								Svc	Svc Order		Increment	Incrementa	Increment
											Order		al Charge		I Charge -	1
		Int									Submitte		Manual	Manual	Manual	Manual
CATEGORY	RATE ELEMENTS	eri	Zo	BCS	USOC		R.A	ATES(\$)								
CATEGOR	KATE EEEMERTO	m	ne	БОО	0000		107	· ι Ευ(ψ)			d Elec			Svc Order		
		""									per LSR	per LSR	vs.	vs.	vs.	vs.
													Electronic	-Electronic-	Electronic-	Electronic
—			1		1		Nonreci	ırrina	Nonrecur	rina		1	088	Rates(\$)		<u> </u>
					-	Rec	First	Add'l	First		SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
LINE	DSO Channelization Capacities (D4 Channel Bank Configurations)				-		FIISL	Auu	FIISt	Auu i	SOMEC	JOWAN	SOWAN	JOWAN	JOWAN	SOWAN
ONE	24 DSO Channel Capacity-1 per DS1		H	UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity-1 per 2 DS1s		H	UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
 	96 DSO Channel Capacity-1per 4 DS1s		1	UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	<u> </u>
	144 DS0 Channel Capacity-1 per 6 DS1s		\vdash	UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity-1 per 8 DS1s		1	UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	-
	240 DS0 Channel Capacity-1 per 10 DS1s		H	UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s		H	UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s		H	UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
—	480 DS0 Channel Capacity-1 per 20 DS1s		H	UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity-1 per 24 DS1s		H	UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity-1 per 28 DS1s		H	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizti	on v	with				0.00	0.00				11.00			1.00	
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and															
	iples of this configuration functioning as one are considered Add'l after the															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes		T 1	UEPMG	USAC4	0.00	96.77	4.24				11.90				
Syst	em Additions at End User Locations Where 4-Wire DS1 Loop with Channeliz	ation	n wit													
	(Not Currently Combined) In GA, KY, LA, MS & TN Only		 											1	1	
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation-New		H													
	GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
Bipo	lar 8 Zero Substitution		H													
	Clear Channel Capability Format, superframe-Subsqnt Activity Only		H	UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only		H	UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Alter	nate Mark Inversion (AMI)		H	<u> </u>	-	0.00						1				
-	Superframe Format		H	UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		H	UEPMG	MCOPO	0.00	0.00	0.00								
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Port		H													
	ange Ports															
	Line Side Combination Channelized PBX Trunk Port-Business		Ħ	UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-Business		H	UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Inward Only Channelized PBX Trunk Port w/o DID		Ħ	UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	2W Trunk Side Unbundled Channelized DID Trunk Port		Ħ	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
Feat	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	
Tele	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Numbers-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers-per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Numbers		\Box	UEPPX	NDV	0.00	0.00	0.00				11.90				
Loca	Number Portability		Ш											ļ		
	Local Number Portability-1 per port		Ш	UEPPX	LNPCP	3.15	0.00	0.00						ļ		<u> </u>
	TURES - Vertical and Optional		Ш											ļ		
Loca	Switching Features Offered with Line Side Ports Only		Ш									<u> </u>				
	All Features Available		Ш	UEPPX	UEPVF	2.26	0.00	0.00				11.90		ļ	1.83	
	D PORT LOOP COMBINATIONS - MARKET RATES				L									ļ	1	ļ
	et Rates shall apply where BellSouth is not required to provide unbundled l	ocal	swi	tching or switch port	s per FCC a	ind/or Commis	sion rules.					<u> </u>		ļ	ļ	<u> </u>
	e scenarios include:		لـــا									<u> </u>		ļ	ļ	<u> </u>
	nbundled port/loop combinations that are Not Currently Combined in AL, FL				1			L.,	L		L	<u> </u>		ļ	.	<u> </u>
	nbundled port/loop combinations that are Currently Combined or Not Currently													ļ		
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); (FL	<u> </u>	<u> </u>	
	South currently is developing the billing capability to mechanically bill the re										ntiy combi	ınea ın AL,	r∟ and NC.	. in the inter	ım wnere Be	noouth
	ot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section											1		1		1
I ne	Market Rate for unbundled ports includes all available features in all states. Office and Tandem Switching Usage and Common Transport Usage rates in	the	Port	section of this rate of	xhibit shall	apply to all co	mbinations o	loop/nort r	etwork ele	nents exc	ept for in	VE Coin Po	t/Loon Cor	mbinations v	Which have :	flat rate
	e charge (USOC: URECU).		. 5.1		onan	_pp., .o un oc		oop/poit i			ال ال		O			ruto
	Not Currently Combined scenarios where Market Rates apply, the Nonrecurri	ng c	hard	es are listed in the F	irst and Ad	ditional NRC c	olumns for ea	ch Port USC	C. For Cur	rently Co	mbined sc	enarios, the	Nonrecurr	ring charges	are listed in	the NRC
	ently Combined section. Additional NRCs may apply also and are categorize									,,				5500		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1													
	Port/Loop Combination Rates		H											1	1	
	2W VG Loop/Port Combo-Zone 1		1			26.94								1	1	
	2W VG Loop/Port Combo-Zone 2		2			31.06								1	1	
\vdash	2W VG Loop/Port Combo-Zone 3		3			45.87						1		l .	t	
	I service a service and a				1							1		1		

04/12/02 Page 50 of 259

RATE ELEMENTS Int eri m BCS BCS USOC RATES(\$) Order Submitte d Electronic- Electroni		LED NETWORK ELEMENTS - Florida				1	1				6	Cup Ond	Attachmen		Exhibit: B	
NNL Logs Rates	TEGORY	RATE ELEMENTS	eri	Zo	BCS	usoc		RA	ATES(\$)		Submitte d Elec	Submitte d Manually	al Charge · Manual Svc Order vs.	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs.	al Charg Manua Svc Ord vs.
No. Pipe Acre Pipe Add Pipe Add Source SOUAN				H				Nonreci	ırrina	Nonrecurring					Electronic-	Electron
Depty Color Depty Color Depty Dept				H			Rec				SOMEC	SOMAN			SOMAN	SOMA
Pay Vol Lorge (Sk 1) Zano 2	UNE															
Device unbounded Frontiers Device unbounded D																
2 2 2 2 2 2 2 2 2 2																
29 Web unburided per wife Claim Direct 29 Web unburided per wife Claim Direct 20 Web unburided per wife Claim Direct 21 Web unburided per wife Claim Direct 22 Web unburided per wife Claim Direct 22 Web unburided per wife Claim Direct 23 Web unburided per wife Claim Direct 24 Web unburided per wife Claim Direct 25 Web unburided per wife Claim Direct 26 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Direct 27 Web unburided per wife Claim Dir				3	UEPRX	UEPLX	31.87									4
29 Windows instructional print with Califor Dress UEPRX UEPRA	Z-VVII			+	HEDRY	HEDRI	14.00	90.00	90.00		_	11 00				+
27 wise autouridate prior disapers grif-yees			+-	+												+
29	-															+
COCAL NUMBER TOTALIBUT TO PROTECT																†
Licos Number PortApility par part																
					_											
APP Features Offsred UEPNX UEPN					UEPRX	LNPCX	0.35									I
WG Loop/Line Prof Combination-Switch with change	FEAT			Ш												
WG Loop Line Port Combination-Switch with change							0.00									
ADDITIONAL NRCs				Ш			ļ									4
NRPC2W VS Logo-Line Port Combination Subsequit				\vdash	UEPRX	USACC		41.50	41.50			11.90				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ADDI			Ш	HEDDY	110400		0.00	0.00			44.00				╄
INNE POPULODE Combination Rates	0.14/15		-	+	UEPRX	USAS2	-	0.00	0.00		+	11.90				+
224 VS LOopPen Combo-Zone 2				\vdash		-	-				_					+
2	ONL		+	1		+	26.94				+	1				+
Wild Coupling Combination Switch Annual Communication Annual Communication Switch Annual Communication Annual Communication Switch Annual Communication Annual Co	+									 	+	<u> </u>				+
INPLE LOP Rates																+
2W VG Loop (SL1)-Zone 2				Ŭ			10.01					İ				t
ZW VG Loop (St1)-Zone 3 3 UEPBX UEPLX 17.06				1	UEPBX	UEPLX	12.94									†
ZWIV GLoop (SLI)-Zone 3 3 UEPBX UEPLX 31.87				2												
2V vicie unbundled port wio Caller I-E484 ID-bus UEPBX U				3	UEPBX	UEPLX	31.87									1
2W voice unbundled port with Caller + E484 ID-bus UEPBX UEPBS 14.00 90.00 90.00 11.90 11	2-Wir	re Voice Grade Line Port (Bus)														
2V voice unbundled port outgoing only-bus UEPBX																
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)				ш	UEPBX	UEPBO	14.00	90.00	90.00			11.90				
NONRECURRING CHARGES - CURRENTLY COMBINED	LOCA				LIEBBY .	LLIBOX					_					↓
EPBX USAC2 41.50 41.50 11.90	NON			Ш	UEPBX	LNPCX	0.35									╄
2W VG Loop/Line Port Combination-Switch with change UEPBX USACC 41.50 41.50 11.90 11.90	NON			\vdash	LIEDDV	LICACO	-	41 FO	44 FO		-	11.00				+
ADDITIONAL NRCS NRC-2W VG Loop/Line Port Combination-Subsqnt UEPBX USAS2 0.00 0.00 11.90	-			\vdash							+				-	+
NRC-2W VG Loop/Line Port Combination-Subsqnt	ADDI			+	OLI DX	OOACC	+	41.50	41.50	 	+	11.50				+
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) UNE Port/Loop Combination Rates 1				t	LIEPBX	USAS2		0.00	0.00			11 90				+
UNE Port/Loop Combination Rates					02. 57.	007.02	1	0.00	0.00			11.00				†
2W VG Loop/Port Combo-Zone 2 2 31.06 3 45.87																
2W VG Loop/Port Combo-Zone 3 3 45.87		2W VG Loop/Port Combo-Zone 1		1			26.94									1
UNE Loop Rates		2W VG Loop/Port Combo-Zone 2		2			31.06									
2W VG Loop (SL1)-Zone 1		2W VG Loop/Port Combo-Zone 3		3			45.87									
2	UNE			\sqcup												
2W VG Loop (SL1)-Zone 3 3 UEPRG UEPLX 31.87 2-Wire Voice Grade Line Port Rates (RES - PBX)	_			_								ļ				4
2-Wire Voice Grade Line Port Rates (RES - PBX)	_		_									<u> </u>				₩
2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			+	3	UEPRG	UEPLX	31.87			 	-	-				+
Local Number Portability (1 per port)			+-	+	HEDDC	HEDDO	14.00	00.00	00.00		-	11.00	 	 		+
Local Number Portability (1 per port)			+-	Н	ULFRU	OLPRO	14.00	90.00	90.00	 		11.90	1	-	1	+
FEATURES			+	H	UEPRG	LNPCP	3 15	0.00	0.00	 	-	1	1			+
All Features Offered	FFΔT		+	H	OLI INO	111 01	5.15	5.00	0.00							+
NONRECURRING CHARGES - CURRENTLY COMBINED			+	H	UEPRG	UEPVF	0.00	0,00	0.00			11.90				†
2W VG Loop/Line Port Combination-Switch-As-Is			1	T			5.00	2.00	2.00			100				1
2W VG Loop/Line Port Combination-Switch with Change UEPRG USACC 41.50 41.50 11.90			1	П	UEPRG	USAC2	1	41.50	41.50			11.90				1
ADDITIONAL NRCs 2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC 0.00 0.00 11.90		2W VG Loop/Line Port Combination-Switch with Change						41.50								
	ADDI	TIONAL NRCs														

UNBUND	LED NETWORK ELEMENTS - Florida											Attachmer		Exhibit: B	
CATEGOR	RATE ELEMENTS	Int eri m	Zo ne	BGS	USOC			ATES(\$)		Sv Ord Subn d El per I	er Submitte nitte d Manuall	Electronic	- al Charge - Manual Svc Order vs. - Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic	al Charge - Manual
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First Ac	Id'I SOM	EC SOMAN		Rates(\$)	SOMAN	SOMAN
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				1		11131	Addi	THIST A	ia i 50ivi	LO GOMAN	JOINAN	JONIAN	JOINAIN	JOWAN
	Port/Loop Combination Rates														1
	2W VG Loop/Port Combo-Zone 1		1			26.94									
	2W VG Loop/Port Combo-Zone 2		2			31.06									
	2W VG Loop/Port Combo-Zone 3		3			45.87									
UNE	Loop Rates		Ι,	LIEDDY	LIEDLY	40.04									
	2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		2		UEPLX UEPLX	12.94 17.06						-			+
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	31.87									+
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ť	OLITA	OLI EX	01.07									+
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00			11.90)			1
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00			11.90				1
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00			11.90				
	2W Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	14.00	90.00	90.00	ļ <u> </u>		11.90		ļ		
	2W Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	14.00 14.00	90.00	90.00			11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX UEPPX	UEPXB	14.00	90.00	90.00			11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX	UEPXD	14.00	90.00	90.00			11.90				+
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		t	UEPPX	UEPXE	14.00	90.00	90.00			11.90				+
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative														1
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00			11.90)			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00			11.90)			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room														
	Calling Port			UEPPX	UEPXO	14.00	90.00	90.00			11.90				
1.00	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	14.00	90.00	90.00			11.90)			
LOC	Local Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00			-				+
FFA	TURES		H	OLITA	LIVI OI	3.13	0.00	0.00							+
, .	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00			11.90)			1
NON	RECURRING CHARGES - CURRENTLY COMBINED														1
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50			11.90				
	2W VG Loop/Line Port Combination-Switch with Change		<u> </u>	UEPPX	USACC		41.50	41.50			11.90)			
ADD	TIONAL NRCs		<u> </u>	LIEBBY											
	2W VG Loop/Line Port Combination-Subsqnt 2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC		-	UEPPX	USAS2	0.00	0.00	0.00			11.90 11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group		1				7.09	7.09			11.90				+
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		<u> </u>				7.03	7.00			11.50	<u> </u>			+
	Port/Loop Combination Rates														1
	2W VG Coin Port/Loop Combo – Zone 1		1			26.94									1
	2W VG Coin Port/Loop Combo – Zone 2		2			31.06									
	2W VG Coin Port/Loop Combo – Zone 3		3			45.87									
UNE	Loop Rates		١.	LIEBOO	LIESTA	10.01							<u> </u>		
	2W VG Loop (SL1)-Zone 1		1		UEPLX	12.94		-	 			1	 		+
	2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	_	3		UEPLX	17.06 31.87			 	_		+	-		+
2-Wi	re Voice Grade Line Port Rates (Coin)		٦	OLFOO	OLFLA	31.07			 			+	†		+
<u> </u>	2W Coin 2-Way with Operator Screening & Blocking: 011, 900/976, 1+DDD		H	UEPCO	UEP2F	14.00	90.00	90.00	1		11.90)			
	2W Coin 2-Way with Operator Screening & 011 Blocking (FL)		L	UEPCO	UEPFA	14.00	90.00	90.00			11.90				
	2W Coin 2-Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCG	14.00	90.00	90.00			11.90				
	2W Coin Outward with Operator Screening & 011 Blocking (AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00			11.90				
	2W Coin Outward with Oper Screening & Blocking: 900/976, 1+DDD, 011+		1	UEPCO	UEPOF	14.00	90.00	90.00	 		11.90	_	ļ	ļ	↓
LOC	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+, & AL NUMBER PORTABILITY		L	UEPCO	UEPCQ	14.00	90.00	90.00			11.90)			
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED		1	UEPCO	LNPCX	0.35			 				1		
NON	2W VG Loop/Line Port Combination-Switch-As-Is	-	\vdash	UEPCO	USAC2	1	41.50	41.50	1		11.90)	1		+
	2W VG Loop/Line Port Combination-Switch with Change		\vdash	UEPCO	USACC		41.50		 		11.90	+	†		+
ADD	TIONAL NRCs		t	321 00	COACC		41.50	71.50	 			1			
1.55	2W VG Loop/Line Port Combination-Subsqnt			UEPCO	USAS2		0.00	0.00			11.90)	1		1
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES														
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
UNE	Port/Loop Combination Rates		1		1				 			1	ļ	ļ	↓
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2	_	1		1	69.50		-		_		1	 		+
-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3	_	3		1	74.57 92.82		-	 		_	-	 		+
	ZVV VG LOOP/ZVV DID TIUTIK FOIL COMBO-UNE ZONE 3		3	I	1	92.82								l	1

04/12/02 Page 52 of 259

CATEGOR	DLED NETWORK ELEMENTS - Florida Y RATE ELEMENTS	Int eri m	Zo	BCS	USOC		RA	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Manual	al Charge Manual Svc Order vs.
						Rec	Nonrecu		Nonrecur		201150			Rates(\$)	0011411	
LINE	Loop Rates						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ONL	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.50						11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.57						11.90			1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	37.82						11.90			1.83	
UNE	Port Rate			-												
	Exchange Ports-2W DID Port			UEPPX	UEPD1	55.00	850.00	75.00				11.90			1.83	
NON	NRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		850.00	75.00				11.90				
	2W VG Loop/2W DID Trunk Port Conversion with BellSouth Allowable Changes															
	Top 8 MSAs only			UEPPX	USA1C		850.00	75.00				11.90				
ADE	DITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26				11.90				
Tele	ephone Number/Trunk Group Establisment Charges		1	LIEDDY	NOT	2.22	2.00	0.00			1	44.00			1.00	├
	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00			1	11.90			1.83	├
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos Add'l DID Numbers for each Group of 20 DID Numbers		\vdash	UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00	1		1	11.90			1.83 1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number		\vdash	UEPPX	ND4 ND5	0.00	0.00	0.00			+	11.90 11.90	-		1.83	₩
-	Reserve Non-Consecutive DID numbers		-	UEPPX	ND6	0.00	0.00	0.00				11.90			1.83	-
	Reserve DID Numbers		\vdash	UEPPX	NDV	0.00	0.00	0.00			1	11.90			1.83	-
LOC	CAL NUMBER PORTABILITY		\vdash	OLITA	INDV	0.00	0.00	0.00			1	11.50			1.00	-
	Local Number Portability (1 per port)		\vdash	UEPPX	LNPCP	3.15	0.00	0.00			-					
2-W	TRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE POR	ξT.		02.17	2.1. 0.	0.10	0.00	0.00			1					
	Port/Loop Combination Rates	Ì														†
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEPPR		94.71										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB UEPPR		100.77										<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEPPR		122.56										
UNE	Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR	USL2X	24.71						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	30.77						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	52.56						11.90			1.83	
UNE	Port Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	ļ
NON	NRECURRING CHARGES - CURRENTLY COMBINED															1
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion-			HEDDD HEDDD	110400	0.00	045.00	045.00				44.00			4.00	
400	Top 8 MSAs only DITIONAL NRCs		-	UEPPB UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	ļ
	CAL NUMBER PORTABILITY		1													<u> </u>
LOC	Local Number Portability (1 per port)		\vdash	UEPPB UEPPR	LNPCX	0.35	0.00	0.00			1					
B-C	HANNEL USER PROFILE ACCESS:			OLFFB OLFFR	LINEUX	0.33	0.00	0.00								
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00			1					
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-C	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)		П			5.50	2.20	2.20								
	ER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VER	RTICAL FEATURES															
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTI	EROFFICE CHANNEL MILEAGE		Ш													
	Interoffice Channel mileage each, including first mile & facilities termination			UEPPB UEPPR	M1GNC	18.4491	47.35	31.78		7.03		11.90			1.83	
	Interoffice Channel mileage each, Add'l mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
4-W	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE	E Port/Loop Combination Rates		 	LIEBER		0=0.1:										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		973.44			ļ		1	ļ				₩
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		999.13			ļ		1	ļ				₩
LIKIT	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP	1	1,091.51			1		1	1			-	
UNE	E Loop Rates		4	HEDDD	LICI AD	73.44			1		1	44.00			1.83	
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		1	UEPPP UEPPP	USL4P USL4P	73.44 99.13					+	11.90 11.90	-		1.83	+
	4W DS1 Digital Loop-UNE Zone 2 4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P USL4P	191.51			1		+	11.90	1		1.83	
LINE	E Port Rate		J	ULTT	UGL4P	181.81			1		+	11.90	1		1.03	
UNE	Exchange Ports-4W ISDN DS1 Port		\vdash	UEPPP	UEPPP	900.00	1,150.00	1,150.00	1		+	11.90	1		1.83	
NON	NRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	OLFFF	OLFFF	300.00	1,130.00	1,100.00			1	11.50			1.03	
NON	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion-		H			1					 	-	 		-	
	Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00			1	11.90	1		1.83	1
ADE	DITIONAL NRCs	 	\vdash	J=.11	33/10/	0.00	320.00	520.00			—	11.00			1.00	

04/12/02 Page 53 of 259

JNBUNDI	ED NETWORK ELEMENTS - Florida										Svc Order			it: 2 Increment al Charge -	Exhibit: B Incrementa I Charge -	Increment
CATEGORY	RATE ELEMENTS	Int eri m	Zo ne	всѕ	USOC		R/	ATES(\$)			Submitte d Elec per LSR	d Manually	Manual Svc Order vs.	Manual Svc Order vs. -Electronic-	Manual Svc Order vs.	Manual
						Rec	Nonrec		Nonrecur					Rates(\$)		
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way tel nos						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	within Std Allowance			UEPPP	PR7TF		0.5412					11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos Above															
	Std Allowance			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
	AL NUMBER PORTABILITY															ļ
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only) Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data	-		UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALL	. TYPES															
	Inward	_	_	UEPPP	PR7C1	0.00	0.00	0.00		ļ		1				
	Outward			UEPPP UEPPP	PR7C0 PR7CC	0.00	0.00	0.00		1						
Inter	Two-way office Channel Mileage			UEPPP	PR/CC	0.00	0.00	0.00								
inter	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Add'l Mile			UEPPP	1LN1B	0.1856	100.04	30.47	21.77	10.00		11.00			1.00	
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			02	12.11.2	0.1000										
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port-Statewide		SW	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		246.46						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 4		4	UEPDC												
	Loop Rates			LIEBBO	1101.00											
	4W DS1 Digital Loop-Statewide 4W DS1 Digital Loop-UNE Zone 1		sw 1	UEPDC UEPDC	USLDC	73.44						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2	-	2	UEPDC	USLDC	99.13						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	191.51						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 4		4	UEPDC	USLDC	101.01						11.00			1.00	
	Port Rate		Ė													
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90			1.83	1
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top 8															
	MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1															
	Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71		1		11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk Top 8 MSAs only			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDI	TIONAL NRCs			ULFDC	USAVID		95.51	40.71				11.50			1.00	-
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Srv Ord			UEPDC	USAS4											
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-															
	Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way															
	Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward															
	Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			HEDDO	LIDTTE		45.00	45.00				44.00			4.00	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID		_	UEPDC	UDTTD		15.69	15.69			-	11.90			1.83	
	w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
	LAR 8 ZERO SUBSTITUTION	1		021 00	33112		10.00	10.00	1	1	1	11.50	1		1.55	†
	B8ZS-Superframe Format	1		UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alteri	nate Mark Inversion															
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges				1					ļ						
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00				ļ		11.90			1.83	
1	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		l	1	1	1	11.90		1	1.83	1

04/12/02 Page 54 of 259

IBUNDI	LED NETWORK ELEMENTS - Florida	Int									Svc Order Submitte	Submitte	Attachmen Increment al Charge · Manual	Increment	Exhibit: B Incrementa I Charge - Manual	Incremen al Charge Manual
TEGORY	RATE ELEMENTS	eri m	Zo ne	I BCS	USOC			TES(\$)			d Elec per LSR	Manually	Svc Order vs. Electronic	Svc Order vs. Electronic-	Svc Order vs.	Svc Orde vs.
			-			Rec	Nonrect First	ırring Add'l	Nonrecui First	rring Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
-	Telephone Number for 1-Way Inward Trunk Group w/o DID		H	UEPDC	UDTGZ	0.00	11131	Addi	11130	Addi	JOINEO	11.90	JONAN	JOINAIN	1.83	JONAN
	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non-consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00	0.00	0.00				11.90			1.83	
$-\!$	Reserve Non-Consecutive DID Nos. Reserve DID Numbers		├-	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00				11.90 11.90			1.83 1.83	
	cated DS1 (Interoffice Channel Mileage) -		\vdash	OLFDC	INDV	0.00	0.00	0.00				11.50			1.03	
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port		l													
	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage-Add'l rate per mile-9-25 miles		<u> </u>	UEPDC	1LNOB	0.1856	0.00	0.00								
+	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Termination)		╀	UEPDC	1LNO3	0.00	0.00	0.00	0.00	1		1				ļ
+-	Interoffice Channel Mileage-Add'l rate per mile-25+ miles Local Number Portability, per DS0 Activated		+	UEPDC UEPDC	1LNOC LNPCP	0.1856 3.15	0.00	0.00	0.00	 		1				1
+-	Central Office Termininating Point		+	UEPDC	CTG	0.00	0.00	0.00	0.00	1	1	1	1			1
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT		l	OLI DO	010	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	stem can have various rate combinations based on type and number of ports	use	ed													
	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2		USLDC	99.13	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	191.51	0.00	0.00		1						1
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity-1 per DS1		+	UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity-1 per 2 DS1s		\vdash	UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity-1per 4 DS1s		I	UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
-	384 DS0 Channel Capacity-1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
$-\!\!\!\!+\!\!\!\!-$	480 DS0 Channel Capacity-1 per 20 DS1s		<u> </u>	UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity-1 per 24 DS1s 672 DS0 Channel Capacity-1 per 28 DS1s		<u> </u>	UEPMG UEPMG	VUM57 VUM67	2,833.44 3,305.68	0.00	0.00		<u> </u>		11.90 11.90			1.83 1.83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizti	on v	with				0.00	0.00				11.50			1.03	
	nimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and U															
	iples of this configuration functioning as one are considered Add'l after the															
	NRC-Conversion (Currently Combined) with or w/o BellSouth Allowed Changes-															
	Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
	em Additions Where Currently Combined and New (Not Currently Combined)	<u> </u>													
	pp 8 MSAs and AL, FL, and NC Only		 	LIEDMO	VUMD4	0.00	050.00	000.00	200.00	20.00		44.00				1
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation- lar 8 Zero Substitution		+	UEPMG	VUIVID4	0.00	950.00	600.00	200.00	30.00	1	11.90 11.90	1			1
Dipol	Clear Channel Capability Format, superframe-Subsqnt Activity Only		\vdash	UEPMG	CCOSF	0.00	0.00	655.00	-	 		11.90				
+	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only		l	UEPMG	CCOEF	0.00	0.00	655.00				11.90				
	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with Port		<u> </u>													
Exch	ange Ports		<u> </u>	LIEDDY	LIEDOV	44.00	0.00	0.00	0.00	0.00		44.00			4.00	
	Line Side Combination Channelized PBX Trunk Port-Business		1	UEPPX UEPPX	UEPCX	14.00 14.00	0.00	0.00	0.00		-	11.90 11.90			1.83	-
+			\vdash	UEPPX	UEP1X	14.00	0.00	0.00	0.00			11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID		1				0.00	0.00	0.00	0.00		11.90		1	1.83	
	Line Side Outward Channelized PBX Trunk Port-Business Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00										
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEPDM	55.00	0.00								1.00	
	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank															
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank shone Number/ Group Establishment Charges for DID Service			UEPPX UEPPX	1PQWM 1PQWU	0.66 0.66	40.00 110.00	20.00	6.00			11.90 11.90			1.83	
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank ohone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT	0.66 0.66	40.00 110.00	20.00 30.00	6.00			11.90 11.90			1.83	
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT NDZ	0.66 0.66 0.00 0.00	40.00 110.00 0.00 0.00	20.00 30.00 0.00 0.00	6.00			11.90 11.90 11.90 11.90			1.83	
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank shone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers-groups of 20-Valid all States			UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT NDZ ND4	0.66 0.66 0.00 0.00 0.00	40.00 110.00 0.00 0.00 0.00	20.00 30.00 0.00 0.00 0.00	6.00			11.90 11.90 11.90 11.90 11.90			1.83	
Featu	Line Side Inward Only Channelized PBX Trunk Port w/o DID 2W Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX UEPPX UEPPX UEPPX UEPPX	1PQWM 1PQWU NDT NDZ	0.66 0.66 0.00 0.00	40.00 110.00 0.00 0.00	20.00 30.00 0.00 0.00	6.00			11.90 11.90 11.90 11.90			1.83	

04/12/02 Page 55 of 259

NBUND	LED NETWORK ELEMENTS - Florida													Attachmen	it: 2	Exhibit: B	1
												Svc	Svc Order	Increment	Increment	Incrementa	Increm
												Order			al Charge -		al Char
		In	t									Submitte		Manual	Manual	Manual	Manu
TEGOR'	Y RATE ELEMENTS	er	Zo		BCS	USOC		RA	TES(\$)			d Elec		Svc Order			Svc O
	· · · · · · · · · · · · · · · · · · ·	m	Inc	е					- (.,			per LSR		vs.	vs.	vs.	vs
		-										per LSK	per LSR	-		vs. Electronic-	
																Electronic-	Electro
				1			Rec	Nonrecu		Nonrecu					Rates(\$)		
	- I New Joseph Street 1999			4				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
Loca	al Number Portability		_	+	LIEDDY	LNDOD	0.45	0.00	0.00								
	Local Number Portability-1 per port TURES - Vertical and Optional		-	+	UEPPX	LNPCP	3.15	0.00	0.00								
	al Switching Features Offered with Line Side Ports Only	_	+	+													
LOC	All Features Available	_	+	+	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
BINDI	ED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		+-	+	UEFFA	UEFVF	2.20	0.00	0.00				11.90			1.03	
	ost Based Rates are applied where BellSouth is required by FCC and/or C	mmic	cio	n ri	ulo to provido Unbur	dlod Loca	Switching or	Switch Borte			 				1		
	eatures shall apply to the Unbundled Port/Loop Combination - Cost Based								Ilnhundle	d Port sect	ion of this	Rate Evhi	hit				
	nd Office and Tandem Switching Usage and Common Transport Usage ra													Port/Loon C	Combination	l	
	The first and additional Port nonrecurring charges apply to Not Currently (in all
	es, the nonrecurring charges shall be those identified in the Nonrecurring						c nomeouring	onarges are in	iainot itato	o una arc n	olea III liik	o mantot itt		i oi ouiio	initing Combin	ilea combos	, u
	Market Rates for Unbundled Centrex Port/Loop Combination will be negoti					until furtl	er notice							I		1	
	E-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	uicu c	1	T	Idividual Gusc Busis	l and raid	ici ilotioc.			 			1		1	1	
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	_	+	T								Ì					
	Port/Loop Combination Rates (Non-Design)		+-	+													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	十	UEP91		14.11			 			1		1	1	
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2		UEP91		18.23			†			1		1	1	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3		UEP91		33.04										
LINE	E Port/Loop Combination Rates (Design)	-	+	+	OLI 31		33.04					-					
OIAL	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	+	UEP91		16.53					1					
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2		UEP91		21.60			 			-		-	1	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3		UEP91		37.85					1					
LINE	E Loop Rate	-	- 3	+	UEP91		37.00				 				1		
ONE	2W VG Loop (SL 1)-Zone 1		1	+	UEP91	UECS1	12.94					1					
_	2W VG Loop (SL 1)-Zone 2		2		UEP91	UECS1	17.06			 			-		-	1	
_	2W VG Loop (SL 1)-Zone 3		3		UEP91	UECS1	31.87			 			-		-	1	
	2W VG Loop (SL 2)-Zone 1	-	1	_	UEP91	UECS2	15.36				 				1		
-	2W VG Loop (SL 2)-Zone 1		2	_	UEP91	UECS2	20.43			 			-		-	1	
	2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3	-	3		UEP91	UECS2	36.68				 				1		
LINE	E Ports		13	+	ULF91	ULUGZ	30.00			 			-		-	1	
	States (Except NC and Sout Carolina)		+	+						 			-		-	1	
All S	2W VG Port (Centrex) Basic Local Area		+	+	UEP91	UEPYA	1.17			 			11.90		-	1	
	2W VG Port (Centrex) Basic Local Area 2W VG Port (Centrex 800 termination)Basic Local Area	-	+	+	UEP91	UEPYB	1.17				 		11.90		1		<u> </u>
-	2W VG Port (Centrex 600 termination)Basic Local Area 2W VG Port (Centrex with Caller ID)1Basic Local Area	-	+	+	UEP91	UEPYH	1.17				 		11.90		1		
	2W VG Port (Centrex with Caller ID) TBasic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area		+	+	UEP91	UEPYM	1.17			 			11.90		-	1	
-	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	-	+	+	UEP91	UEPYZ	1.17			 	+	1	11.90		-	1	1
-	2W VG Port, Dill SWC-600 Service Terril-Basic Local Area 2W VG Port terminated in on Megalink or equivalent-Basic Local Area	+	+	+	UEP91	UEPY9	1.17			†	1	1	11.90		 	1	1
-	2W VG Port terminated in on Megalink or equivalent-basic Local Area 2W VG Port Terminated on 800 Service Term-Basic Local Area	+	+	+	UEP91	UEPY9	1.17			†	1	1	11.90		 	1	1
GA 1	and FL Only		-	+	OLF91	ULF12	1.17					1	11.50				
0,7 (2W VG Port (Centrex)		-	+	UEP91	UEPHA	1.17					1	11.90				
	2W VG Port (Centrex) 2W VG Port (Centrex 800 termination)		+	+	UEP91	UEPHB	1.17				1	1	11.90		1	1	
-	2W VG Port (Centrex 600 termination) 2W VG Port (Centrex with Caller ID)1	-	+	+	UEP91	UEPHH	1.17				+	 	11.90		<u> </u>	 	1
	2W VG Port (Centrex with Caller ID)1	-	+	+	UEP91	UEPHM	1.17			1	1	1	11.90			1	1
	2W VG Port, Diff SWC-800 Service Term	+	+	+	UEP91	UEPHZ	1.17			-	 	1	11.90			1	1
-	2W VG Port terminated in on Megalink or equivalent	_	+	+	UEP91	UEPH9	1.17				+	 	11.90		<u> </u>	 	1
	2W VG Port Terminated in 6th Megalink of equivalent		+	+	UEP91	UEPH2	1.17			 	+	 	11.90		1	1	I
Loca	al Switching	-	+	+	OLI UI	JL1 112	1.17			1	1	1	11.30			1	1
LUC	Centrex Intercom Funtionality, per port		+	+	UEP91	URECS	0.7384			 	+	 			1	1	I
Loca	al Number Portability		+	+	OLI 31	JINLOS	0.7304			 	+	 			1	1	I
	Local Number Portability (1 per port)	-	+	+	UEP91	LNPCC	0.35				 	 			<u> </u>	 	1
	tures	_	+	+	OL1 91	2111 00	0.55				 	 			<u> </u>	 	1
Feat		_	+	+	LIEDO4	UEPVF	2.26			 	1	1	11.90		1	 	
Feat	All St&ard Features Offered, per port																
Feat	All St&ard Features Offered, per port All Select Features Offered, per port		╁	+	UEP91 UEP91	UEPVS	0.00	370.70					11.90				

04/12/02 Page 56 of 259

UNBUN	DLED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	
											Svc		Increment	Increment	Incrementa	Increment
		Ind									Order		al Charge -			al Charge -
CATEGO	RY RATE ELEMENTS	Int eri	Zo		USOC		P	ATES(\$)			Submitte		Manual	Manual	Manual	Manual
CAILGO	KATE ELEMENTS	m	ne	603	0300		10	-11 LO(ψ)			d Elec		Svc Order			Svc Order
		""									per LSR	per LSR	VS.	VS.	vs. Electronic-	VS.
													Electronic	Electronic	Electronic-	Electronic-
						Rec	Nonrec		Nonrecur					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N.A	ARS	_	+-	LIEDOA	HADOV	0.00	0.00	0.00			-	44.00				
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	_	+	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00				11.90 11.90				
	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial	+	+	UEP91	UAROX	0.00	0.00	0.00				11.90				
Mi	scellaneous Terminations	+-	+-	OLI UI	0/11/0/	0.00	0.00	0.00				11.00				
	Nire Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.81										
Int	eroffice Channel Mileage - 2-Wire															<u> </u>
	Interoffice Channel Facilities Termination-VG			UEP91	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	4	4	UEP91	MIGBM	0.0091										
	ature Activations (DS0) Centrex Loops on Channelized DS1 Service Channel Bank Feature Activations	+-	1		-			-	+				-			
104	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	+	UEP91	1PQWS	0.66		 	+	1	 	 	 		1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP91	1PQW6											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ΙĪ	Ļ	UEP91	1PQWV	0.66										ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	_	_	UEP91	1PQWQ											
No	Feature Activation on D-4 Channel Bank WATS Loop Slot	_	+-	UEP91	1PQWA	0.66					-					
NO	n-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion-Currently Combined Switch-As-Is with allowed changes, per port	_	+	UEP91	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block	+	1	UEP91	USACN		5.17	8.32				11.90				
	New Centrex St&ard Common Block	1		UEP91	M1ACS	0.00	618.82	0.02				11.90				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
	IE-P CENTREX - 5ESS (Valid in All States)															
	Nire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+-	+						1							
UN	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+-	1	UEP95	-	14.11			-							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	+	2	UEP95		18.23			1							
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	3	UEP95		33.04										
UN	IE Port/Loop Combination Rates (Design)		Ť	<u> </u>												
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		16.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		21.60										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		37.85										
UN	IE Loop Rate	4	٠.	LIEBOE	LIFOOA	40.04										
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	_	2	UEP95 UEP95	UECS1	12.94 17.06										
	2W VG Loop (SL 1)-2016 2 2W VG Loop (SL 1)-Zone 3	+-	3	UEP95	UECS1	31.87					1					
	2W VG Loop (SL 2)-Zone 1	1	1	UEP95	UECS2	15.36										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	20.43										
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.68										
	IE Port Rate															
All	States															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA							11.90				
	2W VG Port (Centrex 800 termination) 2W VG Port (Centrex with Caller ID)1Basic Local Area	+	-	UEP95 UEP95	UEPYB UEPYH				-		-	11.90 11.90				
	2W VG Port (Centrex with Caller ID) Thasic Local Area 2W VG Port (Centrex from diff SWC)2 Basic Local Area	+	+	UEP95	UEPYH	1.17		-	+		+	11.90	-		1	
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	+	+	UEP95	UEPYZ	1.17		 	+	1	 	11.90	 		1	†
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	1	1	UEP95	UEPY9	1.17						11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area		I	UEP95	UEPY2	1.17						11.90				
FL	& GA Only															
	2W VG Port (Centrex)		_	UEP95	UEPHA							11.90				ļ
	2W VG Port (Centrex 800 termination)	4	1	UEP95	UEPHB				1		1	11.90				ļ
	2W VG Port (Centrex with Caller ID)1 2W VG Port (Centrex from diff SWC)2	+-	-	UEP95	UEPHH				1		+	11.90				
	2W VG Port (Centrex from diff SWC)2 2W VG Port, Diff SWC-800 Service Term	+	+	UEP95 UEP95	UEPHM UEPHZ				1	 	1	11.90 11.90				
-	2W VG Port, Dill SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent	+	-	UEP95	UEPH2	1.17			 	 	 	11.90			 	
	2W VG Port Terminated in 601 Megalink of equivalent	+	1	UEP95	UEPH2				1		†	11.90				
Lo	cal Switching	1	1									1				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
			_													

ATEGOR'	DLED NETWORK ELEMENTS - Florida RATE ELEMENTS	Int eri m	70	BCS	USOC		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitte d Manually	al Charge - Manual Svc Order vs.	Increment al Charge - Manual Svc Order vs.	Manual	Incremen al Charge Manual Svc Orde vs.
						Rec	Nonrect First	ırring Add'l	Nonrecu First	rring Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
Loca	al Number Portability						1 1131	Auui	11100	Addi	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat	tures			LIEDOE	LIED\/E	0.00										
	All St&ard Features Offered, per port All Select Features Offered, per port			UEP95 UEP95	UEPVF UEPVS	2.26 0.00	370.70					11.90				+
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	070.70					11.00				+
NAR																1
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00				11.90 11.90				
Misc	Unbundled Network Access Register-Outdial cellaneous Terminations		-	UEP95	UARUX	0.00	0.00	0.00		1		11.90				+
	ire Trunk Side															+
	Trunk Side Terminations, each			UEP95	CEND6	8.81										
4-Wi	ire Digital (1.544 Megabits)															
_	DS1 Circuit Terminations, each		<u> </u>	UEP95 UEP95	M1HD1 M1HDO	54.95 0.00	45.00		<u> </u>	 		44.00			<u> </u>	
Intor	DS0 Channels Activated, each roffice Channel Mileage - 2-Wire			UEP95	MIHDO	0.00	15.69					11.90				+
IIItei	Interoffice Channel Facilities Termination		<u> </u>	UEP95	MIGBC	25.32										+
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										1
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										_
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95 UEP95	1PQW6 1PQW7	0.66 0.66										+
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP95	1PQWP	0.66										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	n-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32				11.90				+
	New Centrex St&ard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				_
	E-P CENTREX - DMS100 (Valid in All States) ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															+
	E Port/Loop Combination Rates (Non-Design)															+
- 0.12	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.11										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		18.23										1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		33.04										ļ
UNE	E Port/Loop Combination Rates (Design)		4	LIEDOD		40.50										4
-	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D UEP9D	+	16.53 21.60			 	+	+	 			 	+
+	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		37.85			<u> </u>	1					†	†
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	12.94										1
_	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	17.06			<u> </u>	 					<u> </u>	
	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		3	UEP9D UEP9D	UECS1 UECS2	31.87 15.36			 	+	1	-			 	+
+	2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	20.43			†	+	+	-				+
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	36.68			1	1	1					1
	Port Rate															
ALL	STATES		<u> </u>	LIEBAR	LIEBY							11.55				1
+	2W VG Port (Centrex) Basic Local Area		<u> </u>	UEP9D UEP9D	UEPYA UEPYB	1.17			 	1	1	11.90			-	
+	2W VG Port (Centrex 800 termination)Basic Local Area 2W VG Port (Centrex/EBS-PSET)3Basic Local Area		1	UEP9D UEP9D	UEPYB	1.17 1.17			1	+	+	11.90 11.90			1	+
-	2W VG Port (Centrex/EBS-PSET)3Basic Local Area 2W VG Port (Centrex/EBS-M5009)3Basic Local Area		1	UEP9D	UEPYD	1.17			 	 	+	11.90	1		 	+
	2W VG Port (Centrex/EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17			1	1	1	11.90				1
	2W VG Port (Centrex/EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17						11.90				
	2W VG Port (Centrex/EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17						11.90				
	2W VG Port (Centrex/EBS-M5008))3 Basic Local Area		<u> </u>	UEP9D	UEPYT	1.17				1	1	11.90				↓
-+	2W VG Port (Centrex/EBS-M5208))3 Basic Local Area 2W VG Port (Centrex/EBS-M5216))3 Basic Local Area		-	UEP9D UEP9D	UEPYU	1.17 1.17			1	+	+	11.90 11.90	-		-	+
_	2W VG Port (Centrex/EBS-M5216))3 Basic Local Area 2W VG Port (Centrex/EBS-M5316))3 Basic Local Area		-	UEP9D UEP9D	UEPY3	1.17			 	1	}	11.90	1			+

04/12/02 Page 58 of 259

<u>NBUN</u> D	PLED NETWORK ELEMENTS - Florida												Attachmen		Exhibit: B	
ATEGOR	Y RATE ELEMENTS	Int eri	Zo	I BGS	USOC		R/	ATES(\$)			Svc Order Submitte d Elec	Submitte d	Increment al Charge - Manual Svc Order	Manual	Incrementa I Charge - Manual Svc Order	al Charge Manual
		m	ne								per LSR		vs.	vs. Electronic-	vs.	vs.
						Rec	Nonrec		Nonrecu		201150			Rates(\$)	0011111	
	2W VG Port (Centrex with Caller ID) Basic Local Area	-	-	UEP9D	UEPYH	1.17	First	Add'l	First	Add'l	SOMEC	11.90	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area	+	╁	UEP9D	UEPYW	1.17						11.90				+
	2W VG Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area		1	UEP9D	UEPYJ	1.17						11.90				1
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area		<u> </u>	UEP9D	UEPYP	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area		<u> </u>	UEP9D	UEPYQ	1.17						11.90				
-	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area	-	-	UEP9D UEP9D	UEPYR UEPYS	1.17 1.17						11.90 11.90				
_	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area	-	-	UEP9D UEP9D	UEPYS	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area	-		UEP9D	UEPY5	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5206)2, 3 Basic Local Area	+	╁	UEP9D	UEPY6	1.17						11.90				+
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area	+	T	UEP9D	UEPY7	1.17						11.90				+
	2W VG Port, Diff SWC-800 Service Term		T	UEP9D	UEPYZ	1.17				1		11.90				1
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17						11.90				1
	2W VG Port Terminated on 800 Service Term Basic Local Area	L	L	UEP9D	UEPY2	1.17						11.90				
FL 8	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17						11.90				
	2W VG Port (Centrex 800 termination)			UEP9D	UEPHB	1.17						11.90				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	1.17						11.90				
	2W VG Port (Centrex/EBS-M5009)3			UEP9D	UEPHD	1.17						11.90				
	2W VG Port (Centrex/EBS-M5209)3	_	_	UEP9D	UEPHE	1.17						11.90				
	2W VG Port (Centrex/EBS-M5112)3	-	-	UEP9D	UEPHF	1.17						11.90				
-	2W VG Port (Centrex/EBS-M5312)3 2W VG Port (Centrex/EBS-M5008)3	-	-	UEP9D UEP9D	UEPHG UEPHT	1.17 1.17			-		+	11.90 11.90				
-	2W VG Port (Centrex/EBS-M5208)3	-	-	UEP9D	UEPHU	1.17						11.90				-
	2W VG Fort (Centrex/EBS-M5216)3	_		UEP9D	UEPHV	1.17			+		1	11.90				+
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	1.17					1	11.90				†
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17						11.90				+
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.17						11.90				+
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17						11.90				1
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	1.17						11.90				1
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3			UEP9D	UEPHO	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3			UEP9D	UEPHP	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3			UEP9D	UEPHQ	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3			UEP9D	UEPHR	1.17						11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3	_	_	UEP9D	UEPHS	1.17						11.90				
_	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3	-	-	UEP9D UEP9D	UEPH4 UEPH5	1.17 1.17						11.90 11.90				+
-	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3	-	-	UEP9D	UEPH6	1.17						11.90				+
_	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3			UEP9D	UEPH7	1.17						11.90				+
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPHZ	1.17					1	11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17						11.90				+
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17						11.90				1
Loc	al Switching															1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Loc	al Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feat	tures		1		L.,							ļ				
_	All St&ard Features Offered, per port	-	1	UEP9D UEP9D	UEPVF	2.26	070.70			1	1	44.00				
-	All Select Features Offered, per port	-	-	LIEBAB	UEPVS	0.00	370.70					11.90				
NAR	All Centrex Control Features Offered, per port	-	-	UEP9D	UEPVC	2.26										+
INAN	Unbundled Network Access Register-Combination	-		UEP9D	UARCX	0.00	0.00	0.00				11.90				+
+	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward	-	+	UEP9D	UAR1X	0.00	0.00	0.00		1	 	11.90				+
	Unbundled Network Access Register-Inward Unbundled Network Access Register-Outdial	+	+	UEP9D	UAROX	0.00	0.00	0.00		1	1	11.90				
Misc	cellaneous Terminations	1	1		1	2.30	2.30	1.50	1			1				1
	ire Trunk Side	1	T						Ì	1	1					1
	Trunk Side Terminations, each	1		UEP9D	CEND6	8.81										
4-W	ire Digital (1.544 Megabits)															I
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel		<u> </u>	UEP9D	M1HDO	0.00	15.69					11.90				
Inte	roffice Channel Mileage - 2-Wire		1		1					ļ		ļ				
	Interoffice Channel Facilities Termination		1	UEP9D	MIGBC	25.32				ļ						4
1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091			1		1	1				1

04/12/02 Page 59 of 259

JNBUND	LED NETWORK ELEMENTS - Florida													Attachmen	t: 2	Exhibit: B	
		T	П									Svc	Svc Order	Increment			Incremer
		1										Order		al Charge		I Charge -	al Charge
		Int										Submitte	d	Manual	Manual	Manual	Manual
ATEGOR	RATE ELEMENTS	eri	Zo	BCS	uso	: l		RA	TES(\$)			d Elec		Svc Order			Svc Orde
AILOOK	I INTELLEMENTO	m		500	000	1			0(0)								l l
		""										per LSR	per LSR	vs.	vs.	vs.	vs.
														Electronic-	Electronic-	Electronic-	Electroni
		1	1					Nonrecu	ırrina	Nonrecu	rrina		I .	oss	Rates(\$)		1
		1	1			Rec		rst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	1	1								1						
	Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQV	/S 0	66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP9D	1PQV		66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP9D	1PQV		66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC	1		UEP9D	1PQV		66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQV		66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1		UEP9D	1PQW		66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQV		66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex	t	T		1		1										†
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per	t					1							1			
	port	1		UEP9D	USAC	:2		21.50	8.42				11.90		1		1
-	Conversion of existing Centrex Common Block, each	t	t	UEP9D	USAC			5.17	8.32		1	1	11.90				1
$-\!$	New Centrex St&ard Common Block	1	\vdash	UEP9D	M1AC		00	618.82	0.02		t	<u> </u>	11.90	 	 	-	1
	New Centrex Customized Common Block	+	+	UEP9D	M1AC			618.82			1	 	11.90			 	
	NAR Establishment Charge, Per Occasion	1	+	UEP9D	UREC		00	66.48					11.90				
LINE	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	1	OLI 3D	UNLO	- O	00	00.40					11.30				
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	+-		-							+	-			-	1
	Port/Loop Combination Rates (Non-Design)	1	+-		-							+	-			-	1
UNE	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP9E		14	11										1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1	1	UEP9E		18											1
		-	2	UEP9E													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP9E	-	33	04				-						
UNE	Port/Loop Combination Rates (Design)	-	+	LIEDOE	-	40					-						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	-	1	UEP9E		16											<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	2	UEP9E		21											<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	3	UEP9E		37	85										<u> </u>
UNE	Loop Rate	-	٠.		11500												<u> </u>
	2W VG Loop (SL 1)-Zone 1	-	1	UEP9E	UECS												
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS												
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS												
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS												
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS												
	2W VG Loop (SL 2)-Zone 3	1	3	UEP9E	UECS	2 36	68										
	Port Rate																
AL,	FL, KY, LA, MS, & TN only																
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPY		17						11.90				
	2W VG Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPY		17						11.90				
	2W VG Port (Centrex with Caller ID)1Basic Local Area	<u> </u>	Щ.	UEP9E	UEPY		17						11.90				<u> </u>
	2W VG Port (Centrex from diff SWC)2 Basic Local Area	1		UEP9E	UEPY		17						11.90				ļ
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area	1		UEP9E	UEPY		17						11.90				ļ
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEP\		17						11.90				<u> </u>
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEP)	2 1	17						11.90				<u> </u>
FL C																	1
	2W VG Port (Centrex)			UEP9E	UEPH								11.90				
	2W VG Port (Centrex 800 termination)			UEP9E	UEPH		17						11.90				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPH		17						11.90				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPH		17						11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPH		17						11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH	19 1	17		_				11.90				
1	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH	12 1	17						11.90				
Loca	al Switching																
	Centrex Intercom Funtionality, per port	1	\Box	UEP9E	UREC	S 0.73	84										
Loca	Number Portability	1													l		
1	Local Number Portability (1 per port)	t	T	UEP9E	LNPC	C n	35										1
Feat	ures	t	\vdash			<u> </u>					1	1					1
		+-	+	UEP9E	UEP\	F 2	26			 	+	1				-	l -
	TAIL St&ard Features Offered, per port																
	All St&ard Features Offered, per port All Select Features Offered, per port	+		UEP9E	UEP\			370.70					11.90				

IBUND	LED NETWORK ELEMENTS - Florida												Attachmen	t: 2	Exhibit: B	
											Svc	Svc Order	Increment	Increment	Incrementa	Increment
											Order				I Charge -	al Charge
		Int	l_								Submitte		Manual	Manual	Manual	Manual
TEGOR'	RATE ELEMENTS	eri	Zo	BCS	USOC		RA	TES(\$)			d Elec				Svc Order	Svc Order
		m	ne					,				per LSR	vs.	VS.	vs.	vs.
											per LSK				Electronic-	
															Electronic-	Liectionic
						Rec	Nonrecu		Nonrecui					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NAR																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial		_	UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
	cellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.81										
4-Wi	re Digital (1.544 Megabits)		_													
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 C	channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per															
	port			UEP9E	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN		5.17	8.32				11.90				
	New Centrex St&ard Common Block		1	UEP9E	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block		1	UEP9E	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD						, and the second second									
	2 - Requres Interoffice Channel Mileage						, and the second second									
Note	3 - Requires Specific Customer Premises Equipment	1	1	1	1	1			1		1	1	l	l	1	1

<u>NBUND</u>	DLED NETWORK ELEMENTS - Georgia											Attachmen	t: 2	Exhibit: B	<u> </u>
	j									Svc	Svc	Increment	Increment	Incrementa	Increme
										Order	Order	al Charge -	al Charge -	I Charge -	al Char
		nt 👡								Submitte		Manual	Manual	Manual	Manu
TEGOR	RATE ELEMENTS e	ri Zor	BCS	USOC		RA	TES(\$)			d Elec	ed	Svc Order		Svc Order	Svc O
		n e					- (.,								
		.								per LSK	Manuali		VS.	VS.	vs
											y per	Electronic-	Electronic-	Electronic-	Electro
		+			_	Nonrec	urrina	Nonrecu	rrina			oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOM
										1					
PERATIC	DNAL SUPPORT SYSTEMS														
	E: (1) Electronic Service Order: CLEC should contact its contract negotiator if it														
rate	exhibit is the BellSouth regional electronic service ordering charge. CLEC may E: (2) Any element that can be ordered electronically will be billed according to	elect e	ither the state specific	Commission	on ordered rate	es for the elec	tronic servi	ce ordering	g charges	s, or CLEC	may elec	t the regiona	al electronic	service orde	ering
	tronically. For those elements that cannot be ordered electronically at present p					reflects the c	harge that w	ould be b	illed to a	CLEC onc	e electron	nic ordering	capabilities	come on-lin	e for t
elem	nent. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC	s bill v	vhen it submits an LSF	to BellSou	uth.										
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces														ì
	(Regional)			SOMEC		3.50									1
	ED EXCHANGE ACCESS LOOP														1
2-WI	IRE ANALOG VOICE GRADE LOOP														
	2W Analog VG Loop-Service Level 1-Zone 1	1		UEAL2	14.21	42.54	31.33			ļ		18.94	8.42		<u> </u>
	2W Analog VG Loop-Service Level 1-Zone 2	2		UEAL2	16.41	42.54	31.33			ļ		18.94	8.42		<u> </u>
	2W Analog VG Loop-Service Level 1-Zone 3	3		UEAL2	26.08	42.54	31.33			ļ	ļ	18.94	8.42		ــــــ
_ _	2W Analog VG Loop-Service Level 1-Zone 4	4		UEAL2		L				ļ					<u> </u>
_	Loop Testing-Basic 1st Half Hour		UEANL	URET1		78.92	78.92					18.94	8.42		<u> </u>
	Loop Testing-Basic Add'l Half Hour		UEANL	URETA		23.33	23.33			ļ	ļ	18.94	8.42		ــــــ
-	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	_	UEANL	UREWO	.	15.75	8.92			<u> </u>		18.94	8.42		
_	Engineering Information Document (EI)	_	UEANL	LIEANA	-	28.72	28.72	<u> </u>		<u> </u>	<u> </u>				—
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL	UEAMC	-	16.11	16.11			ļ					<u> </u>
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	_	UEANL	OCOSL		35.74	35.74								<u> </u>
2-WI	IRE Unbundled COPPER LOOP				44.00	44.00	00.40		=			10.01	0.10		<u> </u>
-	2W Unbundled Copper Loop-Non-Designed Zone 1	l 1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		├
-	2W Unbundled Copper Loop-Non-Designed-Zone 2	1 2		UEQ2X	12.72	44.69	22.40	25.65	7.06			18.94	8.42		├
_	2W Unbundled Copper Loop-Non-Designed-Zone 3	I 3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		<u> </u>
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)		UEQ	USBMC		16.11	16.11					18.94	8.42		<u> </u>
	Engineering Information Document	_	UEQ	LIDETA		28.72	28.72					18.94	8.42		
-	Loop Testing-Basic 1st Half Hour	_	UEQ	URET1		78.92	78.92					18.94	8.42		1
-	Loop Testing-Basic Add'l Half Hour	_	UEQ	URETA		23.33	23.33					18.94	8.42		1
BUNBI	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)		UEQ	UREWO		14.25	7.42					18.94	8.42		└
	ED EXCHANGE ACCESS LOOP	-								ļ	-				├
	IRE ANALOG VOICE GRADE LOOP		h tha lawar mart laar		LIEDLY)										├
UNE	Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOC 2W VG Loop (SL1) for Line Splitting-Zone 1	s mate	UEPSR,UEPSB	UEALS.	10.80										├
	2W VG Loop (SL1) for Line Splitting-Zone 1	1 1	UEPSR,UEPSB	UEABS	10.83										├
	2W VG Loop (SL1) for Line Splitting-Zone 2	1 1 1 2		UEALS,	12.47										├
-	2W VG Loop (SL1) for Line Splitting-Zone 2	1 2	•	UEABS	12.47										├
-	2W VG Loop (SL1) for Line Splitting-Zone 2	1 3		UEALS	19.83	-	-			1					
-	2W VG Loop (SL1)for Line Splitting-Zone 3	1 3		UEABS	19.83	-	-			1					├──
RIINDI	ED EXCHANGE ACCESS LOOP	. 3	ULF SK,UEFSB	ULADO	19.63	 	+	1		1	1	1			
	IRE ANALOG VOICE GRADE LOOP	+	+	!	+	+		-		}	1	}			
Z-VVI	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	1	UEA	UEAL2	16.84	104.17	78.10	1		1	1	18.94	8.42		\vdash
+	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2	2		UEAL2	19.45	104.17	78.10	1		1	1	18.94	8.42		\vdash
+-	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3	3		UEAL2	30.92	104.17	78.10	1		 		18.94	8.42		
+	Order Coordination for Specified Conversion Time (per LSR)	+ 3	UEA	OCOSL	30.32	35.74	70.10	 		1		10.34	0.72		
+-	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1	1		UEAR2	16.84	104.17	78.10	1		 		18.94	8.42		
+	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2	2		UEAR2	19.45	104.17	78.10	1		 		18.94	8.42		
+	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3	3		UEAR2	30.92	104.17	78.10	 		1		18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL	55.52	35.74	70.10	1		1	1	10.04	0.42		—
+	CLEC to CLEC Conversion Charge w/o outside dispatch	+	UEA	UREWO	<u> </u>	87.72	36.36					18.94	8.42		\vdash
4-WI	IRE ANALOG VOICE GRADE LOOP		1 22.	30		32	55.00	1		1	1	.0.04	J.72		†
† · · · ·	4W Analog VG Loop-Zone 1	1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		†
1	4W Analog VG Loop-Zone 2	2		UEAL4	25.70	206.95	170.57			<u> </u>		18.94	8.42		<u> </u>
1	4W Analog VG Loop-Zone 3	3		UEAL4	40.86	206.95	170.57			†		18.94	8.42		
+	Order Coordination for Specified Conversion Time (per LSR)	Ť	UEA	OCOSL	.5.50	35.74	., 0.01			†		10.04	JZ		—
+	CLEC to CLEC Conversion Charge w/o outside dispatch	+	UEA	UREWO	-	87.72	36.36	 		1		18.94	8.42		
2-WI	IRE ISDN DIGITAL GRADE LOOP		JE/1	52110	-	Ü,.,Z	55.50	t		1	1	10.04	0.72		
	2W ISDN Digital Grade Loop-Zone 1	1	UDN	U1L2X	21.89	233.38	180.35	t		1	1	18.94	8.42		
+	2W ISDN Digital Grade Loop-Zone 2	2		U1L2X	25.27	233.38	180.35					18.94	8.42		—
+	2W ISDN Digital Grade Loop-Zone 3	3		U1L2X	40.17	233.38	180.35					18.94	8.42		†
+	Order Coordination For Specified Conversion Time (per LSR)	+	UDN	OCOSL	70.77	35.74	.00.00	t		1	1	10.04	0.72		
+-	CLEC to CLEC Conversion Charge w/o outside dispatch		UDN	UREWO		120.98	33.04	1		1	1	18.94	8.42		\vdash
		+	1 3511	5,,,	1	120.00	55.54	 		t	 	10.04	U. →Z		
2-WI	IRE Universal Digital Channel (UDC) COMPATIBLE LOOP														

04/12/02 Page 62 of 259

ONRONE	DLED NETWORK ELEMENTS - Georgia					1						-	Attachment		Exhibit: B	<u> </u>
CATEGOR	Y RATE ELEMENTS	Int eri m	Zon e	BCS	usoc			TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs. Electronic-		I Charge - Manual	al Charge Manual Svc Order vs.
						Rec	Nonrec		Nonrecu		001450	1001111		Rates(\$)	001111	001111
	OW Hairman Digital Channel (HDC) Compatible Lang Zong O	Η.	2	UDC	UDC2X	25.27	First	Add'l 31.55	First 25.65	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2 2W Universal Digital Channel (UDC) Compatible Loop-Zone 3	÷	3	UDC	UDC2X	40.17	44.69 44.69	31.55	25.65	7.06 7.06			18.94 18.94	8.42 8.42	-	
	CLEC to CLEC Conversion Charge w/o outside dispatch	÷	3	UDC	UREWO	40.17	44.69	31.55	25.65	7.00			18.94	8.42		
2-1/1	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	Ė	-	UDC	UKLVVO		44.09	31.33					10.34	0.42		1
2-441	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-															+
	Zone 1	l i	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-	Ė	Ė		O/ ILL/	11.20	1 1100	01.00	20.00	7.00			10.01	0.12		
	Zone 2	lı	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop including manual service inquiry & facility reservation-													_		
	Zone 3	ı	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-Zone	1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-Zone	-	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled ADSL Loop w/o manual service inquiry & facility reservaton-Zone	1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge w/o outside dispatch	-		UAL	UREWO		44.69	29.29					18.94	8.42		
2-W	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-															
	Zone 1	_	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-															
	Zone 2	-	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop including manual service inquiry & facility reservation-															
	Zone 3	-	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	_	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	_	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	-	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)	L.		UHL	OCOSL		35.74	0.4.55						0.40		<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatch	ш		UHL	UREWO		44.69	31.55					18.94	8.42		<u> </u>
4-W	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															-
	4W Unbundled HDSL Loop including manual service inquiry & facility reservation-	١.			11111 437	40.00	44.00	24.55	25.05	7.00			40.04	0.40		
	Zone 1 4W Unbundled HDSL Loop including manual service inquiry & facility reservation-	-	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		-
		١.	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	Zone 2 4W Unbundled HDSL Loop including manual service inquiry & facility reservation-	_		UHL	UHL4X	12.00	44.69	31.55	25.05	7.06			18.94	8.42		ļ
	Zone 3	١.	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)	Ľ	3	UHL	OCOSL	19.07	35.74	31.33	23.03	7.00			10.54	0.42		-
	4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	\vdash	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		-
-	4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	÷	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
_	4W Unbundled HDSL Loop w/o manual service inquiry & facility reservation-Zone	Ė	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)	Ė	Ŭ	UHL	OCOSL	10.07	35.74	01.00	20.00	7.00			10.01	0.12		-
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO	l	44.69	31.55					18.94	8.42		
4-W	RE DS1 DIGITAL LOOP	Ė				l	50									
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	55.53	429.98	268.18				1	18.94	8.42		
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	64.13	429.98	268.18			1	1	18.94	8.42	1	
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	101.93	429.98	268.18	İ		İ		18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74		İ		İ					
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.91	42.97				1	18.94	8.42		
4-W	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20					18.94	8.42		
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55						18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.75	348.55						18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	29.74	348.55						18.94	8.42		
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	47.27	348.55	241.20	ļ		ļ		18.94	8.42	1	<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74		ļ		ļ		ļ		1	<u> </u>
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.75	348.55		<u> </u>		<u> </u>		18.94	8.42		<u> </u>
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	29.74	348.55		ļ		ļ		18.94	8.42		<u> </u>
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	47.27	348.55					<u> </u>	18.94	8.42		ļ
	Order Coordination for Specified Conversion Time (per LSR)	_	<u> </u>	UDL	OCOSL		35.74		ļ		ļ	ļ				<u> </u>
	CLEC to CLEC Conversion Charge w/o outside dispatc h	<u> </u>	1	UDL	UREWO		101.95	49.66	<u> </u>		<u> </u>	<u> </u>	18.94	8.42		
2-W	RE Unbundled COPPER LOOP	<u> </u>	1						<u> </u>		<u> </u>	<u> </u>				
	2W Unbundled Copper Loop/Short including manual service inquiry & facility	١.	1.1	1.0.	110:55				0-0-		1	1				1
	reservation-Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06	1	1	18.94	8.42		<u> </u>

04/12/02 Page 63 of 259

ONBOND	LED NETWORK ELEMENTS - Georgia					1					_	_	Attachment		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Int eri m	Zon e	BCS	usoc			TES(\$)	L	•	Svc Order Submitte d Elec per LSR	ed	al Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Order vs.
						Rec	Nonrec First	Add'l	Nonrecu First	Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop/Short including manual service inquiry & facility reservation-Zone 2	ı	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06	COMEC	COMPAR	18.94	8.42	COMPAR	COMPAR
	2W Unbundled Copper Loop/Short including manual service inquiry & facility reservation-Zone 3	ı	3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2W Unbundled Copper Loop/Short w/o manual service inquiry & facility reservation-Zone 1	ı	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short w/o manual service inquiry & facility reservation-Zone 2	ı	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Short w/o manual service inquiry & facility reservation-Zone 3	ı	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) 2W Unbundled Copper Loop/Long-includes manual srvc. inquiry & facility			UCL	UCLMC		16.11	16.11								
	reservation-Zone 1 2W Unbundled Copper Loop/Long-includes manual svc inquiry & facility		2	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	reservation-Zone 2 2W Unbundled Copper Loop/Long-includes manual svc inquiry & facility		3	UCL	UCL2L UCL2L	41.07 65.28	44.69 44.69	31.55 31.55	25.65 25.65	7.06			18.94 18.94	8.42 8.42		
_	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	H-	3	UCL	UCLMC	65.26	16.11	16.11	25.65	7.06			10.94	0.42		
	2W Unboundled Copper Loop/Long-w/o manual service inquiry & facility reservation-Zone 1		1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unburdled Copper Loop/Long-w/o manual service inquiry & facility reservation-Zone 2	1	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2W Unbundled Copper Loop/Long-w/o manual service inquiry & facility reservation-Zone 3	ı	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	Ι		UCL	UREWO		44.69	31.55					18.94	8.42		
4-WIF	RE COPPER LOOP															
\perp	4W Copper Loop/Short-including manual service inquiry & facility reservation-	ı	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-including manual service inquiry & facility reservation- Zone 2	ı	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-including manual service inquiry & facility reservation-	ı	3	UCL	UCL4S UCLMC	22.07	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		
_	Order Coordination for Unbundled Copper Loops (per loop) 4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 1	—	1	UCL UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		-
-	4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 2	ti	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Copper Loop/Short-w/o manual service inquiry & facility reservation-Zone 3	Ì	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop) 4W Unbundled Copper Loop/Long-includes manual svc inquiry & facility			UCL	UCLMC		16.11	16.11								
	reservation-Zone 1 4W Unbundled Copper Loop/Long-includes manual svc inquiry & facility	1	2	UCL	UCL4L UCL4L	35.56 41.07	44.69 44.69	31.55 31.55	25.65 25.65	7.06			18.94 18.94	8.42 8.42		
	reservation-Zone 2 4W Unbundled Copper Loop/Long-includes manual svc inquiry & facility reservation-Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	Ė	J	UCL	UCLMC	03.20	16.11	16.11	20.00	7.00		1	10.34	0.42		
	4W Unbundled Copper Loop/Long-w/o manual svc inquiry & facility reservation- Zone 1	1	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-w/o manual svc inquiry & facility reservation- Zone 2	1	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4W Unbundled Copper Loop/Long-w/o manual svc inquiry & facility reservation- Zone 3	ı	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	CLEC to CLEC conversion Charge w/o outside dispatch	Ī		UCL	UREWO		44.69	31.55					18.94	8.42		
OOP MOD	NECATION TO A STATE OF THE STAT	<u> </u>				ļļ										<u> </u>
	University of the Control of the Con			UAL,UHL,UCL,UEQ,U LS,UEA,UEANL,	111 5 401		0.00	0.00					40.01	0.40		
-+	Unbundled Loop Modification, Removal of Load Coils-2W pair < or = 18kft Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	1		UDC,UDN,UDL,USL UCL,ULS	ULM2L ULM2G		0.00	0.00	-		 	-	18.94 18.94	8.42 8.42		-
	Unbundled Loop Modification, Removal of Load Coils-2VV > 18kft Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	i i		UHL,UCL	ULM4L		0.00	0.00	1				18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils-4W pair > 18kft	Т		UCL	ULM4G		0.00	0.00					18.94	8.42		

UNE	UNDI	ED NETWORK ELEMENTS - Georgia												Attachment	. 2	Exhibit: B	
CITE	CINDL	LD NETWORK ELLINERTO OCOIGIA			1		1					Svc	Svc		Increment		Increment
												Order	Order		al Charge -	I Charge -	al Charge
			Int	-								Submitte		Manual	Manual	Manual	Manual
CATE	GORY	RATE ELEMENTS	eri	Zon	BCS	USOC		R.A	TES(\$)			d Elec	ed	Svc Order	Svc Order	Svc Order	Svc Orde
			m	е					,				Manuali	VS.	vs.	vs.	vs.
												per Lor	y per	_		Electronic-	
													y pei	Liectionic-	Liectionic	Liectionic-	Liectionic
							Rec	Nonrec	urring	Nonrecu	ırring				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UHL,UCL,UEQ,U												
					EF,ULS,UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled	١.		UEANL,UDL,UDC,												
0110		Гоор			UDN,UDL,USL	ULMBT		0.00	0.00					18.94	8.42		
SOB-	LOOPS	oop Distribution	1							-		-					
	Sub-L	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	+-		UEANL	USBSA	1	421.08	421.08					18.94	8.42		
		Sub-Loop-Per Cross Box Location-Per 25 Pair Panel Set-Up	t÷		UEANL	USBSB	+	67.10	67.10					18.94	8.42		
		Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	Η÷		UEANL	USBSC		394.74						18.94	8.42		
		Sub-Loop-Per Building Equipment Room-Per 25 Pair Panel Set-Up	ΤĖ		UEANL	USBSD		154.57						18.94	8.42		
		Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working & Spare Loop	T		UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
		Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working & Spare Loop			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
		Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		SW	UEANL	USBN2	9.12	207.01	171.32			İ		18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
		Sub-Loop Distribution Per 4W Analog VG Loop-Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
		Sub-Loop 2W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	1.37	2.48	41.59		19.17			18.94	8.42		
		Sub-Loop 2W Intrabuilding Network Cable (INC)-Intermediary Access Terminal			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		34.22	34.22								
		Sub-Loop 4W Intrabuilding Network Cable (INC)-Intermediary Access Terminal	<u> </u>		UEANL	USBRD	2.74	4.96		1.74	1.74			18.94	8.42		
		Sub-Loop 4W Intrabuilding Network Cable (INC)			UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	١.	_	UEANL	USBMC	5.54	34.22	34.22	400.00	04.50			10.01	0.40		
		2W Copper Unbundled Sub-Loop Distribution-Zone 1	H	1	UEF	UCS2X	5.54	175.16		108.86	24.53			18.84	8.42		
		2W Copper Unbundled Sub-Loop Distribution-Zone 2		3	UEF UEF	UCS2X	5.54 5.54	175.16	55.50 55.50	108.86	24.53			18.94 18.94	8.42 8.42		
		2W Copper Unbundled Sub-Loop Distribution-Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pair	+-	3	UEF	UCS2X USBMC	5.54	175.16 34.22	34.22	108.86	24.53			18.94	8.42		
		4W Copper Unbundled Sub-Loop Distribution-Zone 1	+	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
		4W Copper Unbundled Sub-Loop Distribution-Zone 2	ti	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
		4W Copper Unbundled Sub-Loop Distribution-Zone 3	t÷	3	UEF	UCS4X	6.89	219.35		123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	t	Ŭ	UEF	USBMC	0.00	34.22		120.72	20			10.01	0.12		
		dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID)-1-2 lines			UENTW	UND12		86.37	56.69					18.94	8.42		
		Network Interface Device (NID)-1-6 lines	-		UENTW	UND16		127.93	98.21					18.94	8.42		
		Network Interface Device Cross Connect-2 W	1		UENTW	UNDC2		6.15	6.15					18.94	8.42		
		Network Interface Device Cross Connect-4W			UENTW	UNDC4		6.15	6.15								
SUB-	LOOPS		<u> </u>														
	Sub-L	oop Feeder	<u> </u>														
		USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-			UEA,UDN,UCL,	HODEW		404.00						40.04	0.40		
		ир	1		UDL,UDC UEA,UDN,UCL,	USBFW		421.08						18.94	8.42		
		USL Feeder-DS0 Set-up per Cross Box location-per 25 pair set-up			UDL,UDC	USBFX		67.10	67.10					18.94	8.42		
		USL Feeder DS1 Set-up at DSX location, per DS1 termination	╁		USL	USBFZ		521.57	11.30					18.94	8.42		
		Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide	1	sw	UEA	USBFA	8.58	206.44						18.94	8.42		
		Order Coordination for Specified Conversion Time, per LSR	1	311	UEA	OCOSL	0.00	35.74	170.00					10.54	0.42		
		Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide	1	SW	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
		Order Coordination for Specified Time Conversion, per LSR	1		UEA	OCOSL	0.00	35.74						10.01			
		Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG Loop-Statewide	T	sw	UEA	USBFC	8.58	206.44					1	18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74				İ					
		Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
		Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74	ļ	<u> </u>		<u> </u>		<u> </u>			
		Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Statewide	1	SW		USBFF	17.73	208.50		119.68	29.58	ļ		18.94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR	_		UDN	OCOSL		35.74				ļ	ļ				
		Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)	1	SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58	ļ		19.99	19.99	19.99	19.9
		Unbundled Sub-Loop Feeder Loop, 4W DS1-Statewide	1	SW		USBFG	79.30	203.69	128.76	124.09	34.80	<u> </u>		19.99	19.99	19.99	19.9
		Order Coordination For Specified Conversion Time, Per LSR	<u> </u>	<u> </u>	USL	OCOSL	7.00	35.74	20.15	440.00	00.50		1	10.01	0.40		
		Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Statewide Order Coordination For Specified Conversion Time, per LSR	₩	SW		USBFH	7.22	195.38	63.15	119.68	29.58	1	1	18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder-Per 4W Copper Loop-Statewide	1	SW	UCL UCL	OCOSL USBFJ	13.72	35.74 243.41	81.32	134.77	33.93		1	18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR	\vdash	SW	UCL	OCOSL	13.12	35.74		134.77	55.83	}	1	10.94	0.42	 	
		Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		SW		USBFN	24.50	243.41		134.77	33.93	1	1	19.99	19.99	19.99	19.9
	1	oub-Loop i equal-rai 400 13.2 Nopa Digital Glade Loop	1	SW	UDL	UODEN	24.50	243.41	01.32	134.77	აა.ყა	1	1	19.99	19.99	19.99	19.9

04/12/02 Page 65 of 259

UNBUN	NDLED NETWORK ELEMENTS - Georgia	1									Svc	Svc	Attachmen Increment		Exhibit: B Incrementa	Increment
CATEGO	DRY RATE ELEMENTS	Int eri m	Zon e	BCS	USOC		RA	TES(\$)			Order Submitte d Elec per LSR	Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. - Electronic-	I Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec		Nonrecu					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Statewide	_	SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	04.50	35.74	04.00	404.77	00.00			40.00	40.00	10.00	40.00
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Statewide		SW	UDL UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LOC	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74						-			
	ib-Loop Feeder												1			
Sui	Sub Loop Feeder-DS3-Per Mile Per mo		_	UE3	1L5SL	12.80							1			
	Sub Loop Feeder-DS3-Facility Termination Per mo		÷	UE3	USBF1	329.94	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – STS-1 – Per Mile Per mo		÷	UDLSX	1L5SL	12.80	3,300.00	400.50	100.01	32.13			10.34	0.42		
	Sub Loop Feeder – STS-1-Facility Termination Per mo		÷	UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – OC-3 – Per Mile Per mo		÷	UDLO3	1L5SL	9.71	0,000.00	400.00	100.01	02.70			10.54	0.42		1
	Sub Loop Feeder-OC-3-Facility Termination Protection Per mo	- †	i	UDLO3	USBF5	57.79										
	Sub Loop Feeder-OC-3-Facility Termination Per mo	+	÷	UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder-OC-12-Per Mile Per mo	+	Ť	UDL12	1L5SL	11.95	2,300.00	.00.00	. 50.01				.0.04	JZ		
	Sub Loop Feeder-OC-12-Facility Termination Protection Per mo	7	i	UDL12	USBF6	519.09								İ		ĺ
	Sub Loop Feeder-OC-12-Facility Termination Per mo		-	UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75			18.94	8.42		ĺ
	Sub Loop Feeder-OC-48-Per Mile Per mo		ı	UDL48	1L5SL	39.20					İ					
	Sub Loop Feeder-OC-48-Facility Termination Protection Per mo		ı	UDL48	USBF9	259.99										ĺ
	Sub Loop Feeder-OC-48-Facility Termination Per mo		-	UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder-OC-12 Interface On OC-48		ı	UDL48	USBF8	323.43	787.13	406.50	163.61	92.75			18.94	8.42		
UNBUND	DLED LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
lder	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99		19.99	19.99
	Unbundled Loop Concentration-2W Voice-Rev Bat Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
<u> </u>	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
$\vdash \vdash$	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
\vdash	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
$\vdash \vdash$	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL UDL	ULCC5 ULCC6	10.51 10.51	21.07 21.07	20.96 20.96	10.78 10.78	10.71 10.71			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
LINE OTL	HER, PROVISIONING ONLY - NO RATE			UDL	ULCCO	10.51	21.07	20.96	10.76	10.71			19.99	19.99	19.99	19.99
ONE OTH	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX											
$\vdash \vdash$	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE								1			
 	ONTW Circuit id Establishment, Frovisioning Only-No Rate			UEANL,UEF,UEQ,	ULINCL											
	Unbundled Contract Name, Provisioning Only-No Rate			UENTW	UNECN											ĺ
UNE OTH	HER, PROVISIONING ONLY - NO RATE			CLIVIV	OITLOIT	-		1	1	†	1	1	<u> </u>	1	1	1
T T				UAL,UCL,UDC,UDL,U		-		1	1	†	1	1	<u> </u>	1	1	1
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00	1							1	ł
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ſ
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00				İ					
	Unbundled DS1 Loop-Exp&ed Superframe Format option-no rate	7		USL	CCOEF	0.00	0.00							1		
HIGH CA	APACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per Mile per mo			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop-DS3-Facility Termination per mo			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop-STS-1-Per Mile per mo			UDLSX	1L5ND	8.90	-									
	High Capacity Unbundled Local Loop-STS-1-Facility Termination per mo			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MA	AKE-UP Loop Makeup-Preordering w/o Reservation, per working or spare facility queried	\dashv														
	(Manual).			UMK	UMKLW		35.00	35.00	<u> </u>		L				<u> </u>	<u> </u>
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or w/o Reservation, per working or spare facility queried	1														l
	(Mechanized)			UMK	PSUMK		0.075	0.075			L	<u></u>	<u></u>		<u> </u>	<u> </u>
	EQUENCY SPECTRUM															
SP	PLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			18.94	8.42		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00			18.94			l
1 —	Line Sharing Splitter, Per System, 8 Line Capacity	Ι		ULS	ULSD8	11.00	0.00	0.00	0.00	0.00	1		18.94	8.42	l	i

04/12/02 Page 66 of 259

CATEGORY RATE ELEMENTS In 20	Order Cubmitte Submit	Orde Submi d Ele per LS	s	Su d	Su	Order	er Orde	der al Ch		Increment al Charge -	Incrementa	Increment
Comparison Com	OMEC S	00145		Ρ,		d Elec	ec ed SR Manu	ed Svc on all	vs. ctronic- I	Manual Svc Order vs. Electronic-	Manual Svc Order vs.	al Charge - Manual Svc Order vs. Electronic-
Line Sharing-DLEC Owned Splitter in CO-CFA activation deachwation (per LSCD)	OWIEC 3					SOME	EC SOM	MANI SOI		Rates(\$)	SOMAN	SOMAN
END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING U.S. U.S.D.C. 0.61 1.517 7.70 0.00 0.00	$=$ \downarrow	SOIVIL				JOINIEC	LC SOWI		18.94	8.42		JOWAN
Line Sharing-per Line Activation (ISST Owned Spitter)	+	1					<u> </u>		10.34	0.42		+
Line Sharing-per Subsquit Activity per Line Rearrangement(ISET Owned Spitter U.S. U.S.CS 36.23 13.23 0.00 0.00			10	0)				18.94	8.42		
Une Sharing-per Line Activation (DLEC owned Splitter) I ULS ULSCS 0.61			0	0)				18.94	8.42		
Line Splitting-per line activation DEC owned splitter 1 UEPSR UEPSB UREDP 0.639 53.48 34.48 16.45 12.75			10	0)				18.94	8.42		
Line Splitting-per line activation BST owned-physical 1 UEPSR UEBB 0.639 53.48 34.48 16.45 12.75			0	0)				18.94	8.42		
Une Spitting-per line activation BST owned-virtual I UEPSR UEPSB UESB UESB												
INBUNDLED DEDICATED TRANSPORT									18.94	8.42		
NTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1-four months			5	5	5				18.94	8.42		<u> </u>
Interoffice Channel-Dedicated Transport-2W VG-Pacility Termination per mo			_		-							
Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo	+		-	-							1	+
Interoffice Channel-Dedicated Transport-2W NG-Pacility Termination per mo	-+	<u> </u>		-	+-	 					 	+
Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per Mile per mo	-+	1	+	+	+	1			18.94	18.94	1	+
InterOffice Channel-Dedicated Transport-SW VG Rev Bat-Facility Termination per mo	-+	†	+	+	+	 	_		10.34	10.34	1	+
mo	-+	1	-	+	+	1			- +		†	
Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo		1				1			18.94	18.94		
Interoffice Channel-Dedicated Transport-56 kbps-Facility Termination per mo		†	+	+	+	†						†
Interoffice Channel-Dedicated Transport-64 kbps-Facility Termination per mo									18.94	18.94		1
Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo												1
Interoffice Channel-Dedicated Transport-DS1-Facility Termination per mo									18.94	18.94		
Interoffice Channel-Dedicated Transport-DS3-Per Mile per mo												
Interoffice Channel-Dedicated Transport-DS3-Facility Termination per mo									18.94	18.94		
Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo												
Interoffice Channel-Dedicated Transport-STS-1-Facility Termination per mo			_						37.55	37.55	18.03	18.03
LOCAL CHANNEL - DEDICATED TRANSPORT NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months			4		4				04.40	21.12	0.15	
NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months Local Channel-Dedicated-2W VG Per mo			_		_				61.19	61.19	3.17	3.17
Local Channel-Dedicated-2W VG Per mo	+		-	-							1	+
Local Channel-Dedicated-2W VG Rev Bat per mo		1	-		-		-		18.94	8.42	+	+
Local Channel-Dedicated-UN VG per mo	-+		-		-				18.94	18.94		+
Local Channel-Dedicated-DS1 per mo	-+	1	-				<u> </u>		18.94	8.42		+
Local Channel-Dedicated-DS3-Per Mile per mo									44.22	44.22		18.03
Local Channel-Dedicated-DS3-Facility Termination per mo												
Local Channel-Dedicated-STS-1-Facility Termination per mo									37.55	37.55	18.03	18.03
MULTIPLEXERS UXTD1 MQ1 126.22 198.22 123.59 UDL 1D1DD 1.86 12.02 8.66 UXTD1 MC1 UCICA 3.37 12.02 8.66 UDL DIS1 to DS0 Channel System-per mo UDN UCICA 3.37 12.02 8.66 UDN UCICA 1D1DD DIS1 to DS0 Channel System-per mo UDN UCICA 3.37 12.02 8.66 UNT UDN UCICA 1D1DG DIS1 to DS0 Channel System-per mo UEA 1D1VG 1.17 12.02 8.66 UXTD3 MC3 182.04 265.91 188.78 UXTD3 MC3 182.04 265.91 188.78 UXTS1 MC3 182.04 265.91 182.04 UXTS1 MC3 182.04 265.91 182.04 UXTS1 MC3 182.04 265.91 182.04 UXTS1 MC3 182.04 265.91 182.04 UXTS1 MC3 182.04 UXTS1 M												
Channelization-DS1 to DS0 Channel System									18.94	18.94		
DCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) UDL 1D1DD 1.86 12.02 8.66												
2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo UDN UC1CA 3.37 12.02 8.66 VG COCI-DS1 to DS0 Channel System-per mo UEA 1DYVG 1.17 12.02 8.66 DS3 to DS1 Channel System per mo UXTD3 MQ3 182.04 265.91 188.78 STS1 to DS1 Channel System per mo UXTS1 MQ3 182.04 265.91 188.78									14.75	6.55		
VG COCI-DS1 to DS0 Channel System-per mo UEA 1D1VG 1.17 12.02 8.66 DS3 to DS1 Channel System per mo UXTD3 MQ3 182.04 265.91 188.78 STS1 to DS1 Channel System per mo UXTS1 MQ3 182.04 265.91 188.78		<u> </u>		-	4	<u> </u>			14.75	6.55		
DS3 to DS1 Channel System per mo UXTD3 MQ3 182.04 265.91 188.78 STS1 to DS1 Channel System per mo UXTS1 MQ3 182.04 265.91 188.78	\longrightarrow	ļ		_	-	 			14.75	6.55		
STS1 to DS1 Channel System per mo UXTS1 MQ3 182.04 265.91 188.78	+	1	-	+	+	 	-		14.75 14.75	6.55 6.55		+
	$-\!\!\!+\!\!\!\!+$	 	+	+	+	1			18.94	18.94		+
	-+	 	+	+	+	1	-		14.75	6.55		+
DS3 Interface Unit (DS1 COCI) used with Local Channel per mo	-+	 	+	+	+	1			14.75	6.55		+
DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per mo	-+	1	\dashv	+	+	1			14.75	6.55		
DARK FIBER	-+	1	\dashv	+	+	1		1	, 0	0.00	1	
Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-Local		†	\dashv	+	+				-			†
Channel												
NRC Dark Fiber-Local Channel UDF UDFC4 1,355.29 273.69		<u></u>			1				18.94	18.94		
Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-												
Interoffice Channel UDF 1L5DF 44.22		ļ]						1
NRC Dark Fiber-Interoffice Channel UDF UDF14 1,355.29 273.69		<u> </u>				<u> </u>			18.94	18.94		<u> </u>
Dark Fiber, Four Fiber Str&s, Per Route Mile or Fraction Thereof per mo-Local		1				1						
Loop		<u> </u>	_	-	4_				10.01	40.01	<u> </u>	
NRC Dark Fiber-Local Loop	\longrightarrow	ļ		_	-	 			18.94	18.94	-	
RANSPORT OTHER Optional Features & Functions:		 	+	-	+-	 					 	+
Uptional reatures & runctions: XX ACCESS TEN DIGIT SCREENING	$-\!\!\!\!+$	1	+	-	+	1			-+		 	+
8XX ACCESS TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call OHD 0.0004868	-+	1	+	+	+	1	-		+		1	+
BXX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved OHD N8R1X 6.57 0.76	-+	 	+	+	+	1			18.94	18.94		+
BXX Access Ten Digit Screening, Per 8XX No. Established WO POTS OHD 12.81 1.45	-+	1	-	+	+	1			18.94	18.94		
8XX Access Ten Digit Screening, Per 8XX No. Established With POTS OHD N8FTX 12.81 1.45		 	+		+	1			18.94	18.94		

04/12/02 Page 67 of 259

UNBUNDI	LED NETWORK ELEMENTS - Georgia												Attachmen	t: 2	Exhibit: B	
CATEGORY		erı	Zon e	BCS	USOC		RA	TES(\$)			Svc Order Submitte d Elec	ed	Increment al Charge - Manual Svc Order	al Charge - Manual	Manual	al Charge Manual
		m									per LSR	Manuall y per	vs. Electronic-	vs. Electronic-	vs. Electronic-	vs. Electronic
		-				_ 1	Nonrec	urrina	Nonrect	urring		l	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR															
	Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call H&ling & Destination Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0.0105974										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		50.30						18.94	18.94		
SIGNALING																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000087										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000354										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or															
	Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING N	AME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User															
	Interface (CHUI)			OQV	CDDCH		595.00	595.00					18.94	18.94		
OPERATOR	CALL PROCESSING															
	Oper Call Processing-Oper Provided, Per min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
NWARD OF	PERATOR SERVICES															
	Inward Operator Svcs-Verification, Per Minute					1.15										
	Inward Operator Services-Verification & Emergency Interrupt-Per Minute					1.15										
BRANDING	- OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.9
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
Unbra	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275				Ì						
	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	寸										Ì				
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				1	0.10				1		1			İ	
	CTORY TRANSPORT	_			1			İ		1					İ	
	ASSISTANCE SERVICES	_			1	i		İ		1					İ	
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)		t		1	İ				†	1	†			1	
	Directory Assistance Data Base Service Charge Per Listing	_			1	0.04		İ		1					İ	
	Directory Assistance Data Base Service, per mo	-	t		DBSOF	150.00		1			1	1	t	l	1	1

UNB	BUNDL	ED NETWORK ELEMENTS - Georgia												Attachmen	: 2	Exhibit: B	
	EGORY		Int eri m	Zon e	BCS	USOC		RA	TES(\$)	I. Namman		Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual	al Charge - Manual Svc Order vs.
							Rec			Nonrecu		SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
BP 41	NDING	- DIRECTORY ASSISTANCE	-				+	First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SUNIAN	SUNIAN	SUMAN
DNAI		ty Based CLEC					-										-
	i aciii	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA	-	6,000.00	6,000.00								-
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00									
-	UNEP	CLEC			AWII	CDADC	-	1,170.00	1,170.00								+
	O.V.	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00									
	Unbra	inding via OLNS for UNEP CLEC						.,	.,								
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00									
SELE	CTIVE	ROUTING															
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		180.62	180.62					33.67	7.88		
VIRT	UAL CO	DLLOCATION															
		Virtual Collocation-Application Cost			AMTFS	EAF		2,848.30	2,848.30								
		Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00								
		Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
		Virtual Collocation-Power, per breaker amp			AMTFS	ESPAX	3.48										
		Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
		Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN, UDC,UAL,UHL,UCL,U EQ,AMTFS,UDL, UNCVX,UNCDX, UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
		virtual Collocation-2vv Cross Conflects (100p)			UEA,UHL,UCL,UDL,A	UEACZ	0.0263	24.30	23.30	9.20	0.30		ļ	19.99	19.99	19.99	19.99
		Virtual Collocation-4W Cross Connects (loop)			MTFS,UAL,UDN, UNCVX,UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
		Virtual Collocation-2-Fiber Cross Connects			AMTFS,UDL12, UDLO3,U1T48,U1T12 U1T03,ULDO3, ULD12, ULD48,UDF AMTFS,UDL12,		2.88	41.72	30.36	10.43	8.36			2.20	2.20		
		Virtual Collocation-4-Fiber Cross Connects			UDLO3,U1T48,U1T12 U1T03,ULDO3, ULD12,ULD48,UDF USL,ULC,AMTFS,	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
		Virtual collocation-DS1 Cross Connects			ULR,UXTD1,UNC1X,U LDD1,U1TD1,USLEL, UNLD1 USL,ULC,AMTFS,	CNC1X	7.50	155.00	14.00								
					UE3,U1TD3,UXTS1,U XTD3,UNC3X, UNCSX,ULDD3, U1TS1,ULDS1,UDLSX		50.05	454.00	44.00								
-	 	Virtual collocation-DS3 Cross Connects Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per	-	<u> </u>	,UNLD3	CND3X	56.25	151.90	11.83	 		!	 	1		 	₩
		Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CB	0.0023										
		Structure, per linear ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per			AMTFS	VE1CD	0.0034										
		Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support			AMTFS	VE1CC		553.43									
		Structure, per cable			AMTFS	VE1CE		553.43									
-	†	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		41.00					1				
-	†	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX	 	48.00					1				
		Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		55.00				1		İ			
		Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64	30.64			1	1	İ		1	
	i –	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	1	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90					<u> </u>				
VIRT	UAL C	DLLOCATION											<u> </u>				
		Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	<u> </u>	Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
-	 	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res		-	UEPSE	VE1R2	0.30	12.60				!	1	18.94	8.42		
<u></u>		Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60	1			1	18.94	8.42		J

04/12/02 Page 69 of 259

UNBUND	RATE ELEMENTS	nt eri Zo	BCS	USOC		RA	TES(\$)			Svc Order Submitte d Elec	Svc Order Submitt ed	Attachment Increment al Charge - Manual Svc Order	Increment al Charge - Manual	Manual	Increment al Charge - Manual Svc Order
		m								per LSR	Manuall y per	Electronic-		vs. Electronic-	vs. Electronic-
					Rec	Nonrec First	urring Add'l	Nonrect First	ırrıng Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN		UEPSX	VE1R2	0.30	12.60	12.60		Auu	COMILC	JOINAIN	18.94	8.42	JOHIAN	JOWAN
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN		UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1		UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		
VIRTUAL C	OLLOCATION														
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting		UEPSR,UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99		
AIN SELEC	TIVE CARRIER ROUTING Regional Service Establishment		SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment		SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user		SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
	Query NRC, per query		SRC	0	0.000448										
AIN - BELL	SOUTH AIN SMS ACCESS SERVICE														
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup		A1N	CAMSE		90.25	90.25					18.94	18.94		
	AIN SMS Access Service-Port Connection-Dial/Shared Access		A1N	CAMDP		29.66	29.66					18.94	18.94		ļ
	AIN SMS Access Service-Port Connection-ISDN Access		A1N	CAM1P		29.66	29.66			<u> </u>		18.94	18.94		
	AIN SMS Access Service-User Identification Codes-Per User ID Code	+	A1N A1N	CAMAU	1	84.43 35.44	84.43 35.44		1	 	 	18.94 18.94	18.94 18.94	-	-
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)	-	AIN	CAIVIRC	0.0023	35.44	35.44	+	1		1	18.94	18.94		+
	AIN SMS Access Service-Storage, Per Offic (100 Kilobytes) AIN SMS Access Service-Session, Per Minute				0.0795604										-
	AIN SMS Access Service-Company Performed Session, Per Minute				2.08										
AIN - BELL	SOUTH AIN TOOLKIT SERVICE														
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup		CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service-Training Session, Per Customer			BAPVX		8,348.00	8,348.00					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		19.13	19.13					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		114.80	114.80					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook			BAPTM		19.13	19.13					18.94	18.94		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTO BAPTC		70.06 70.06	70.06 70.06					18.94 18.94	18.94 18.94		
-	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTE		70.06	70.06					18.94	18.94		
	AIN Toolkit Service-Query Charge, Per Query			D/11 11	0.0209223	70.00	70.00					10.54	10.04		
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node,				0.00000										
	Per Query				0.0053137										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100														
	Kilobytes				1.46										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription		CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		-
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription		CAM CAM	BAPLS BAPDS	0.0861109 15.87	22.64 22.64	22.64 22.64					18.94 18.94	18.94 18.94		
—	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription		CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		
ENHANCE	EXTENDED LINK (EELs)		O7 tivi	D/ II LO	0.0020704	22.04	22.04	1				10.54	10.04		
	: New EELs available in GA. Use all rates below except Switch As Is charge.														1
	E: EEL network elements shown below also apply to currently combined facilities	es whi	ch are converted to UN	E rates. A	Switch As Is C	harge applies	to currently	combine combine	d facilitie	s converte	d to UNEs	.(Non-recuri	ring rates de	not apply.)	
	:: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily con			Switch As	Is Charge.)										
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRA			UESS	10.5		==	1	1	ļ	1				ļ
\vdash	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 1	1		UEAL2	16.84	104.14	78.10		1	<u> </u>	1	18.94	8.42	-	ļ
$\vdash \vdash$	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 2 First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone 3	3		UEAL2 UEAL2	19.45 30.92	104.14 104.14	78.10 78.10		-	 	 	18.94 18.94	8.42 8.42	-	
 	Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo	3	UNCVX UNC1X	1L5XX	0.4523	104.14	78.10	1	1	 	1	18.94	8.42		-
	Interoffice Transport-Dedicated-DS1 combination-Fer Mile per mo	+	UNC1X	U1TF1	78.47	194.63	141.51	1	1	1	1	33.63	27.49	19.88	11.8
	DS1 Channelization System Per mo	\top	UNC1X	MQ1	126.22			t				55.55	20	.0.50	
	VG COCI-DS1 To Ds0 Interface-Per mo	╧	UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport														
\vdash	Combination-Zone 1	1	UNCVX	UEAL2	16.84	104.14	78.10	1	1	ļ	1	18.94	8.42		ļ
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport	_	LINOV	LIEALO	40.45	404.44	70.40					40.04	0.40		
\vdash	Combination-Zone 2 Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-	2	UNCVX	UEAL2	19.45	104.14	78.10	1	1	 	 	18.94	8.42	-	-
	Zone 3	3	UNCVX	UEAL2	30.92	104.14	78.10				1	18.94	8.42		
 	VG COCI-DS1 to DS0 Channel System combination-per mo	+3	UNCVX	1D1VG	1.17	12.02	8.66				1	18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge	_	UNC1X	UNCCC	1.77	12.97	11.27				1	45.46	15.72		
4-WII	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRA	NSPO													
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 1	1		UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 2	2		UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-Zone 3	3		UEAL4	40.86	206.95	170.57	1		ļ	ļ	18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo	_	UNC1X	1L5XX	0.4523	404.00	144 54	1	ļ	<u> </u>	1	20.00	07.40	40.00	44.0
\vdash	Interoffice Transport-Dedicated-DS1-Facility Termination Per mo	-	UNC1X	U1TF1	78.47	194.63	141.51	1	1	 	1	33.63	27.49	19.88	11.8
	Channelization-Channel System DS1 to DS0 combination Per mo		UNC1X	MQ1	126.22	l		1	1	1	1	1	l		1

04/12/02 Page 70 of 259

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment	: 2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Int eri m	Zon e	BCS	USOC		RA	TES(\$)	Nonrecu	urina	Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	Increment al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic-
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66	101	71441	0020	00				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	22.26	206.95						18.94	8.42		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	25.70	206.95						18.94	8.42		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE 1	ΓRΑ	NSP	ORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-															
	Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-		_													
	Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-		_	LINODY	1101.50	47.07	004.50	044.00					40.04	0.40		
	Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20	ļ	ļ	ļ		18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS1-combination Facility Termination Per mo		-	UNC1X UNC1X	1L5XX U1TF1	0.4523 78.47	194.63	141.51	1	1	1		33.63	27.49	19.88	44.05
				UNC1X UNC1X	MQ1	126.22	194.63	141.51					33.03	27.49	19.88	11.85
	Channelization-Channel System DS1 to DS0 combination Per mo OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCTX	1D1DD	126.22	12.02	8.66	1	1	}		18.94	8.42		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport			UNCDA	10100	1.00	12.02	8.00					10.94	0.42		
	Combination-Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport		-	ONODA	ODLOG	20.70	304.30	241.20			+		10.34	0.42		
	Combination-Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport			ONODA	ODLOG	20.14	004.00	241.20					10.54	0.42		
	Combination-Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo (2.4-			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.00	12.97	11.27					18.94	8.42		
4-WIF	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE T	ΓRΑ	NSP													
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-			, ,												
	Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1 combination-Facility Termination Per mo			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	126.22										
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport												40.04			
	Combination-Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	20.74	348.55	244.20					10.04	8.42		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport	-		UNCDA	UDL64	29.74	348.55	241.20	1	1			18.94	8.42		
	Combination-Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-		3	UNCDX	1D1DD	1.86	12.02	8.66	1	1	}		18.94	8.42		
+	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	1.00	12.02		<u> </u>	 	+		45.46	15.72		
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRAI	NSF	ORT		5,1000	-	12.31	11.21	t	1	1	1	70.70	10.12		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69			1		18.94	8.42		
	4W DS1 Digital Loop in Combination with DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	101.93	443.20						18.94	8.42		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.4523										
	Interoffice Transport-Dedicated-DS1 combination-Facility Termination Per mo			UNC1X	U1TF1	78.47	194.63	141.51	1	1			33.63	27.49	19.88	11.85
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		12.97	11.27			İ		45.46	15.72		
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAI	NSF	ORT	(EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20						18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20						18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo			UNC3X	1L5XX	2.72										
	Interoffice Transport-Dedicated-DS3-Facility Termination per mo			UNC3X	U1TF3	788.00	198.45						37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	137.73	196.66						18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02			ļ	ļ		18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	55.53	443.20			ļ	ļ		18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	64.13	443.20			<u> </u>	1	ļ	18.94	8.42		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	101.93	443.20			<u> </u>	1	ļ	18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per mo		<u> </u>	UNC1X	UC1D1	11.02	12.02			ļ	1		18.94	8.42		
1	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		12.97	11.27	1	1	1	l	45.46	15.72	l	l

04/12/02 Page 71 of 259

CATEGORY RATE ELEMENTS 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTERC	FFICE TRA	nt Zor eri e	BCS	usoc		RA	TES(\$)			Svc Order Submitte d Elec	Svc Order	1	Increment al Charge - Manual	I Charge - Manual	Increment al Charge - Manual
2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Dedicated-2W VG combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-3W VG combination-Per Mile Per mo High Capacity Unbundled Local Loop-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicat	per mo	NSPOI			,					per LSR	Manuall	vs. Electronic-	vs. Electronic-	Svc Order vs. Electronic-	Svc Order vs.
2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Dedicated-2W VG combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-3W VG combination-Per Mile Per mo High Capacity Unbundled Local Loop-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicat	per mo	NSPO			Rec	Nonrec		Nonrecu		COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo NRC Currently Combined Network Elements Switch-As-Is Charge 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-DOS combination-Per Mile per mo High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a SM Interoffice Transport Combination-Per Mile Interoffice Transport-Dedicated-DS1 combinati	per mo	1	PT /FFI \			First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOWAN	SOWAN	SUMAN
2WVG Loop used with 2W VG Interoffice Transport Combination-Zone 2WVG Loop used with 2W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GRADE INTERC 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GRADE INTERC 4-WIRE VOICE GRADE WITH AW VG Interoffice Transport Combination-Zone 4-WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4-WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1-Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo 1-Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo 1-Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo 1-Inte	per mo		UNCVX	UEAL2	16.84	104.14	78.10		$\overline{}$	\vdash		18.94	8.42		
Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-2W VG combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTERC 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1 with 4W VG Interoffice Transport Combination-Zone 1 Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-DO3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DO3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Pirst 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a STS1 Interoffice Transport Combination-Per Mile Interoffice Transport-Dedicated-DS1	per mo	2		UEAL2	19.45	104.14				† †		18.94	8.42		
Interoffice Transport-Dedicated-2W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTERC 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTERC 4-WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4-WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1-WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1-Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo 1-Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo 1-Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TO 1-Interoffice Transport-Dedicated-DS3 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-DS3-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo 1-Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1-First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1-First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3-Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport Combination-Per Mile Interoffice Transport Combination-Per Mile Interoffice Transport C		3		UEAL2	30.92	104.14	78.10					18.94	8.42		
A-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GRADE INTERC 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Transport Combination-per Mile Interoffice Transport-Dedicated-DS1 combinition-Facility Termination per Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Ter Mile Interoffice Transport-Dedicated-STS1 combination-Per Mile Fi			UNCVX	1L5XX	0.0222										
4-WIRE VOICE GRÂDE EXTENDED LOOP/ 4 WIRE VOICE GRADE ÎNTERC 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 1nteroffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-WV GG combination-Per Mile Per mo Interoffice Transport-Dedicated-DOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Transport Combination-per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Put IsDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Com	TOP TO		UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge D33 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TI High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS1-ST3 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-SS1 combination-Per Mile Interoffice Transpo		NEDO	UNCVX	UNCCC		12.97	11.27					45.46	15.72		├
AWVG Loop used with 4W VG Interoffice Transport Combination-Zone 4WVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo High Capacity Unbundled Local Loop-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport Dedicated-DS1 combination-Per Mile Interoffice Transport Combination-Zone 3 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1		1	UNCVX	UEAL4	22.26	206.95	170.57	\longrightarrow				18.94	8.42		\vdash
AWVG Loop used with 4W VG Interoffice Transport Combination-Zone Interoffice Transport-Dedicated-4W VG combination-Fer Mile Per mo Interoffice Transport-Dedicated-4W VG combination-Fer Mile Per mo NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per me High Capacity Unbundled Local Loop-DS3 combination-Per Mile per me Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Transport Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Don Add¹ 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1		2		UEAL4	25.70	206.95	170.57		$\overline{}$	\vdash		18.94	8.42		
Interoffice Transport-Dedicated-4W VG combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mm High Capacity Unbundled Local Loop-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED ST3 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-per Madd1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Per Mile NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Pe		3		UEAL4	40.86	206.95						18.94	8.42		
NRC Currently Combined Network Elements Switch-As-Is Charge DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTERCFFICE TF High Capacity Unbundled Local Loop-DS3 combination-Facility Termin High Capacity Unbundled Local Loop-DS3 combination-Facility Termin Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTERCFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice			UNCVX	1L5XX	0.0222										
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TI High Capacity Unbundled Local Loop-DS3 combination-Per Mile per me High Capacity Unbundled Local Loop-DS3 combination-Facility Termination Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per no High Capacity Unbundled Local Loop-STS1 combination-Per Mile per no Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile VI ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile	per mo		UNCVX	U1TV4	17.07	79.61	36.08	ldot				18.94	18.94		
High Capacity Unbundled Local Loop-DS3 combination-Per Mile per me High Capacity Unbundled Local Loop-DS3 combination-Facility Terminal Interoffice Transport-Dedicated-DS3 per Mile per mo Interoffice Transport-Dedicated-DS3 per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Pacility Termination Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 Firist 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-per Md1 Interoffice Transport Combination-Per Md1 Interoffice Transport Combination-Per Md1 Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Inter	ANCROR	/FF: \	UNCVX	UNCCC		12.97	11.27	\vdash				45.46	15.72		
High Capacity Unbundled Local Loop-DS3 combination-Facility Terminal Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combinition-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Facility Termination per Channelization-Channel System DS1 to DS0 combination-per Mdd1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport Dedicated-STS1 combination		(EEL)	UNC3X	1L5ND	8.90			\vdash		 		\vdash			
Interoffice Transport-Dedicated-DS3-Per Mile per mo Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per n High Capacity Unbundled Local Loop-STS1 combination-Facility Termin Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination		+	UNC3X UNC3X	UE3PX	390.34	639.50	426.40	 		\vdash		37.55	37.55	18.03	18.03
Interoffice Transport-Dedicated-DS3 combination-Facility Termination p NRC Currently Combined Network Elements Switch-As-Is Charge STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per n High Capacity Unbundled Local Loop-STS1 combination-Per Mile per ne Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in SS1 Interoffice Transport Combination-Zon PNRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'1 DS1Loop in STS1	рог	+	UNC3X	1L5XX	2.72	200.00	.20.40	\vdash	$\overline{}$		$\overline{}$	37.00	37.00	.0.00	10.00
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE High Capacity Unbundled Local Loop-STS1 combination-Per Mile per n High Capacity Unbundled Local Loop-STS1 combination-Pacility Termin Interoffice Transport-Dedicated-STS1 combination-Pacility Termination Interoffice Transport-Dedicated-STS1 combination-Pacility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'1 2W ISDN Loop in SIS1 Interoffice Transport Combination-Zon NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Pac Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Pac Mile Per mo DS3 Interface Unit (DS1 COCI) combination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'1 DS1Loop in STS1 Interoffice Transport Combination-Zone 2	r mo		UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
High Capacity Unbundled Local Loop-STS1 combination-Per Mile per n High Capacity Unbundled Local Loop-STS1 combination-Facility Termin Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport Dedicated-DS1 combination-Per Mile Interoffice Transport Dos0 Channel System combination-Per Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DigITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 2			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
High Capacity Unbundled Local Loop-STS1 combination-Facility Termin Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination. NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Qo Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zo Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add1 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add1 2W ISDN Loop in Same DS1Interoffice Transport Combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo DS3 Interface Unit (DS1 COCI) combination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 2		RT (EE													
Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Pacility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zon Add'l 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zon WISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zon SNRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Pacility Termination STS1 to DS1 Channel System combination-Zone 1 Interoffice Transport-Dedicated-STS1 combination-Pacility Termination STS1 to DS1 Condition Pacility Termination STS1 to DS1 Condition Pacility Termination STS1 to DS1 Condition Pacility Termination DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2			UNCSX	1L5ND	8.90	000 50	100.10					07.55	07.55	40.00	40.00
Interoffice Transport-Dedicated-STS1 combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon WISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1	ation per	_	UNCSX	UDLS1 1L5XX	421.59 2.72	639.50	426.40					37.55	37.55	18.03	18.03
NRC Currently Combined Network Elements Switch-As-Is Charge 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zon CW ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo DS3 Interface Unit (DS1 COCI) combination per mo DS3 Interdace Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1	er mo	-	UNCSX	U1TFS	783.63	198.45	449.91	\longrightarrow				37.55	37.55	18.03	18.03
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (E First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTERENT First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Par Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Parily Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1	ei iiio		UNCSX	UNCCC	703.03	12.97	11.27		$\overline{}$	\vdash		45.46	15.72	10.03	10.03
First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2 First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zol Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zol Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zol ZW ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zol WISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zol WISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zole First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interdace Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1	EL)		S. KOSA	0.1000						† †		.00			
First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3 Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combination-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zon Add1 2W ISDN Loop in same DS1 Interoffice Transport Combination-Por NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Pacility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add1 DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
Interoffice Transport-Dedicated-DS1 combination-Per Mile Interoffice Transport-Dedicated-DS1 combinition-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTERT First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		2		U1L2X	25.27	233.38						18.94	8.42		
Interoffice Transport-Dedicated-DS1 combination-Facility Termination pe Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER: First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		3		U1L2X	40.17	233.38	180.38					18.94	8.42		
Channelization-Channel System DS1 to DS0 combination-per mo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoo Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoo Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoo 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER! First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Facility Termination Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		_	UNC1X UNC1X	1L5XX U1TF1	0.4523 78.47	194.63	141.51				<u> </u>	33.63	27.49	19.88	11.85
2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEREMANDED LOOP INTERMANDED LOOP IN	IIIO	-	UNC1X	MQ1	126.22	194.03	141.51	\longrightarrow				33.63	21.49	19.00	11.00
Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-Zoie NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	no		UNCNX	UC1CA	3.37	12.02	8.66		$\overline{}$	\vdash		33.63	27.49	19.88	11.85
Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zoi 2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER: First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COC) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		1		U1L2X	21.89	233.38	180.38					18.94	8.42	- 13133	
2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER(First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2		U1L2X	25.27	233.38	180.38					18.94	8.42		
NRC Currently Combined Network Elements Switch-As-Is Charge 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER: First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		3		U1L2X	40.17	233.38					L	18.94	8.42		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTERI First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Pare Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	no		UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	SELCE TR	Meno	UNC1X	UNCCC		12.97	11.27				<u> </u>	45.46	15.72		
First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	Trice IRA	1	UNC1X	USLXX	55.53	443.20	138.69	 		\vdash		18.94	8.42		
First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3 Interoffice Transport-Dedicated-STS1 combination-Facility Termination Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	-+	2		USLXX	64.13	443.20	138.69	\vdash				18.94	8.42		
Interoffice Transport-Dedicated-STS1 combination-Facility Termination STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		3	UNC1X	USLXX	101.93	443.20						18.94	8.42		
STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2			UNCSX	1L5XX	2.72				-		lacksquare				
DS3 Interface Unit (DS1 COCI) combination per mo Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	\longrightarrow	_	UNCSX	U1TFS	783.63	198.45		\vdash		<u> </u>		37.55	37.55	18.08	18.03
Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1 Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	\longrightarrow	-	UNCSX UNC1X	MQ3	182.04	196.66	204.61	\vdash		 		37.55	37.55 37.55	18.08	18.03
Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2	\longrightarrow	1	UNC1X UNC1X	UC1D1 USLXX	11.02 55.53	12.02 443.20	8.66 138.69	\vdash		 	 	37.55 18.94	37.55 8.42	18.08	18.03
	-+	2	UNC1X	USLXX	64.13	443.20		\vdash	$\overline{}$	 		18.94	8.42		
		3		USLXX	101.93	443.20	138.69		i			18.94	8.42		
DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		12.97	11.27	$oxed{oxed}$	<u> </u>	<u> </u>	<u> </u>	45.46	15.72		<u> </u>
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFIC		RT (E		LIBLES	05.75	004.50	044.00	\vdash				40.01	0.40		
4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone		2	UNCDX	UDL56 UDL56	25.75 29.74	384.56 384.56	241.20 241.20	\vdash		 		18.94 18.94	8.42 8.42		
4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3		UDL56	47.27	384.56		 		\vdash		18.94	8.42		
Interoffice Transport-Dedicated-4W 56 kbps combination-Per Mile	-+		UNCDX	1L5XX	0.0222	204.00		\vdash				.0.07	0.72		
Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Termin	ation		UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.85
NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFIC		RT (E		1,,				μЩ	<u> </u>		└	└			
4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone	TRANSPO	1	UNCDX	UDL64	25.75	348.55	241.20	1 ,		1 '	1 '	18.94	8.42		
4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone : 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone :							244.00					10.04	0.40		
Interoffice Transport-Dedicated-4W 64 kbps combination-Per Mile	2	2	UNCDX	UDL64 UDL64	29.74 47.27	348.55 348.55	241.20 241.20					18.94 18.94	8.42 8.42		

04/12/02 Page 72 of 259

JNBUND	LED NETWORK ELEMENTS - Georgia											Attachmen	t: 2	Exhibit: B	
CATEGOR	Y RATE ELEMENTS	nt Zon eri e	BCS	usoc		RA	TES(\$)	Nonrec		d Elec	Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs. Electronic-	Increment al Charge - Manual Svc Order vs. Electronic- Rates(\$)	I Charge - Manual Svc Order vs.	al Charge Manual Svc Orde vs.
		-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Intereffice Transport Dedicated 4W 64 khas combination Facility Termination	-	UNCDX	U1TD6	16.45	147.07	111.75	FIISL	Add I	SOMEC	SUMAN	33.63	27.49	19.88	
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Termination NRC Currently Combined Network Elements Switch-As-Is Charge	-	UNCDX	UNCCC	16.43	12.97	111.75			-		45.46	15.72	19.00	11.03
DDITION	AL NETWORK ELEMENTS		UNCDA	UNCCC		12.97	11.27					43.46	15.72		₩
			lu but a Cuitab Aa la							-		-			├
	n used as a part of a currently combined facility, the non-recurring charges do r									-		-			├
	n used as ordinarilty combined network elements in GA, the non-recurring char	ges app	bly and the Switch As	is Charge d	oes not.							1			₩
	e (SynchroNet) recurring Currently Combined Network Elements "Switch As Is" Charge (One ap	-1: 4-								-		-			+
Noni		plies to		LINICCO		40.07	44.07		-			40.04	40.04		+
_	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W VG	_	UNCVX	UNCCC		12.97	11.27		-			18.94	18.94		+
_	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps	_	UNCDX	UNCCC		12.97	11.27		-			18.94	18.94		4
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1	_	UNC1X	UNCCC		12.97	11.27					18.94	18.94		
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3	_	UNC3X	UNCCC		12.97	11.27					18.94	18.94		
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1		UNCSX	UNCCC		12.97	11.27					18.94	18.94		
NOT	E: Local Channel - Dedicated Transport - minimum billing period - Below DS3=0	ne mor													
	Local Channel-Dedicated-2W VG per mo		UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94		
	Local Channel-Dedicated-4W VG per mo		UNCXV	ULDV4	14.99	272.07	60.43					18.94	18.94		
	Local Channel-Dedicated-DS1 Per mo		UNC1X	ULDF1	38.36	356.15	312.89								
	Local Channel-Dedicated-DS3-Per Mile per mo		UNC3X	1L5NC	6.92	_	<u> </u>				<u> </u>	<u> </u>			<u> </u>
	Local Channel-Dedicated-DS3-Facility Termination per mo		UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
	Local Channel-Dedicated-STS-1-Per Mile per mo		UNCSX	1L5NC	6.92										
	Local Channel-Dedicated-STS-1-Facility Termination per mo		UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
IBUNDLI	ED LOCAL EXCHANGE SWITCHING(PORTS)														
Exch	ange Ports														Ī
NOT	E: Although the Port Rate includes all available features in GA, KY, LA & TN, the	desire	d features will need to	be ordered	l using retail U	SOCs									Ī
2-WI	RE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports-2W Analog Line Port-Res.		UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		1
	Exchange Ports-2W Analog Line Port with Caller ID-Res.		UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		1
	Exchange Ports-2W Analog Line Port outgoing only-Res.		UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	1.85		17.16					18.94	8.42		1
	Subsgnt Activity		UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		†
FEA	TURES														1
- \	All Available Vertical Features		UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		+
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)		02. 0.1	02. 1.	0.00	0.00	0.00					10.01	0.12		+
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus	-	UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		+
	Exchange Ports-2W VG unbundled Line Port with unbundled port with	_	OLI OD	OLIBE	1.00	17.10	17.10			-		10.04	0.42		+
	Caller+E484 ID-Bus.		UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports-2W Analog Line Port outgoing only-Bus.		UEPSB	UEPBO	1.85	17.16	17.16			1		18.94	8.42		+
_	Exhange Ports-2W VG unbundled incoming only port with Caller ID-Bus	-	UEPSB	UEPB1	1.85	17.16	17.16			1		18.94	8.42		+
		_	UEPSB	USASC	0.00	0.00	0.00			-		18.94	8.42		+
	Subsqnt Activity		UEFSB	USASC	0.00	0.00	0.00					10.94	0.42		+
FEA	TURES	_	LIEDOD	LIED\/E	0.00	0.00	0.00		-			40.04	0.40		4
FVC	All Available Vertical Features		UEPSB	UEPVF	0.00	0.00	0.00	1	1	1	 	18.94	8.42		
EXC	HANGE PORT RATES (DID & PBX)	_	LIEBOE	LIEBBB					1						┼
	2W VG Unbundled 2-Way PBX Trunk-Res		UEPSE	UEPRD	1.85	17.16	17.16		1	1		18.94	8.42		1
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus	_ _	UEPSP	UEPPC	1.85	17.16	17.16		ļ	ļ	ļ	18.94	8.42		4
	2W VG Line Side Unbundled Outward PBX Trunk-Bus	_ _	UEPSP	UEPPO	1.85	17.16	17.16		ļ	ļ		18.94	8.42		↓
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus		UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		1
	2W Analog Long Distance Terminal PBX Trunk-Bus		UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2W Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling														T
	Port		UEPSP	UEPXL	1.85	17.16	17.16	<u></u>	<u> </u>	<u> </u>	<u></u>	18.94	8.42		<u> </u>
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		T
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room														1
	Calling Port		UEPSP	UEPXO	1.85	17.16	17.16			1		18.94	8.42		
_	2W Voice Unbundled 1-Way Outgoing PBX Measured Port	1	UEPSP	UEPXS	1.85	17.16	17.16			1		18.94	8.42		†
	Subsqnt Activity	_	UEPSP	USASC	0.00	0.00	0.00		1	1		18.94	8.42		1
FFA	TURES	_	321 01	22,100	0.00	0.00	0.00		1	1		10.04	0.72		1
1	All Available Vertical Features	-1	UEPSP UEPSE	UEPVF	0.00	0.00	0.00		1	<u> </u>		18.94	8.42		+
			OLI OI OLI OL	OLI VI	0.00	0.00	0.00	-	+	1	 	10.34	0.72		+
FYC	HANGE PORT RATES (COIN)														
EXC	HANGE PORT RATES (COIN) Exchange Ports-Coin Port				2.05	17.16	17.16		1			18.94	8.42		+

04/12/02 Page 73 of 259

JNBUND	LED NETWORK ELEMENTS - Georgia												Attachmen	t: 2	Exhibit: B	
											Svc	Svc	Increment	Increment	Incrementa	Increme
											Order	Order	al Charge -	al Charge -	I Charge -	al Charg
		Int	_								Submitte		Manual	Manual	Manual	Manua
ATEGORY	RATE ELEMENTS	eri	Zon	BCS	USOC		RΔ	TES(\$)								
	TATE ELEMENTO		е	500	0000		107	11 ΕΘ(ψ)			d Elec	ed	Svc Order		Svc Order	Svc Ord
		m									per LSR		vs.	vs.	vs.	vs.
												y per	Electronic-	Electronic-	Electronic-	Electron
									T							
						Rec	Nonrec		Nonrec					Rates(\$)		
							First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	E: Access to B Channel or D Channel Packet capabilities will be available	only thr	ough	BFR/NBR Process. R	ates for the	packet capab	ilities will be	determined	via the Bl	R/NBR P	rocess.					
	ED LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	HANGE PORT RATES (DID & PBX)															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88			Ĭ .		19.99	19.99	19.99	19
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
	All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00			ì					
NOTE	: Transmission/usage charges associated with POTS circuit switched usa	liw and	alen						n by R-Ch	annale ac	enciated v	vith 2-wire	ISDN norte			
	Access to B Channel or D Channel Packet capabilities will be available or a control of the											VICII Z-WIIC	lobit ports	1	-	
NOTE		only thr	ougn						via the Bi	-K/NBK F	rocess.					
	Exchange Ports-2W ISDN PortChannel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
	ED LOCAL SWITCHING, PORT USAGE															
End (Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0016333										
	End Office Trunk Port-Shared, Per MOU					0.0001564					1					
Tand	em Switching (Port Usage) (Local or Access Tandem)										ì					
	T&em Switching Function Per MOU					0.0006757					1					
-	T&em Trunk Port-Shared, Per MOU					0.0002126		-	-		1		-	-		
						0.0002126					ļ					
Comr	mon Transport															
	Common Transport-Per Mile, Per MOU					0.000008										
	Common Transport-Facilities Termination Per MOU					0.0004152										
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost	Based Rates are applied where BellSouth is required by FCC and/or Comm	nission	rule t	o provide Unbundled	Local Swit	ching or Switc	h Ports.									
Featu	ires shall apply to the Unbundled Port/Loop Combination - Cost Based Ra	te secti	on in	the same manner as t	hey are app	lied to the Sta	nd-Alone Un	bundled Po	rt section	of this Ra	ate Exhibit					
End (Office and Tandem Switching Usage and Common Transport Usage rates i 5A, the recurring UNE Port and Loop charges listed apply to Currently Con	n the Po	ort se	ction of this rate exhi	oit shall ap	ply to all comb	inations of lo	oop/port net	work elen	ents exc	ept for UN	E Coin Po	rt/Loop Cor	mbinations.		
For G	GA, the recurring UNE Port and Loop charges listed apply to Currently Con	nbined a	and N	ot Currently Combine	d Combos.	The first and	additional Po	ort nonrecur	ring charg	ges apply	to Not Cu	rrently Co	mbined Cor	nbos for all	states. In G/	A, these
nonre	ecurring charges are commission ordered cost based rates.															
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
-	2W VG Loop/Port Combo-Zone 1		1			12.59					1					
	2W VG Loop/Port Combo-Zone 2	_	2					!	1	1	1		 	!	 	
	2W VG LOOP/FUIT COITIDO-ZOITE Z					1/1 26										
	2W VG Loop/Port Combo Zono 2					14.26										
LINE	2W VG Loop/Port Combo-Zone 3		3			14.26 21.62				1						
UNE	Loop Rates		3			21.62										
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1		3	UEPRX	UEPLX	21.62 10.80										
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2	UEPRX	UEPLX	21.62 10.80 12.47										
UNE	Loop Rates 2W VG Loop (SL1)-Zone 1		3			21.62 10.80										
	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2		1 2	UEPRX	UEPLX	21.62 10.80 12.47										
	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3		1 2	UEPRX	UEPLX	21.62 10.80 12.47	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence		1 2	UEPRX UEPRX	UEPLX UEPLX	21.62 10.80 12.47 19.83										
	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.62 10.80 12.47 19.83 1.79 1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.62 10.80 12.47 19.83 1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67	7.88 7.88	11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.62 10.80 12.47 19.83 1.79 1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	21.62 10.80 12.47 19.83 1.79 1.79 1.79	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled sers, low usage line port with Caller ID (LUM) TURES [All Features Offered]		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.62 10.80 12.47 19.83 1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67	7.88 7.88	11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) URES All Features Offered L NUMBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	21.62 10.80 12.47 19.83 1.79 1.79 1.79 1.79 0.00	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 The Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	21.62 10.80 12.47 19.83 1.79 1.79 1.79	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) URES All Features Offered L NUMBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	21.62 10.80 12.47 19.83 1.79 1.79 1.79 1.79 0.00	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 The Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	21.62 10.80 12.47 19.83 1.79 1.79 1.79 1.79 0.00	22.14 22.14 22.14	15.25 15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES ALI Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF	21.62 10.80 12.47 19.83 1.79 1.79 1.79 1.79 0.00	22.14 22.14 22.14 0.00	15.25 15.25 15.25 0.00	8.45 8.45	3.91 3.91			37.06 33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	
2-Wir	Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 e Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence 2W voice unbundled port with Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port outgoing only-res 2W voice unbundles res, low usage line port with Caller ID (LUM) TURES AL NUMBER PORTABILITY Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2W VG Loop/Line Port Combination-Conversion-Switch-as-is		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRC UEPRO UEPAP UEPVF LNPCX	21.62 10.80 12.47 19.83 1.79 1.79 1.79 1.79 0.00	22.14 22.14 22.14 0.00	15.25 15.25 15.25 0.00	8.45 8.45	3.91 3.91			37.06 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	

04/12/02 Page 74 of 259

UNE Poi	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) tt/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 pp Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY SOLA Number Portability (1 per port)	Int eri m	2on e 1 1 2 3 1 2 3 3	BCS UEPBX UEPBX UEPBX UEPBX	USOC	12.59 14.26 21.62	RA Nonrect First	TES(\$) urring Add'l	Nonrecu First	rring Add'l	Svc Order Submitte d Elec per LSR	ed Manuall y per	OSS	al Charge - Manual Svc Order vs.	I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs. Electronic
UNE Poi	tr/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Dop Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOES IN UNDER PORTABILITY		1 2	UEPBX		12.59 14.26					SOMEC	SOMAN			SOMAN	SOMAN
UNE Poi	tr/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Dop Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOES IN UNDER PORTABILITY		1 2	UEPBX		14.26	FIISL	Add I	First	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
UNE Poi	tr/Loop Combination Rates W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Dop Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOES IN UNDER PORTABILITY		1 2	UEPBX		14.26										
2\ 2\ 2\ 2\ UNE Loc 2\ 2\ 2\ 2\ 2\ 2\ 2\ 2\ 2\ 2\	W VG Loop/Port Combo-Zone 1 W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 pp Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port wifth Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOING TOMBO TO TO TO TO TO TO TO TO TO TO TO TO TO		1 2	UEPBX		14.26										
20 20 20 20 20 20 20 20 20 20 20 20 20 2	W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3 Dop Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled port with Caller ID-Bus W voice unbundled port with Caller ID-Bus W voice unbundled port with Caller ID-Bus NUMBER PORTABILITY DOZIAL Number Portability (1 per port)		1 2	UEPBX		14.26							1	l		
2\ UNE Lor 2 2 2 2 2 2 2 2	W VG Loop/Port Combo-Zone 3 pp Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Poice Grade Line Port (Bus) W voice unbundled port wifo Caller ID-bus W voice unbundled port wifh Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus Number PortAbiLity Docal Number Portability (1 per port)		1 2	UEPBX												
UNE Loc	pp Rates W VG Loop (SL1)-Zone 1 W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Voice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOZEI Number Portability (1 per port)		1 2	UEPBX												
21 2-Wire V 2-Wire V 22 22 22 LOCAL LCCAL LCOAL NONREC 22 22	W VG Loop (SL1)-Zone 2 W VG Loop (SL1)-Zone 3 Toice Grade Line Port (Bus) W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY LOCAL Number Portability (1 per port) LES		2	UEPBX												
2 2 2 2 2 2 2 2 2 2	W VG Loop (SL1)-Zone 3 Poice Grade Line Port (Bus) W voice unbundled port wih Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOI: 10.00000000000000000000000000000000000				LIEDLY	10.80										
2-Wire V 22 21 22 22 LOCAL LC FEATUR AI NONREC	Voice Grade Line Port (Bus) N voice unbundled port w/o Caller ID-bus N voice unbundled port with Caller + E484 ID-bus N voice unbundled port outgoing only-bus N voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY COLOR NUMBER PORTABILITY DES		3	UEPBX	UEPLX	12.47										
2\ 2\ 2\ 2\ 2\ 2\ 2\ 2\	W voice unbundled port w/o Caller ID-bus W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOEL Number Portability (1 per port) LES				UEPLX	19.83										
2V 2V LOCAL LC FEATUR AI NONREC	W voice unbundled port with Caller + E484 ID-bus W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOES IN NUMBER PORTABILITY DOES IN NUMBER PORTABILITY DOES IN NUMBER PORTABILITY															
LOCAL LC FEATUR AI NONREC	W voice unbundled port outgoing only-bus W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY DOIS INUMBER PORTABILITY DOIS INUMBER PORTABILITY (1 per port) DOIS INUMBER PORTABILITY (2 per port)		1 1	UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
LOCAL LC FEATUR AI NONREC	W voice unbundled incoming only port with Caller ID-Bus NUMBER PORTABILITY Coal Number Portability (1 per port) ES		\vdash	UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
LOCAL LOCAL	NUMBER PORTABILITY cal Number Portability (1 per port) ES			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	11.17	3.
FEATUR AI NONREC	ocal Number Portability (1 per port)			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
FEATUR AI NONREG 2\ 2\	RES	+		UEPBX	LNPCX	0.35										
NONREC 2\				ULFDA	LINEUA	0.35										
NONRE(I Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.
2\ 2\	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00					00.07	7.00	11.17	
2\	V VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.
	W VG Loop/Line Port Combination-Conversion-Switch with change			UEPBX	USACC		2.01	0.3108					00.01	7.00		
	DNAL NRCs															
2\	N VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Por	rt/Loop Combination Rates															
	N VG Loop/Port Combo-Zone 1		1			12.59										
	N VG Loop/Port Combo-Zone 2		2			14.26										
	N VG Loop/Port Combo-Zone 3		3			21.62										
	op Rates			LIEBBO		40.00										<u> </u>
	N VG Loop (SL 1)-Zone 1	-	1	UEPRG UEPRG	UEPLX UEPLX	10.80 12.47										
	N VG Loop (SL 1)-Zone 2 N VG Loop (SL 1)-Zone 3	-	3	UEPRG	UEPLX	19.83										
	/oice Grade Line Port Rates (RES - PBX)	-	3	OLFKG	OLFLX	19.03										
	W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	NUMBER PORTABILITY			OLITIO	OLITO	1.73	22.14	13.23	0.40	3.31			33.07	7.00	11.17	
	ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.
FEATUR																
Al	l Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	N VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3
	N VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3
	DNAL NRCs															
	N VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3
	BX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1														<u> </u>
	rt/Loop Combination Rates N VG Loop/Port Combo-Zone 1	1	1		_	12.50										
	N VG Loop/Port Combo-Zone 1	1	2		_	12.59 14.26										
	W VG Loop/Port Combo-Zone 2 W VG Loop/Port Combo-Zone 3	+	3		+	21.62										
	op Rates	+	J		+	21.02										
	W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.80						1				
	W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	12.47										
	W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	19.83										
	oice Grade Line Port Rates (BUS - PBX)	L				<u> </u>										
Li	ne Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	ne Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	ne Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	N Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	N Voice Unbundled 2-Way Combination PBX Usage Port	_		UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3
	N Voice Unbundled PBX Toll Terminal Hotel Ports	 	1	UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3
	N Voice Unbundled PBX LD DDD Terminals Port	1		UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17	3
	N Voice Unbundled PBX LD Terminal Switchboard Port N Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	<u> </u>	1	UEPPX UEPPX	UEPXD UEPXE	1.79 1.79	22.14 22.14	15.25 15.25	8.45	3.91				, , xu	11.17	3.

04/12/02 Page 75 of 259

CIADOIAD	LED NETWORK ELEMENTS - Georgia		1			ı					•	_	Attachmen		Exhibit: B	
CATEGOR		Int eri m	Zon e	BCS	usoc			TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per	al Charge - Manual Svc Order vs. Electronic-	al Charge - Manual Svc Order vs. - Electronic-	Manual	al Charge Manual Svc Orde vs.
					_	Rec	Nonrec		Nonrecu		201150			Rates(\$)		
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		3.9
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room															
	Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		3.9
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
LOC	AL NUMBER PORTABILITY		ļ	LIEDDY	LNDOD	0.45	0.00	0.00					00.07	7.00	44.47	0.0
EE A.	Local Number Portability (1 per port) TURES			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
FEA	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.00	0.00	0.00					00.07	7.00		- 0.0
1	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88		3.9
ADD	ITIONAL NRCs						•									
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88		3.
0.140	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	_	 		-		14.64	14.64				ļ	19.99	19.99	19.99	19.9
												1	1	+	 	
UNE	Port/Loop Combination Rates 2W VG Coin Port/Loop Combo – Zone 1		1			12.69								+		+
	2W VG Coin Port/Loop Combo – Zone 2		2			14.36								+	 	+
	2W VG Coin Port/Loop Combo – Zone 3		3			21.72								†		+
UNE	Loop Rates													1		
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.80										1
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	12.47										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	19.83									<u> </u>	
2-Wi	re Voice Grade Line Ports (COIN)														<u> </u>	<u> </u>
	2W Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88		3.
	2W Coin 2-Way with Operator Screening & Blocking: 011, 900/976, 1+DDD			UEPCO UEPCO	UEP2G UEPGA	1.89 1.89	22.14 22.14	15.25	8.45 8.45	3.91		1	33.67 33.67	7.88 7.88		3.
	2W Coin 2-Way with Operator Screening & 011 Blocking (GA) 2W Coin 2-Way with Operator Screening & 900/976 Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25 15.25	8.45	3.91			33.67			3.
	2W Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67			3.
	2W Coin Outward with Operator Screening & 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88		3.
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88		3.
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
ADD	ITIONAL UNE COIN PORT/LOOP (RC)														<u> </u>	ļ
	UNE Coin Port/Loop Combo Usage (Flat Rate)		ļ	UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.
LOCA	AL NUMBER PORTABILITY			UEPCO	LNDCV	0.35						1	1	+	 	├
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35								+	 	+
INOIN	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.
	2W VG Loop/Line Port Combination-Conversion-Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88		3.
ADD	ITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.
UNB	UNDLED REMOTE CALL FORWARDING - Bus													<u> </u>		
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.85	17.16	17.16					18.94	8.42		
	ED PORT/LOOP COMBINATIONS - COST BASED RATES													↓		4
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT		-		+						-	1		+	 	+
UNE	Port/Loop Combination Rates 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	-	1		+	28.19					-	-	 	+	 	+
-+-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1 2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2		+	30.80					 	<u> </u>	1	+	 	
-	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		3		1	42.27								†	 	†
UNE	Loop Rates		T													1
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	19.45	104.78	78.10						$\perp = $		
<u> </u>	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.92	104.78	104.10							<u> </u>	1
UNE	Port Rate		<u> </u>	HEDDY	HEDDA	44.05	04.04	04.04					20.07	7.00	↓	
NON	Exchange Ports-2W DID Port	-	1	UEPPX	UEPD1	11.35	61.91	61.91			-		33.67	7.88	 	+
	RECURRING CHARGES - CURRENTLY COMBINED 2W VG Loop/2W DID Trunk Port Combination-Switch-as-is	-	1	UEPPX	USAC1		93.38	93.38			-	-	33.67	7.88	 	+
NON					I USACI		93.38	ჟა.ან			1	1	JJ.07			
NON							93.38	93.38					33 67	7 88		
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is 2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes ITIONAL NRCs			UEPPX	USA1C		93.38	93.38					33.67	7.88		+
ADDI	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes						93.38	93.38					33.67	7.88		

04/12/02 Page 76 of 259

NROND	LED NETWORK ELEMENTS - Georgia			ı										Attachmen		Exhibit: B	
ATEGORY	RATE ELEMENTS	Int eri m	Zon e	BCS		USOC			TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitt ed Manuall y per		al Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	al Charge Manual Svc Orde vs.
							Rec	Nonrec		Nonrecu					Rates(\$)		
	DID II - FALLE - FALLE - FALLE - CORRES				,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
-	DID Numbers, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX		NDZ ND4	0.00	0.00	0.00								
	Add'l DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4 ND5	0.00	0.00	0.00								ļ
_	DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX UEPPX		ND6	0.00	0.00	0.00								-
_	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								-
LOC	AL NUMBER PORTABILITY			UEFFA	`	NDV	0.00	0.00	0.00								
LUCA	Local Number Portability (1 per port)			UEPPX	(LNPCP	3.15	0.00	0.00								
2-WIF	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT			OLITA	`	LIVI OI	3.13	0.00	0.00								
	Port/Loop Combination Rates																
0.11_	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB L	UEPPR		35.36										
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2		JEPPR		38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3		JEPPR		53.64										
UNE	Loop Rates			Ì													
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB U	JEPPR	USL2X	21.89	252.32	188.77			Ì		19.99	19.99		
	2W ISDN Digital Grade Loop-UNE Zone 2		2		JEPPR	USL2X	25.27	252.32	188.77			İ		19.99	19.99		
	2W ISDN Digital Grade Loop-UNE Zone 3		3		JEPPR	USL2X	40.17	252.32	188.77					19.99	19.99		
	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB U	EPPR	UEPPB	13.47	47.37	47.37					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB U	EPPR	USACB	0.00	93.38	93.38					19.99	19.99		
ADDI	TIONAL NRCs																
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB U	JEPPR	USASB		165.95						19.99	19.99		
	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB U	JEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)				JEPPR	U1UCA	0.00	0.00	0.00								ļ
	CVS (EWSD)				EPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB U	EPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	R TERMINAL PROFILE																ļ
	User Terminal Profile (EWSD only)			UEPPB U	JEPPR	U1UMA	0.00	0.00	0.00								ļ
	TICAL FEATURES				EBBB									10.00	10.00		ļ
	All Vertical Features-One per Channel B User Profile			UEPPB U	JEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		ļ
INTE	ROFFICE CHANNEL MILEAGE					1440110	10.17	=0.01						10.00	10.00		<u> </u>
$-\!$	Interoffice Channel mileage each, including first mile & facilities termination				EPPR	M1GNC	16.47	79.61	36.08				0.00	19.99	19.99		Ь——
4 18/11	Interoffice Channel mileage each, Add'l mile			UEPPB U	EPPR	M1GNM	0.0222	0.00	0.00				0.00				
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT Port/Loop Combination Rates		-	ļ						-		1					
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPF	,		218.69			-		 					├──
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		2	UEPPF			218.69					1		1	1	1	\vdash
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		3	UEPPF			265.09					1					
	Loop Rates		3	ULPPP			203.09					†				 	
OIVE	4W DS1 Digital Loop-UNE Zone 1		1	UEPPF	5	USL4P	55.53	448.92	276.60			 		19.99	19.99		
+	4W DS1 Digital Loop-UNE Zone 2		2	UEPPF		USL4P	64.13	448.92	276.60		†	1		19.99	19.99		
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPF		USL4P	101.93	448.92	276.60			1		19.99	19.99		
UNE	Port Rate		Ť	32111		302	.000		2. 0.00			<u> </u>			.0.00	i	<u> </u>
1	Exchange Ports-4W ISDN DS1 Port			UEPPF)	UEPPP	163.16	186.80	186.80			1		19.99	19.99	İ	
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion-											İ					
	Switch-as-is			UEPPF	>	USACP	0.00	269.96	269.96					19.99	19.99		
	TIONAL NRCs																
ADDI	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way tel nos																
ADDI	+vv Bot Ecopy+ vv lobit Bigli Tik'i oit Gabaqt notvy iliwara/two way tei noo				>	PR7TF		0.9686				1		I	1	<u> </u>	<u> </u>
ADDI	within Std Allowance			UEPPF													
ADDI	within Std Allowance 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers			UEPPF		PR7TO		22.75	22.75								
ADDI	within Std Allowance 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos Above Std			UEPPF	•	PR7TO											
	within Std Allowance 4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Numbers				•			22.75 45.49	22.75 45.49								